Integrative determination of the atomic structure of mutant huntingtin exon 1 fibrils implicated in Huntington's disease

Mahdi Bagherpoor Helabad 1,2 , Irina Matlahov 3 , Raj Kumar 4 , Jan O. Daldrop 5 , Greeshma Jain 3 , Markus Weingarth 4 , Patrick C.A. van der Wel 3,* and Markus S. Miettinen 1,5,6,7,*

*Corresponding authors: Sunday 15th September, 2024 p.c.a.van.der.wel@rug.nl; markus.miettinen@iki.fi

Abstract. Neurodegeneration in Huntington's disease (HD) is accompanied by the aggregation of fragments of the mutant huntingtin protein, a biomarker of disease progression. A particular pathogenic role has been attributed to the aggregation-prone huntingtin exon 1 (HTTex1), generated by aberrant splicing or proteolysis, and containing the expanded polyglutamine (polyQ) segment. Unlike amyloid fibrils from Parkinson's and Alzheimer's diseases, the atomic-level structure of HTTex1 fibrils has remained unknown, limiting diagnostic and treatment efforts. We present and analyze the structure of fibrils formed by polyQ peptides and polyQ-expanded HTTex1 in vitro. Atomic-resolution perspectives are enabled by an integrative analysis and unrestrained all-atom molecular dynamics (MD) simulations incorporating experimental data from electron microscopy (EM), solid-state NMR, and other techniques. Alongside the use of prior data, we report new magic angle spinning NMR studies of glutamine residues of the polyQ fibril core and surface, distinguished via hydrogen-deuterium exchange (HDX). Our study provides a new understanding of the structure of the core as well as surface of aggregated HTTex1, including the fuzzy coat and polyQ-water interface. The obtained data are discussed in context of their implications for understanding the detection of such aggregates (diagnostics) as well as known biological properties of the fibrils.

1 Introduction

Huntington's disease (HD) is one of a family of incurable neurological genetic disorders resulting from an aberrant expansion of a CAG trinucleotide repeat in a disease-specific gene. ^{1,2} In HD, the mutation

¹Department of Theory and Bio-Systems, Max Planck Institute of Colloids and Interfaces, 14424 Potsdam, Germany

²Institute for Drug Discovery, Leipzig University Medical Center, 04103 Leipzig, Germany

³Zernike Institute for Advanced Materials, University of Groningen, 9747 AG Groningen, The Netherlands

⁴NMR Spectroscopy, Bijvoet Centre for Biomolecular Research, Department of Chemistry, University of Utrecht, 3584 CH Utrecht, The Netherlands

⁵ Fachbereich Physik, Freie Universität Berlin, 14195 Berlin, Germany

⁶Department of Chemistry, University of Bergen, 5007 Bergen, Norway

⁷Computational Biology Unit, Department of Informatics, University of Bergen, 5008 Bergen, Norway

impacts the huntingtin (HTT) protein, which ends up with an expanded polyglutamine (polyQ) tract in its first exon (HTTex1, Fig. 1A). In HD patients and model animals, mutant HTT fragments matching HTTex1 form inclusions in brain areas affected by neurodegeneration. In cells, μ m-sized inclusions contain fibrillar protein aggregates with widths of several nanometers, as seen by cryogenic electron tomography (cryo-ET). Fibrillar HTTex1 has all the common features of amyloid fibrils found in diseases such as Parkinson's and Alzheimer's disorders: highly stable protein deposits built around extended intermolecular β -sheets forming a characteristic cross- β architecture. The protein fibrils are of interest due to their potential involvement in pathogenic and neurotoxic processes—but also as biomarkers of disease onset and progression. Consequently, there is a need to resolve their atomic structures to facilitate the design of inhibitors, modulators, and diagnostic tools. For instance, a better understanding of HTTex1 fibril structure is essential to the development of ligands used to detect HTTex1 fibril formation in vivo. 10

Recent years have seen important progress in amyloid structure determination through application of cryogenic electron microscopy (cryo-EM) and solid-state NMR spectroscopy (ssNMR). 7,11,12 Breakthrough studies have produced structures of amyloid fibrils formed by tau, amyloid- β , and α -synuclein, associated with Alzheimer's, Parkinson's, and other amyloid disorders. 12 The polyQ-based amyloid fibrils from HD and other CAG repeat disorders², however, have proved more challenging, and still lack truly atomic-level structures or structural models, limiting progress in mechanistic and diagnostic research. The challenges in studying these proteins stem in part from their atypical amyloidogenic motif, formed by repetitive sequences. The aggregation propensity of polyQ proteins correlates strongly with their polyQ tract length, as determined by the inherited mutation, which inversely correlates with the age of onset.^{2,13} In their native state, polyQ segments are typically considered to lack a stable secondary structure, forming an intrinsically disordered region. This is also true for the polyQ-containing segment of HTT (HTTex1), which is invisible in cryo-EM of the unaggregated full-length human HTT protein. 14,15 However, in HD, N-terminal fragments of polyQ-expanded HTT are generated from protease activity and aberrant splicing, enabling their subsequent aggregation into fibrils and ultimately cellular inclusions. 16-18 This has lead to considerable interest in studies of HTTex1 aggregates as an important mechanistic factor in HD pathogenic mechanisms.

In in vitro structural studies, HTTex1 fibrils (Fig.1B) featured a highly ordered amyloid core, formed by the polyQ segment, surrounded by flexible non-amyloid flanking regions. ^{6,19–23} Prior fiber X-ray diffraction studies showed the core itself to comprise anti-parallel β -sheets in a cross- β pattern (Fig. 1C). ^{24–27} These experiments spurred proposals of various possible fibril models. 24–27 However, such models were typically presented as illustrative rather than an atomic-level analysis, due to the lack of availability of sufficient experimental information. Moreover, all early X-ray-based models proved inconsistent with later work 8,28-30 that revealed important new structural data via combinations of cryo-EM, ssNMR, and other techniques. 8,19-22,30-36 The current study builds on valuable data from various prior experimental studies, complemented with new (NMR) experiments, to perform an integrative structural analysis of polyO amyloid and HTTex1 fibrils. A few recent studies are of particular interest. Firstly, an integration of ssNMR, X-ray, and EM measurements permitted the manual assembly of a schematic fibril architecture in which the polyQ segments form a block-like fibril core (Fig. 1D-E). 8,20,28,29 Subsequently, a cryo-EM study of HTTex1 fibrils²³ produced a medium-resolution density map, which—although it lacked the detail for a de-novo atomistic structure—was interpreted to be consistent with the abovementioned model architecture: the amyloid core has a block-like structure assembled from multiple layers of tightly packed β -sheets (as schematically shown in Fig. 1D–E). Notably, this type of architecture is distinct from more typical amyloid fibrils (Supplementary Fig. S1). The apparent success of such a unified (but as-yet qualitative) model

underlines the need for a modern integrative-structural-biology approach³⁷ to fully describe these fibrils that have much in common with other amyloids, but also a number of truly unique features.

Here we employ rigorous physics-based molecular modeling to integrate the collective experimental knowledge into the first atomic-resolution polyQ and HTTex1 fibril structures that are fully consistent with all the key experimental data, including sheet-to-sheet distances from fiber X-ray diffraction, fiber dimensions from EM, and structural constraints from ssNMR. We combine previously reported experimental data with new experimental results, with the latter in particular examining the fibril core and surface features that were previously not observed. The obtained structures are analyzed in the context of known structural features of HTTex1 amyloid fibrils, allowing a detailed explanation of their conformational and spectroscopic characteristics. Moreover, based on the disposition and accessibility of key residues and segments, the molecular architecture of these HD-related fibrils explains biological properties, such as the (in)ability for post-aggregation polyubiquitination and degradation.

2 Results

2.1 Architecture of the internal polyQ fibril core

We started the integrative structure determination of HTTex1 fibril from its polyQ amyloid core. For this, we first review previously reported experimental data that inform our modelling approach. Most experimental studies, in particular recent ssNMR studies (Supplementary S1A), argue for a shared molecular architecture common to polyQ-containing peptide and protein fibrils. 36,40 Various techniques show that polyQ amyloid features antiparallel β -sheets (Fig. 1E), 26,27,30,33,41 in contrast to the parallel in-register fiber architecture of many other amyloid fibers. 11,42 Another distinct feature of polyQ amyloid is that it forms long β -strands with few turns (Fig. 1F; Supplementary S1B), 8,23,27,29,38 unlike the majority of other amyloid structures that have short β -strands connected by turns or loops. ¹¹ The polyQ fiber core is multiple nanometers wide, devoid of water molecules, and forms a block-like structure featuring a stacking of less than ten β -sheets (Fig. 1D). ^{23,27–29} Its cross-section must contain polyQ segments from multiple protein monomers (schematically illustrated in Fig. 1D–E). ³⁸ A large proportion of the Gln residues is buried, far away from the solvent, in a repetitive and pseudo-symmetric context. This ordered and repetitive nature is demonstrated by high-quality ssNMR spectra, with few and relatively narrow peaks (Fig. 1F-G; Supplementary Fig. S1). 8,20,22,28,29,32,38 These ssNMR studies consistently show a characteristic spectroscopic fingerprint that identifies two dominant Gln residue conformations—see the two sets of peaks from so-called "a" and "b" conformers (red and blue boxes) present at roughly equal intensities in the 2D ssNMR spectra of Q44-HTTex1 fibrils (Fig. 1F-G; Supplementary Fig. S1). The two Gln conformers reflect two types of β -strand structures that co-assemble into a single antiparallel β -sheet (Fig. 1H; more below). 8,22,29

Integrating these known experimental data, we concluded that the internal polyQ core structure can be captured by an infinitely-repeating eight-Gln unit that features antiparallel β -sheets (Fig. 2A). This construction has translational symmetry and lacks the twisting seen in many amyloid fibrils, since EM analyses of our and others' HTTex1 fibrils lack strong signs of twisting. ²³ The repeating 'unit cell' (Fig. 2A) fulfills several *a priori* requirements: First, its peptide chain segments are two residues long, the minimum needed to capture the 'odd/even' side-chain alternation in a β -strand. Given that ssNMR shows only two ssNMR-detected conformers, in long strands (Supplementary Fig. S1; ref. ^{8,22,29}), two residues should be sufficient to capture the structural variation within this amyloid core. Second, the unit cell contains two




Figure 1. Select structural data on HTT Exon 1 aggregates. (A) Sequence of Q44-HTTex1. N- and C-terminal flanking domains marked as N17 and PRD, respectively. (B) Negatively-stained TEM of Q44-HTTex1 aggregates formed *in vitro*; average fiber width \sim 6.5 nm. (C) X-ray fiber diffraction of K₂Q₃₁K₂ fibrils, detecting the cross- β reflections of the amyloid core that represent the inter-strand and inter-sheet distances shown on the right. (D) Cross-section of the (6–7-nm wide) block-like core showing the layering and interdigitation of (differently shaded) β -sheets. (E) Schematic model of a Q44-HTTex1 fibril, showing the N17 and PRD flanking domains outside the polyQ core. (F) 2D 13 C $^{-13}$ C ssNMR spectrum of 13 C, 15 N-labeled Q44-HTTex1 fibrils showing backbone and sidechain cross-peaks of the dominant signals of the polyQ fibril core. Peaks for C $_{\alpha}$ -CX correlations of two distinct "a" and "b" Gln conformers are marked with red and blue boxes, respectively. (G) 2D NCO and NCA ssNMR spectra of Q44-HTTex1 fibrils, with the conformer "a" and "b" again marked. (H) Pairs of antiparallel β -strands, schematically showing two previously proposed arrangements of the "a" (red) and "b" (blue) types of Gln. Given the ssNMR data (panels F–G), only the right one fits the experimental data. See also Supplementary Fig. S1 (I) ssNMR measurements sensitive of the side-chain dihedral angle χ_1 , with simulated curves for "a" (red) and "b" (blue) types of Gln. Panels B–C and I adapted with permission from Ref. 8, D–E from 38, and G from 39.

β-strands (that can differ in conformation), the minimum needed to describe an antiparallel β-sheet. This contrasts with parallel in-register β-sheets that could be represented with a single repeating β-strand. Third, the unit cell contains a stacking of two β-sheets, to permit the probing of distinct sheet–sheet dispositions. Fourth, certain ranges of side-chain dihedral angles (χ₁, χ₂, χ₃) are required in order to fulfill a crucial feature of the interdigitating polyQ amyloid: 8,26 the side-chain–side-chain hydrogen bonding between the strands (see Fig. 2A and Supplementary Fig. S2). Thus, the χ₂ dihedral must be close to 180°, as also known from ssNMR and Raman experiments. 8,43 This minimal model (Fig. 2A) fulfills the above-noted experimental constraints, and still yields a library of roughly 1 000 distinct architectures (see Methods for details).

A key additional consideration is that ssNMR has unambiguously shown sequential residues within each β -strand to have the same backbone conformations (based on identical chemical shifts; Supplementary

Fig. S1B). 8,22,36 Thus the "a" and "b" conformers strictly occupy distinct strands, within which uniform backbone and χ_1 dihedral angles are found (Fig. 1H). Moreover, these two distinct β -strand types differ in their ψ and χ_1 dihedral angles (Fig. 1I; Supplementary Fig. S1D–E). Thus, these additional constraints can be applied to the initial library of architectures. After applying this additional filtering, 30 distinct unit cell architectures still remained possible (Supplementary Fig. S3). To investigate the structural stability of these 30 models, we carried out all-atom MD simulations in a fully periodic "infinite-core" setting; see Methods for details. Only two of the candidate models proved stable throughout the simulations (Fig. 2B and Supplementary Fig. S4).

2.2 Zippers and ladders within the polyQ core

125 Notably, these two stable 3D lattices (denoted M1 and M2) capture, but also refine, known features of polyQ amyloid structure. Experimental constraints offered by previously reported ssNMR dihedral angle measurements are open to more than one interpretation. ^{8,48} Previously, this inherent ambiguity yielded qualitative models useful for illustrative purposes. Here, we have rigorously narrowed down the viable and physically plausible models, obtaining only two models that identify specific narrow regions within the equivocal dihedral angle space (Fig. 2D). Interestingly, unlike all the 28 unstable models, M1 and M2 display no Gln residues with $\chi_3 \approx 180^\circ$ (Supplementary Fig. S6). In both models, the antiparallel β -sheet harbors strand-specific Gln structures occupying the side chain rotamers known as pt20° and mt-30°, as defined by Ref. 49. These conformations enable hydrogen bonding interactions between the side chains of the Gln conformers, in addition to typical strand-to-strand backbone hydrogen bonds (Fig. 2E). This hydrogen bonding pattern is reminiscent of glutamine (or asparagine) ladders found in other amyloids. 44,50 However, a key difference is that here they occur in an antiparallel β -sheet, whereas most prior cases are parallel. A recent paper 44 provided a detailed analysis of this type of ladder in HET-s fibrils, noting the relevance of ¹H shifts of the side chain amide nitrogens. Their hydrogen-bond strength has a noted effect on these ¹H shifts ^{51,52}, resulting in a characteristic pattern for glutamine side chains H-bonded in such ladders: a big difference between their H_Z and H_E shifts (nomenclature in Fig. 2F), with the former reflecting hydrogens involved in strong H-bonds along the fiber axis. Thus, we performed 2D NMR to detect and assign these protons in the polyQ amyloid core (Fig. 2G, Supplementary Fig. S7). These spectra show the backbone N-H signals, as well as peaks for the side chain NH₂ groups of the "a" and "b" Gln conformers. Strikingly, these polyQ side chains feature widely separated H_Z (8.2 ppm) and H_E (5.5 ppm) ¹H shifts. This large H_Z-H_E shift difference actually exceeds that seen in the HET-s fibril. ⁴⁴ This suggests a particularly strong H-bond interaction in polyQ amyloids, given that the ¹H shift values for H_Z are connected to the H-bonding distance. 44,51,52 The resolution of the HET-s fibril structure does not permit a direct translation to an atomic distance, but analysis of Gln ladders in other amyloids suggests side chain oxygen-nitrogen (heavy atom) distances of 2.7 to 2.9 Å. 53 Our stable structures for polyQ (Supplementary Fig. S8) show side-chain-side-chain H-bond distances (for H_Z H-bonds) that match such values.

A notable feature of our models is that these observed distances are the same for the two "a"/"b" conformers. Residues in the HET-s fibril core show substantial differences in their 1 H shifts, 44 presumably due to differences in local structure and H-bonding distance. In contrast, the H_Z and H_E 1 H shifts in the polyQ core are indistinguishable between the two conformers (Supplementary Fig. S7), consistent with the models' indication that the corresponding hydrogen-bonding interactions are alike for the two conformers in the polyQ core. Notably, these observations were not employed as restraints in our modeling setup. The close match between these simulated distances and the newly provided NMR data on the Gln side chains (in the fibril core) offers experimental support for the validity of our modeling efforts.




Figure 2. Glutamine zippers and ladders within the poly O amyloid core. (A) The eight-Gln building block used to generate polyQ core candidates. Six residues are shown faded out to bring the two non-faded in focus: these two are on adjacent β -strands of an antiparallel β -sheet, stabilized by backbone hydrogen bonds (purple), and continuous chains of side-chain hydrogen bonds (orange). The latter are crucial for packing the polar glutamines into a waterless amyloid core. When generating the core candidates, all the χ_1 and χ_3 dihedral angles were independently rotated to explore all potential hydrogen bond networks. (B) Stabilities (see Eq. (1) in Methods) of the 30 experimentally-feasible polyQ core candidates (represented by color-coded lines) as a function of MD simulation time. The three blue-shaded sections indicate the gentle protocol chosen for initiating simulations from the energy-minimized ideal structures: Decreasing position restraints (of 1 000, 500, and 100 kJ/mol/nm²) over three consecutive 100-ps periods led to the unrestrained simulation. Notably, only two candidates maintain stability throughout the 10-µs MD simulations; we denote these M1 and M2. (C) Atomic-level structures of the type "a" and "b" Glns in M2. Gln dihedral angle names shown on "b". (D) The side-chain $\chi_1 - \chi_3$ (left panels) and backbone $\psi - \phi$ (right) dihedral angle distributions of conformers "a" (red) and "b" (blue) for the final models M1 (top) and M2 (bottom). (E) Illustration of the inter-side-chain hydrogen-bond 'ladders' (orange) in M2. (F) Nomenclature for $N\epsilon$ protons involved in the H-bonding along the ladder (H_Z) or orthogonal to it (H_E)⁴⁴. (G) 2D ¹H-¹⁵N MAS NMR spectrum on HTTex1 fibrils (see also Supplementary Fig. \$7). Four cross-peaks are marked for the Gln side-chain NH₂ protons of the "a"- and "b"-conformers that form the core. The dashed lines mark the 1 H shifts for the H_{Z} and H_{E} protons, showing that they are identical for two conformers. Panels B–E from the Amber14SB 45 force field; for OPLSAA/M 46 and CHARMM36m 47 see Supplementary Figs S4, S5.




Figure 3. PolyQ peptide fibril structure. (A) Amino acid sequence of $D_2Q_{15}K_2$ peptide (top), 2D $^{13}C^{-13}C$ ssNMR spectrum (middle) of $D_2Q_{15}K_2$ fibrils with single ^{13}C -labeled Gln (Q6), and negatively-stained TEM of the peptide aggregates (bottom). The ssNMR data adapted from Ref. 8. Signals from type "a" and "b" Gln conformers are shown in red and blue boxes, respectively. (B) 3D cartoon representation of the structural model of the $D_2Q_{15}K_2$ fibril. The alternation of β-strands of "a" (red) and "b" (blue) Gln conformers within a single sheet is shown on the right. (C) The χ_1 , χ_2 , and ψ dihedral angle distributions of "a" (left) and "b" (right) conformers in the context of the $D_2Q_{15}K_2$ fibril for the MI (orange) and M2 (green) models; dashed vertical lines represent mean values. The data were obtained from 1-μs MD simulations (using the OPLSAA/M force field; for Amber14SB see Supplementary Fig. S10). Gray shading depicts the ssNMR constraints for the dihedral angles. The structures at the center show representative "a" (top) and "b" (bottom) conformers of the MI and M2 models.

2.3 Structure of polyQ₁₅ peptide fibrils

The above 3D models capture the internal core of polyQ protein fibrils, but lack the defined width and water-facing surface features of the real polypeptide fibrils. To model a proper experimental system, we modified the 'infinite cores' *M1* and *M2* into models of fibrils formed by the polyQ₁₅ peptide (Fig. 3A). These widely studied ^{8,24,27,54,55} peptides contain a 15-residue polyQ segment, flanked by charged residues to enhance solubility. Experimental analysis ^{8,29,56} by MAS NMR and X-ray diffraction has shown that atomic conformations in the polyQ₁₅ fibril core match those of the disease-relevant HTTex1 fibrils; e.g., the previously published ⁸ ssNMR signals from Gln within the D₂Q₁₅K₂ fibrils (Fig. 3A) and the Q44-HTTex1 fibrils (Fig. 1F) are indistinguishable. Using the *M1* and *M2* models, we constructed D₂Q₁₅K₂ fibrils comprising seven anti-parallel β-sheets, consistent with the 5.5- to 6.5-nm fibril width seen experimentally by TEM (Fig. 3A). We then subjected both polyQ₁₅ models to 1-μs atomistic MD simulations in explicit water; for details, see Methods. Fig. 3B shows the *M2* D₂Q₁₅K₂ fibril in cartoon representation. The structure of the buried Gln residues within the core remained stable throughout the simulations (Supplementary Fig. S9).

There is a high degree of agreement between the χ_1 , χ_2 , and ψ dihedral angle distributions observed in MD simulations of our polyQ₁₅ models and the ssNMR angle constraints previously reported, based on HCCH (χ_1 , χ_2) and NCCN (ψ) experiments (Fig. 3C and Supplementary Fig. S10). Experiments ⁸ have

shown that the "a" and "b" ssNMR signals reflect different χ_1 and ψ values in the two Gln conformers, but a similar χ_2 value. The simulations of both polyQ₁₅ models are consistent with these NMR data (Fig. 3C). The largest deviation affects the M2 model, in terms of its broader distribution of the conformer "a" χ_1 angle, which in part lies outside the shaded region representing the (ambiguous) ssNMR constraint. Experimental studies have shown⁸ that the conformer "a" is more dynamic than conformer "b", with additional new indications discussed below. These results are reminiscent of the increased heterogeneity of the "a" conformer in the MD simulations of both models (see also Supplementary Fig. S9). This dynamic difference thus supports our MD results and dynamic averaging effects may help explain the noted (modest) deviation. Also, the sheet-to-sheet and strand-to-strand distances within the models match well with repeat distances from X-ray diffraction (Supplementary Fig. S11). In sum, the MD simulations support the stability of these polyQ amyloid core structures and recapitulate key data from multiple experimental techniques.

2.4 Surface features of polyQ amyloid

Our modeling reveals an important new feature of polyQ protein or peptide fibrils, which, so far, has not been seen or studied: the solvent-facing external structure of the polyQ amyloid core. The fiber surface mediates interactions with cellular surroundings but also with any purposefully administered compounds, such as thioflavin-T or amyloid-specific tracers used in positron emission tomography (PET). ¹⁰ In our models, the two outermost β -sheets exposed to water (top and bottom sheets in Fig. 3B) allow us to compare the surface-exposed Gln residues versus the residues buried in the fibril core. Figure 4A highlights the water-exposed Gln side-chains (green) in the polyQ₁₅ fibril model. Figure 4 shows the χ_1 - χ_2 and χ_3 - χ_2 dihedral angle distributions of the core Gln residues (panel B, gray) and compares them with the surface residues (panel C, green) for model MI (see Supplementary Fig. S12 for M2). For the core residues, the rotamer states are similar to those discussed above (pt20° and mt-30°). For the surface residues, additional rotameric regions emerge, including Gln rotamers where χ_2 deviates from 180°, close to rotamer pm0°. ⁴⁹ Interestingly, surface residues do not show fully free side-chain motion and retain some of the structural features that determine the molecular profile of the corrugated polyQ amyloid core surface. This observation is highly relevant for efforts to design selective binders of the polyQ amyloid surface.

Until now, few experimental data inform us about these polyQ-water interfaces. A big challenge in understanding the surface-exposed Gln residues is that their NMR signals overlap with those of the core, which are more numerous and therefore dominate the observed signals. ³⁹ Indeed, we (the authors) had assumed the surface and core signals to be more similar than predicted by the MD results (Fig. 4). To evaluate this important feature, we designed and performed new experimental studies combining hydrogendeuterium exchange (HDX) with advanced MAS NMR analysis. The N-H bonds within the fibril core are resistant to H/D exchange, due to their dehydrated nature, stable hydrogen bonding and lack of solvent access.⁵⁷ This feature allows one to differentiate and compare the NMR signatures of the core and surface of polyQ protein fibrils. We produced Q44-HTTex1 fibrils that were aggregated either in regular (protonated) buffer or in deuterated buffer. In such fibrils, one expects the exchangeable amide hydrogens to be either intact or exchanged for deuterium, respectively. By TEM, no deuteration-related effects were noted on the fibril morphology (Supplementary Fig. S15A-B). First, ¹H-detected MAS NMR analysis of the fully protonated fibrils produced the 2D and 3D ¹H-¹⁵N spectra shown in Fig. 5A and Supplementary Fig. S15D, featuring primarily signals from the rigid polyQ core. Note that no strong signals are expected from the numerous HTTex1 proline residues, as they lack backbone amide protons. The observed signals match those expected for the glutamine backbone amides (¹⁵N frequency 115–125 ppm) and the side chains (¹⁵N

230




Figure 4. Atomic model of the water-facing surface of polyQ amyloid. (A) Atomistic MD snapshot of the $D_2Q_{15}K_2$ peptide fibril's polyQ surface in contact with water. Exposed and buried Gln residues are colored green and gray, respectively. Note how the Gln side-chains internal to the (model M1, for M2 see Supplementary Fig. S12) amyloid core are well-ordered, while the water-facing side-chains display more mobility. (B) Side-chain dihedral angle distributions for the buried Gln residues and (C) for the Gln residues on the fibril surface (Amber14SB⁴⁵; for OPLSAA/M⁴⁶ see Supplementary Figs. S13, S14). The surface-facing residues show more disorder, but are nonetheless constrained to just few varyingly prominent specific rotamer states.

frequency near 100–115 ppm). Assignment of the polyQ core signals was based on abovementioned 2D correlation experiments (Supplementary Fig. S7). Next, 2D MAS NMR was performed on the partly HDX-exchanged fibrils after exposure to protonated or deuterated buffer (Fig. 5B-C). One expects to either observe only buried residues, or only exposed residues. These spectra reveal the protonated-core signals to match those of that we already assigned to polyO amyloid (Supplementary Fig. S7). However, the deuterated-core fibrils gave different peaks, which we attribute to the surface exposed glutamines (Fig. 5C). We will examine their distinct shifts below. As another key indicator of surface–exposure we also performed relaxation measurements (Supplementary Fig. S15G-J). We observed that the ¹⁵N backbone and side chains in the fibril core displayed the relaxation characteristics of rigid residues. In contrast, the side chain 15 N of the surface-exchangeable sites displayed faster relaxation (15 N T₁ and T₁₀). Exchangeable backbone ¹⁵N (on the fibril surface) showed intermediate behavior that more closely resembled the polyQ core, in contrast to the side chains. Here it is important to note that the surface residues are more mobile than their buried counterparts, but that their motion is nonetheless greatly restricted. First, these signals are detected via cross-polarization NMR that fails for flexible residues (such as those in the PRD tail). Second, the relaxation properties are indicative of constrained motion, especially considering the relaxation properties of the observed backbone signals.

240

Thus, we experimentally observed solvent-exposed Gln residues accessible on the polyQ core surface. The chemical shifts of their backbone nitrogens are similar to those of the core residues, suggesting a similarity to the amyloid core backbone structure. However, the side chain 15 N and 1 H shifts are very different from the core. Notably, whilst the characteristic side chain H_Z and H_E shifts can be recognized quite clearly, they are much closer together than the already-discussed core residues. Thus, following the analysis discussed above, this implies the absence of ordered Gln-ladders on the fibril surface. These experimental indicators of dynamics of the side chains on the surface, but more order of the backbones, are highly consistent with the MD showing restricted dynamic disorder on the fibril core surface (Fig. 4C).




Figure 5. NMR analysis of polyQ core and surface residues based on H–D exchange. (A) 2D ¹H-detected ¹H–¹⁵N HETCOR NMR spectrum of fully protonated Q44-HTTex1 fibrils. The peak labels are color-coded based on the conformer type ("a" = red; "b" = blue), corresponding to the amyloid core assignments from Supplementary Fig. S7. Attenuation of peaks from the "a"-conformer side-chains is attributed to different dynamics (see also Supplementary Fig. S15D). (B) Analogous data for surface-deuterated Q44-HTTex1 fibers, which is expected to only show peaks from the fibril core. (C) Analogous 2D spectrum for core-deuterated, surface-detected Q44-HTTex1 fibers, which reveals distinct signals from residues on the polyQ surface. The most dramatic difference is seen for the side chain NH₂ group. Measurements at 700 MHz using 60 kHz MAS, at 253 K setpoint temperature. See also Supplementary Fig. S15 for additional data and relaxation measurements.

2.5 Structure of HD-relevant HTT exon 1 fibrils

As already noted, protein inclusions seen in HD patients and HD model animals incorporate the mutant HTTex1 protein fragment. Until now, no atomistic model of HTTex1 fibrils has been reported, although a diversity of schematic or cartoon-style models has been published over the years. Here, we build on our above-presented polyQ amyloid core model structures to construct an experiment-based molecular structure of Q44-HTTex1 fibrils. The Q44-HTTex1 construct is used to model the disease-relevant HD protein in a variety of experimental studies, 20,21,38,39,58 as HD patients commonly have CAG repeat expansions that yield HTT proteins with approximately forty residues in their polyQ domain. In experimental studies of Q44-HTTex1 fibrils formed in vitro, similar to our analysis of the polyQ₁₅ peptide fibrils above, the large majority of the polyQ residues are observed to be buried in the fibril core, as a multi-nm-size block-like core architecture. The polyQ-expanded HTTex1 protein fibrils were observed to form protofilament architectures 21,38 where the polyQ segment adopted a β -hairpin structure (Supplementary Fig. S1C). NMR on Q44-HTTex1 fibrils revealed a β -hairpin with a single turn and two \sim 20 residue-long β -strands

265

285

290

(Supplementary Fig. S1C). This experimental finding was enabled by isotopic dilution studies of Q44-HTTex1 done via NMR, showing close intra-protein contacts between the "a"- and "b"-type strand backbones. This finding recapitulated an earlier 2D-IR study that reported β -hairpins in longer polyQ peptide aggregates lacking HTT flanking segments. The presence of β -hairpins in (long) polyQ fibrils also was suggested by other mechanistic and mutational studies, in vitro and in cells. S9-62 Solid-state NMR studies with site-specific amino acid labels have indicated that the ordered β -sheet core extends from the final N17-domain residue (F17) to the penultimate glutamine in the polyQ segment. Unlike the polyQ segment, the two polyQ-flanking segments of HTTex1 (see Fig. 1A) were found to be solvent exposed, lack β -structure, and display increased motion and disorder. Segment N-terminal N17 segment has been reported to adopt a random coil or α -helical structure, depending on context. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment to display partial order, and partly α -helical structure. Segment Segment

Using these experimental data as input, we constructed the Q44-HTTex1 core base-architecture after the schematic model described earlier. 8,20,21,38 The 44-residue polyQ segment has a β-hairpin conformation with a tight β-turn, containing an even number of residues, and two long β-strands extending from F17 to the penultimate glutamine. A notable feature of polyQ protein aggregates is that the polyQ domains can come together in many different orientations and alignments, yielding a large propensity for heterogeneity and stochatistic modes of assembly. 20,23,38 Here, a configuration was selected to construct a model that mimics our previous schematic model, 38 with flanking domains evenly distributed on both sides of the fibril core. To this end, we attached the appropriate HTTex1 flanking domains to the terminal regions of the polyQ section, thereby achieving the formation of monomer building blocks as illustrated in the top panel of Fig. 6A. The thus constructed HTTex1 fibril was subjected to unrestrained all-atom MD simulations to assess its stability and monitor its structural dynamics. The fibril conformation obtained after a 5-μs simulation is shown in Fig. 6A.

2.6 Structural analysis of HTTex1 fibril

The resulting structure (Fig. 6A) reveals interesting features that permit comparison to experimental studies. Firstly, consistent with the polyQ₁₅ fibril model, the HTTex1 polyQ core structure is found to be highly stable. A noteworthy observation lies in the β -turn conformation embedded within the β -hairpin structure: The simulation data underscores predominance of the type II turn over a type I' conformation (Supplementary Fig. S16), a finding that concurs with the experimental evidence gathered from ssNMR study of such compact turns. As for polyQ₁₅ fibrils, a minority population of glutamines (the light-green side-chains of the middle image in Fig. 6A) is exposed to the solvent; these surface side-chains, as analyzed in Fig. 4 and Fig. 5 above, show a semi-rigid behaviour. The constrained dynamics of these solvent-exposed glutamines stand in large contrast to the dynamic disorder of both non-polyQ flanking domains—whose disposition and structure are of substantial interest, given that they govern key structural and pathogenic properties of the protein and its aggregates. ^{19–21,38,64,65} Figure 6A illustrates the high level of disorder that appears in the MD ensemble of the flanking domains, manifested in both the N17 and the PRD. Although such pronounced dynamics interfere with the detailed experimental study, their appearance in simulations fits with the dynamic disorder of this fuzzy coat observed in experiments, whether based on EPR, EM, or ssNMR. ^{4,19–23}

The secondary-structure preferences of N17, polyQ, and PRD are summarized in Supplementary Fig. S17. There has been significant interest especially in the N17 segment, as it drives HTTex1 aggregation, but




Figure 6. Structure of Q44-HTTex1 amyloid fibril. (A) Atomic-level structural model for mutant HTTex1 fibril. The top image shows a representative monomer within the fibril, with its β -hairpin polyQ segment to the left and the largely disordered flanking segments to the right. The middle image shows a cross-section, and the bottom image a side view of the fibril. The polyQ core is shown with the conformer-identifying red (for "a") and blue (for "b") β -strands, the N-terminal flanking segments yellow, and the C-terminal polyproline II helices dark green. Surface residues of the polyQ amyloid core are light green. (B) Secondary chemical shift values for residues in the N-terminal end, indicating local α -helix (positive values) or β -sheet (negative) conformations, replotted from previously reported work. ²¹ Doubled peaks indicating multiple co-existing conformations are marked with letters a and b. The asterisks mark F17, for which a peak (13 C $_{\beta}$) was not detected, but other resonances indicate β -sheet structure. (C) Secondary structure distribution of the 17 residues in the N-terminal flanking domain during the last 500 ns of 5-μs MD simulation (Amber14SB ⁴⁵). (D) A 2D TOBSY ssNMR spectrum of Q44-HTTex1 fibrils, in which observed cross-peaks correspond to highly flexible residues outside the fibril core. Most, but not all, peaks originate from the C-terminal tail of the PRD. Spectrum was acquired at 600 MHz at 8.33 kHz MAS.

also harbors post-translational modifications that regulate HTTex1 (dis)aggregation and degradation. $^{66-68}$ The fate of N17 in the fibrils has remained somewhat opaque, with seemingly conflicting reports of the presence and absence of (partial) α -helicity. The obtained HTTex1 fibril model provides relevant molecular insights, as its N17 segment displays a mixed secondary structure content, with much disorder (Fig. 6C and Supplementary Figs. S18–S21). Virtually all N17 residues are seen to show some propensity for disorder, such that a subset of the proteins in the modelled fibril has an N17 devoid of α -helical structure (Fig. 7D). Yet, in close to half of the protein monomers, an α -helix is observed within N17. These findings match well to ssNMR analysis of the structure of N17 in fibrillar samples: 21,28 Signals from

an α -helical N17 were detected, but helicity was constrained to only part of the segment (Fig. 6B). The helical residues seen experimentally coincide remarkably well with the residues found to favour helicity in our new model (Fig. 6C), providing further support for the validity of this structural ensemble. The observation that a significant part of N17 is not α -helical finds experimental support as well. ^{22,38,69} Thus, also this experimental finding of N17 heterogeneity and plasticity is clearly recapitulated in the obtained fibril model: we observe an innate heterogeneity in structure and dynamics, even among protein monomers in the same fibril (Fig. 7).




Figure 7. Structural analysis of the Q44-HTTex1 amyloid fibril. For an illustrative 3D exploration of Q44-HTTex1 fibril structure, see the associated video in Extended Data 1. (A) A graphical depiction (after 5-μs simulation in Amber14SB 45) of the HTTex1 fibril. The region shaded in gray denotes a single sheet within the fibril's architecture. (B) An atomic view of the N17 domain within the fibril, naming the specific amino acids. (C) An atomic depiction of the glutamine side-chains within the fibril. The high stability of the fibril structure is primarily attributed to the extensive hydrogen bonding interactions among the glutamines, as depicted in the right panel. (D) Top view representation of the β-sheet highlighted in panel A. A quartet of HTTex1 monomers is visible. The polyQ is color-coded for the type "a" (red) and "b" (blue) strands; the tight β-turn is cyan. The N17 and PRD domains are orange and gray, respectively. Note the structural variation between different monomers in the same fibril sheet, including in particular the range of helical content in the N17.

350

C-terminal to the polyQ segment, the PRD is of biological interest given its role in reducing aggregation propensity, as well as its implication in toxic mechanisms. In HTTex1 fibrils made in vitro, the PRD is known to display a gradient of dynamics. ^{19–22,38,69} Experimentally, the PRD is relatively rigid proximal to the polyQ core, whilst its very tail end is highly flexible. The latter is evidenced by those residues showing up in INEPT-based MAS NMR measurements that are selective for highly flexible residues, such as the 2D INEPT-TOBSY spectrum on Q44-HTTex1 fibrils in Fig. 6D. These data are consistent with prior studies using similar methods as well as relaxation measurements. ^{21,22,31} The MD simulations indicate that the mobility of the PRD is not only constrained by its attachment to the rigid polyQ core, but also by pronounced PRD–PRD intermolecular interactions. Prior work has inferred a propensity for such interactions, especially in context of filament–filament interactions. ^{21,32,38} The current model suggest that such interactions are also prominent in structuring the flanking domains of isolated protofilaments.

A notable feature of the HTTex1 fibril structural ensemble that was not a priori expected by these authors is that the flanking domains are not showing much interaction with the polyQ amyloid core surface. Throughout the simulation, the flanking domains display substantial dynamics, but preferentially cluster together. This leaves the outer polyQ core surface easily accessible not only to solvent, but also to amyloid-binding molecules such as thioflavin-T (ThT) as well as PET ligands. ¹⁰ An in-depth and comprehensive visualisation of the described HTTex1 fibril structure can be further enhanced by viewing the accompanying movie in Extended Data 1.

2.7 Caveats and fibril polymorphism

It is important to note here that polyQ-based protein aggregates display a persistent and characteristic structural heterogeneity that is impossible to fully capture in practical MD simulations. Prior studies have discussed the propensity for polyQ segments to self-assemble in a disordered or stochastic fashion, due to the lack of sequence variation. ^{8,20,70} For instance, a polyQ chain extending an existing fibril can be added in different orientations. This variability is to some extent already displayed in our model: The alternating monomers in the single sheet in Fig. 7D have differently organized β -hairpins in their polyQ segment and their N17 segments on opposite sides of the filament. However, in real samples, one can expect a much more random patterning, which would vary at different locations among even a single fibril.

A similar stochastic feature that is explicitly missing from our model is that incoming polyQ segments can add to the fibril with register mis-alignments, resulting in shorter or longer β -strands in slightly different sequence positions, without a major energetic cost. This would be expected to yield fibril cores with varying fibril widths, local defects, and protein-to-protein structural variations ^{20,23,70} not accessible to more canonical amyloid fibrils formed by other proteins. This includes the recently reported cryo-EM structure of amyloid fibrils formed by the Orb2 protein, a functional amyloid involved in memory formation (Supplementary Fig. S22).⁵³ Although it is glutamine-rich in its amyloid core, the observed structure matches the typical in-register parallel fold and its glutamine torsion angles differ from those of the two polyQ conformers (Supplementary Fig. S22B-C). The presence of non-glutamine residues in the fibril core dictates a sequence-alignment that is absent in polyQ protein fibrils. In contrast, the latter fibrils are expected (and observed ^{23,38}) to display inherent structural variations between fibrils in a single sample, and even within single fibrils. Thus it appears that, like snowflakes, each HTTex1 fibril is unique (which prohibits the canonization of a single definitive protofilament structure) but still characterizable by well-defined structural features. This indistinguishability in local (atomic) structure of differing fibril architectures manifests for instance in the near-identity of ssNMR peak positions reported for polymorphic HTTex1 fibrils.

365

370

395

Indeed, like other amyloids, polyQ proteins form different fibril polymorphs depending on experimental conditions. ^{21,32,71} This structural variation imbues the fibrils with different degrees of cytotoxicity. ^{32,71,72} Notably, the HTTex1 polymorphs often reflect a type of 'supramolecular' polymorphism, with different supramolecular assemblies formed from similarly structured protofilaments. ³⁸ The current model is expected to illuminate the atomic level conformation of one such protofilament, as it is based on experimental constraints that define its structure. Even inside a single protofilament, the unusual block-like architecture of polyQ fibrils permits variations in the number of sheets packed into a single protofilament. ²³ Here, we also fixed this parameter, based on the dominant structures seen in one of our prior studies of Q44-HTTex1, but also this parameter certainly varies between and within samples.

Thus, in summary, in numerous different ways, the structure of HTTex1 is expected and observed to vary from sample to sample, from fibril to fibril, and even within single fibrils. This manifests in cryo-ET, cryo-EM, and AFM studies as fibrils that show variability in their structure, with much less order than many other amyloid fibrils. Capturing this diversity in a single set of MD simulations is impractical, but we consider the obtained structures as representative of the canonical or typical protofilaments seen in HTTex1 in vitro fibrils.

2.8 Implications for HTT fibril interactions and properties

A number of notable features of our model match or rationalize reported biological properties of HTTex1 fibrils. We obtained important new insights into the surface-accessible molecular features of the HTTex1 fibrils' fuzzy coat. Fibril surface properties are crucial for their biological, possibly pathological, properties. In our fibril architecture, the N17 segment is found to reside outside the fibril core, where it displays conformational and dynamic disorder. Crucially, however, N17 is tightly enclosed by the C-terminal PRD domains: Residues in N17 may be solvent-accessible, but are nonetheless largely inaccessible to larger macromolecules such as chaperones, kinases, ubiquitinases, and other potential N17 interaction partners, as can be unambiguously concluded from polymer brush theory (Fig. 8). Thus although in Fig. 7B the known phosphorylation sites T3, S13, and S16 may appear accessible, viewing this monomer in context (Fig. 7A and Fig. 8) underlines that the N17 segment is fully surrounded by the longer PRD segments. Similarly, the only HTTex1 ubiquitination sites involve lysines K6, K9, and K15 in N17, rendering them largely inaccessible in fibrillar HTTex1. The buried nature of N17 also rationalizes the low level of engagement by the TRiC chaperone: ^{34,73} Although known to bind this part of HTTex1, prior EM studies have shown TRiC to be unable to engage HTTex1 fibrils, except near the fibril ends. N17 is also implicated in membrane interactions, such that its preferential exposure at fibril ends may explain the latter to be engaged with the ER membranes. 65,74,75

Let us briefly discuss the implications of our models for HTTex1 fibrils formed by proteins with longer (and shorter) polyQ segments. Our HTTex1 fibril modelling focused on the HD-relevant Q44 that falls into the regime of common expansion lengths seen among patients. Yet, famously, mutant proteins can differ widely in their polyQ lengths. As illustrated in the polyQ₁₅ peptide fibril, and discussed elsewhere, 40,69,72 proteins with shorter polyQ lengths can still form fibrils (at least *in vitro*). However, in such fibrils the polyQ segment may not form a β -hairpin, but instead occupy a single extended β -strand. Naturally, this would modulate the disposition of flanking segments on the fibril surface. Nonetheless, the qualitative architecture would remain unchanged. Conversely, HTTex1 with longer polyQ lengths, such as those associated with juvenile HD, would be expected to form amyloid cores featuring multiple turns, unlike the single-turn structures analyzed here for Q44-HTTex1.




Figure 8. PRD-domain brushes prevent post-translational-modification enzymes from reaching their target sites in HTTex1 fibrils. (A) Size of the largest molecular species ($b_{\rm max}$ = 0.8 nm) that can penetrate the polymer brush formed by the C-terminal PRD domains (as given by the polymer brush theory, see Methods). Silhouettes of the (B) E2-E3 Ubiquitin-Conjugating Complex (PDB code 1C4Z) + ubiquitin (1UBQ), and (C) TANK-Binding Kinase 1 (6CQ0) + phosphate. (D) Silhouette of the HTTex1 fibril. The view is along the fibril growth direction. Shown are two consecutive monomer layers: the top layer in black, the layer behind it in gray. Post-translational modification sites in the top layer highlighted in colour: the potential phosphorylation sites (residues T3, S13, and S16 in the N-terminal N17 domain) in yellow, and ubiquitination sites (residues K6, K9, and K15, also in the N17 domain) in green.

Naturally—although we expect the obtained fibril structure to be a good representation of the fibrils present in our samples and also to have strong predictive and descriptive qualities for cellular HTTex1 aggregates—it cannot be excluded that cellular factors (ranging from chaperones to membrane interactions) may modulate the aggregation mechanism to the extent that the mature fibril architecture differs from the one obtained *in vitro*. Yet, unlike for other amyloid proteins, a remarkable feature of the HTTex1 ssNMR studies is that multiple groups have studied a variety of HTTex1 fibrils and always found the same signature spectra that are connected to the structural parameters used to construct our model. ^{20–22,32,38} Indeed, there is little evidence for a qualitative change in fibril architecture. Thus, we are inclined to expect that while cellular conditions may change certain details in the fibril structure, they would not fundamentally change the protofilament architecture.

3 Conclusions

In this report we have described our construction of experimentally informed and validated structural models of polyQ₁₅ and Q44-HTTex1 amyloid fibrils. These models provide the best atomistic views of these disease-associated protein inclusions to date, derived from a multi-technique structural analysis through integrative modelling. The obtained HTTex1 structure rationalizes a variety of experimental findings with notable biological and biomedical implications. The polyQ segment is mostly buried within the fibril, but the model reveals the structural and dynamical features of the minority of solvent-facing residues. These surface residues have proved challenging for experimental study, necessitating tailored and targeted approaches in, e.g., ssNMR.³⁹ A better structural understanding of this special polyQ surface will be useful in efforts to design polyQ-amyloid-specific binders, e.g., for PET imaging.¹⁰ The visualization of the dynamically and structurally heterogeneous flanking domains enhance our understanding of their accessibility in the fibrils and pave the way for more in-depth analyses of their role in intracellular interactions with proteins and organelles.

4 Methods

Protein production and fibrillation

Mutant huntingtin exon 1 with a 44-residue polyQ core was expressed as part of a maltose binding protein (MBP) fusion protein as previously reported. 20,21 The fusion protein MBP-Q44-HTTex1 was expressed in Escherichia coli BL21 (DE3) pLysS cells (Invitrogen, Grand Island, NY). Uniformly ¹³C and ¹⁵N labeled MBP-O44-HTTex1 protein was expressed with ¹³C D-glucose and ¹⁵N ammonium chloride for MAS ssNMR studies. Then, cells were pelleted at 7 000 g, resuspended in phosphate buffered saline (PBS), pH 7.4 and lysed in presence of 1 mM phenylmethanesulfonyl fluoride (PMSF) by a HPL 6 maximator (Benelux BV, The Netherlands). After that, cells were centrifuged at 125 000 g for 1 h using an Optima LE-80K ultra-centrifuge (Beckmann Coulter). The supernatant was filtered over Millex-GP syringe-driven 0.22 µm PES membranes (Millipore Sigma, Burlington, MD). The MBP-Q44-HTTex1 protein was purified by fast protein liquid chromatography (FPLC) using a 5 ml HisTrap HP nickel column (GE Healthcare, Uppsala, Sweden) with 0.5 M imidazole gradient (SKU I5513-100G, Sigma, St. Louis, MO) on an AKTA system (GE Healthcare, Chicago, IL). The imidazole was removed from the purified protein using an 435 Amicon Ultra centrifugal filter with a regenerated cellulose membrane (Millipore Sigma, Burlington, MA). At least 3 washes with imidazole-free PBS buffer were done. Protein concentration was calculated from the absorbance at 280 nm. According to ProtParam tool by ExPasy 76 the extinction coefficient of the fusion protein is 66 350 M⁻¹cm⁻¹. Protein aggregation was initiated by addition of Factor Xa protease (SKU PR-V5581, Promega, Madison, WI) at 22°C, in order to cleave off the MBP fusion tag ^{21,38} and release Q44-HTTex1. To prepare the \triangle N15-Q44-HTTex1 samples, trypsin protease was used to sever the fusion protein, as previously reported, ³⁸, yielding fibrils in which most of the N17 segment is absent. After 3 days, the obtained mature fibrils were washed with PBS to remove the cleaved MBP.

Samples for deuterium exchange MAS NMR studies

For the proton-deuterium-exchange (HDX) experiments, prior to cleavage, batches of the fusion protein was exchanged into either protonated or deuterated PBS buffer by solvent exchange (using Amicon centrifugal filters with 10 kDa cutoff). Next, the protein concentration was adjusted to 50 μM (with protonated or deuterated PBS, respetively). Factor Xa was added (1:400 molar ratio, protease:fusion

protein), to permit three days of aggregation at 37 °C. Next, the protonated or deuterated fibrils were recovered and washed with matching PBS buffer. Just before the MAS NMR measurements, the fibrils were washed with PBS, either protonated or deuterated, to study the proton-deuterium exchange process by MAS NMR.

PolyQ peptide samples

For EM and NMR experiments, synthetic polyQ-based peptides were prepared and studied in their aggregated state. These peptides were obtained by solid-phase peptide synthesis from commercial sources, submitted to disaggregation protocols and permitted to aggregate in PBS buffer, as previously described ⁸. The aggregated polyQ15 peptide studied by TEM had the sequence D₂Q₁₅K₂, and was prepared as described before. ⁵⁵ The polyQ peptide used in the ¹⁵N-detected 2D NMR studies (Figure S7) had the sequence K₂Q₁₁pGQ₁₁K₂ (p indicates D-proline), with two sequential Gln residues outfitted with uniform ¹³C and ¹⁵N labeling. ⁸

Transmission Electron Microscopy (TEM)

Transmission electron microscopy (TEM) was performed on mature $D_2Q_{15}K_2$ peptide fibrils and Q44-HTTex1 fibrils. The fibrils were re-suspended in MiliQ and then 5 μ l of the sample was deposited on the plain carbon support film on 200 mesh copper grid (SKU FCF200-Cu-50, Electron Microscopy Sciences, Hatfield, PA). The grid was glow discharged for 0.5–1 min before adding the sample. After 30 s of the sample deposition, the excess MiliQ was removed by blotting, and immediately the negative staining agent 1% (w/v) uranyl acetate was applied. After 0.5–1 min, the excess stain was removed and the grid was air dried. The images were recorded on a Tecnai T12 or CM12 transmission electron microscope.

NMR experiments

The hydrated U-13C,15N-labeled Q44-HTTex1 fibrils were packed into a 3.2 mm ssNMR rotor (Bruker 470 Biospin) using a previously described packing tool. 77 The fibrils were packed in the rotor by centrifugation at $\approx 130\,000\,\mathrm{g}$ in a Beckman Coulter Optima LE-80K ultracentrifuge equipped with an SW-32 Ti rotor for 1 hour. Experiments were performed on a wide-bore Bruker Avance-I 600 MHz (14.1 T) spectrometer or Bruker Avance Neo 600 MHz (14.1 T) spectrometer, using triple-channel (HCN) 3.2 mm MAS EFree probes. All experiments were acquired using two-pulse phase modulated (TPPM) proton decoupling of 83 kHz during acquisition ⁷⁸. The 2D ¹³C–¹³C DARR experiments ⁷⁹ on uniformly labeled Q44-HTTex1 fibrils (Figure 1F) were performed using a 3-µs 90° pulse on ¹H, 4-µs 90° pulses on ¹³C, a ¹H–¹³C CP contact time of 1 ms at 275 K, a DARR mixing time of 25 ms, and a recycle delay of 2.8 s. 2D NCA and NCO experiments were performed on U-labeled Q44-HTTex1 fibrils, as follows. 2D ¹³C–¹⁵N NCO experiments (Figure 1G) were done at 277 K using a 3-µs 90° pulse on ¹H, 8-µs 180° pulse on ¹³C, 480 ¹H-¹⁵N contact time of 1.5 ms, ¹⁵N-¹³C contact time of 4 ms and recycle delay of 2.8 s. 2D ¹³C-¹⁵N NCA experiments were done at 277 K using a recycle delay of 2.8 s, a 3-µs 90° pulse on ¹H, 8-µs 180° pulse on ¹³C, 1.5 ms and 4 ms ¹H–¹⁵N and ¹⁵N–¹³C contact times, respectively. In NCA and NCO experiments, the power levels for ¹⁵N and ¹³C during N-C transfer steps were 50 kHz and 62.5 kHz, respectively. The 2D refocused-INEPT ¹³C-¹³C 2D spectrum of U-¹³C, ¹⁵N-labeled Q44-HTTex1 fibrils (Figure 6D) was obtained with total through-bond correlation spectroscopy (TOBSY; P9\frac{1}{2}) recoupling, measured at MAS rate of 8.3 kHz, using a 6 ms of TOBSY mixing time, a 3-µs 90° pulse on ¹H, 4-µs 90° on ¹³C, at a temperature of 275 K. 80 To observe and assign the backbone and side-chain protons of the fibril polyQ core, ¹H-¹⁵N heteronuclear correlation (HETCOR) experiments were performed on both polyQ model peptides

505

525

(where only Gln were labeled) and fully ${}^{13}\mathrm{C}$, ${}^{15}\mathrm{N}$ -labeled HTTex1 fibril samples. The former sample allows us to exclude contributions from non-Gln residues to the detected signals. These experiments were applied to aggregates of $K_2Q_{11}pGQ_{11}K_2$ peptides in which only two (sequential) Gln were labeled with ^{13}C , ^{15}N , which were previously shown to display the characteristic polyQ core signature. 8 To compare those to the polyQ core of HTTex1 fibrils, we employed aggregates formed from U¹³C,¹⁵N Q44-HTTex1 cleaved with trypsin (Supplementary Figure S7). The $^1\mathrm{H}^{-15}\mathrm{N}$ HETCOR experiments on both samples were done using a MAS rate of 13 kHz, 100 and 350 µs CP contact times, 4 s recycle delay, a 3-µs 90° ¹H pulse, and at 275 K temperature. 100 kHz homonuclear FSLG ¹H decoupling was applied during the t₁ evolution time. For the peptide fibrils, 128 scans (per t₁ point) were acquired; for the protein fibrils 64 scans. The HDX MAS NMR experiments were performed using a 700MHz Bruker NMR spectrometer, equipped with a 1.3mm fast-MAS HCN probe. 2D ¹⁵N-¹H spectra were obtained using 2ms ¹H-¹⁵N and 1ms ¹⁵N-¹H CP 500 transfers and a recycle delay of 1.1s. Relaxation measurements were performed at 60 kHz MAS using relaxation delays of 0, 10, 30, 50, 100, and 200ms for ${}^{1}\text{H}$ - ${}^{15}\text{N}$ T_{1 ρ} measurements using a ${}^{1}\text{H}$ - ${}^{15}\text{N}$ spin lock amplitude of 18kHz, and relaxation delays of 0, 0.1, 1, 2, 4, 8, and 16s for ¹H-¹⁵N T₁ measurements. The $T_1/T_{1\rho}$ trajectories were fit to single exponentials.

MD simulations

General simulation details. All MD simulations were carried out on the fast, free, and flexible Gromacs engine. 81 All systems were first energy-minimized using steepest descent with one conjugate gradient step every 100 steps, then equilibrated through a 200-ps MD simulation in the NVT ensemble with positional restraints (1 000 kJ/mol/nm²) on heavy atoms, followed by three 100-ps NPT runs with positional restraints (1000, 500, and 100 kJ/mol/nm²) on heavy atoms. (To create independent replicates of the 30 polyQ amyloid core lattices, see Fig. S4, we alternatively equilibrated them using dihedral restraints on the χ_1 and χ_3 angles: First through a 100-ps NVT run with 1 000 kJ/mol/rad², followed by four 100-ps NPT runs with 1000, 500, 250, and 100 kJ/mol/rad².) The production MD simulations were done in the NPT ensemble, obtained through the Bussi–Donadio–Parrinello 82 thermostat (T = 300 K, τ_T = 0.2 ps) and the isotropic (for the polyQ lattice systems) or semi-isotropic (Q_{15} and HTTex1 systems, xy and z coupled separately) Parrinello–Rahman⁸³ (P=1 bar, $\tau_P = 2$ ps, $\kappa_P = 4.5 \times 10^{-5}$ bar⁻¹) barostat. The van der Waals interactions were switched off between 1.0 and 1.2 nm; long-range electrostatics were treated via Particle Mesh Ewald ^{84,85} with fourth-order interpolation, a real-space cut-off at 1.2 nm, and size-optimized fast Fourier transform parameters (grid spacing of roughly 0.16 nm). Covalent bonds involving hydrogens were constrained to their equilibrium lengths by (fourth-order double-iteration) parallel linear constraint solver (P-LINCS)⁸⁶. Timestep was 2 fs, Verlet neighbour lists updated every 20 fs with the neighbour list radius automatically determined.

PolyQ amyloid core lattices

Building the systems. To build atomistic-resolution models of the internal structure of the polyQ amyloid core, we assumed it to comprise a lattice of antiparallel β -sheets stacked such that the Gln side-chains interdigitate. The pairs of side-chain dihedral angles (χ_1, χ_3) were set to satisfy the known characteristic of the interdigitating polyQ amyloid core: 8,26 the existence of side-chain-side-chain hydrogen bond interactions. We took the fibril-axis direction to align with the Cartesian coordinate z, and to be perpendicular to the β -strands (aligned with x). To construct the 3D lattice, we considered a minimal "unit cell" consisting of eight Gln residues arranged in a $2 \times 2 \times 2$ pattern (Fig. 2A): Along x, the unit cell contains a minimal peptide chain segment of two amino acids ($2 \times 2 \times 2$), representing the alternating ('odd/even', i.e., pointing 'above' and 'below' the β -sheet plane) residues of the β -strand. Along z, to

describe an antiparallel β -sheet, minimum two β -strands are needed (2 × 2× **2**); in contrast to parallel in-register sheet structures that could be represented with a single repeating β -strand. Along y, the unit cell contains two distinct neighbouring β -sheets to permit and probe distinct sheet–sheet interfaces (2 × 2 × 2). Figure 2A illustrates how each eight-Gln unit cell contains four Gln-Gln pairs, which establish backbone hydrogen bonds (shown in purple) as well as side-chain hydrogen bonds (in orange). All the hydrogen bonds are aligned roughly along the fibril axis, z. For each Gln-Gln pair, there are 8 distinct classes of (χ_1,χ_3) orientations that permit side-chain-side-chain hydrogen bond chains along z (see Supplementary Fig. S1). As there are 4 Gln–Gln pairs in the unit cell, there are $8^4 = 4096$ possible plausible atomistic structures of the 8-Gln unit cell. Accounting for rotational and translational symmetry of the 3D lattice reveals, however, that at most 1 280 of these structures are unique. An important further consideration is that ssNMR experiments conclusively demonstrate that consecutive residues within each β -strand must adopt the same backbone conformations, as indicated by identical chemical shifts. As a result, each distinct strand exclusively contains either type "a" or type "b" Gln residues (Fig. 1I,J). After applying this filter, the number of possible distinct unit cells is reduced to 30. For each of these 30 unit cells candidates, we performed all-atom MD simulations. The fully periodic MD simulation box was filled by 40 identical unit cells, that is, a total of $8\times40=320$ Gln residues, organized as a stack (along y) of 4 antiparallel β -sheets, with each sheet comprising 8 β -strands of periodic (along x) Q_{10} peptides.

MD simulations. Acknowledging the limitations of a classical mechanics approximation (force field) of an inherently quantum system, we employed in parallel three state-of-the-art MD force fields (one from each of the main force field families): AMBER14SB, ⁴⁵ OPLSAA/M, ⁴⁶ and CHARMM36m. ⁴⁷ Gromacs version 2018.3 was used. During the production runs (10 μ s for position-restraint-initialized Amber14SB (Fig. 2B), 1 μ s for other force fields and/or dihedral-restraint initialization (Fig. S4)), the stability of the 30 structural candidates was evaluated at 5 ns, 100 ns, 200 ns, and 1 μ s. At each of these time points, only the candidates that maintained stability above 0.9 (see Eq. (1)) were further continued. The stability S(t) of the given structural candidate at a simulation time t was defined based on the $\chi_1(t)$ and $\chi_3(t)$ dihedral angles compared to the initial energy-minimized MD structure:

$$S(t) = \frac{N_1(t) + N_3(t)}{2N},\tag{1}$$

where N=320 is the total number of residues, and $N_i(t)$, $i=\{1,3\}$ is the number of residues whose $\chi_i(t)$ is within 90° of its initial value at time t.

Solvated polyQ₁₅ fibrils

Creating the systems. Q_{15} peptide fibrils were constructed from each of the two stable ssNMR-verified core models, MI and M2. Two successive aspartic acid (DD) residues were added to the N-terminus and two lysines (KK) to the C-terminus of the Q_{15} peptide to mimic the $D_2Q_{15}K_2$ peptide widely studied by experiments. 8,24,27,54 The N-terminus was further capped with an acetyl (Ace) group, and the C-terminus was set uncharged (with –COOH capping) to match the peptides used in our experiments. A 7-sheet fibril structure was constructed, with each sheet comprising eight Ace- $D_2Q_{15}K_2$ peptides. The simulation box was set up to form a quasi-infinite fibril (along z) under periodic boundary conditions and solvated with $\sim 9\,800$ water molecules in a cuboid box of $\sim 11\times 11\times 3.8\,\mathrm{nm}^3$.

MD simulations. State-of-the-art MD force fields AMBER14SB, 45 OPLSAA/M, 46 and the TIP3P water model were used for calculations carried out on the Gromacs version 2021.3. Production run length was 1 μ s.

595

Solvated Q44-HTTex1 fibrils

Creating the systems. The ssNMR data suggest that the HTTex1 aggregates display the same spectral patterns observed in polypeptide polyQ fibrils. 8,40 This indicates the presence of a common atomic polyQ core structure among them. Consequently, we constructed an atomistic-resolution structure of the mutant HTTex1 fibril utilizing the polyQ core model described in the preceding section. In contrast to fibrils composed of short polyQ segments, the Q44-HTTex1 fibrils exhibited a distinct structural characteristic, consisting of a β -hairpin structure with a single turn. Hence, the constructed core domain of our Q44-HTTex1 encompasses a stack of seven antiparallel β -sheets composed of 44-residue polyQ hairpins (Q44). The hairpin arms consisted of "a" and "b" β -strands connected by a two-residue β -turn modeled based on a type I' tight turn, known for its strong preference towards adopting a β -hairpin structure.⁸⁸ The N-terminus of HTTex1, comprising 17 residues, was modeled utilizing the crystal structure of a single HTT(1–17) peptide in complex with the C4 single-chain Fv antibody (PDB ID: 4RAV). 63 The residue F17 was included within the β -sheet core, pairing with the penultimate glutamine residue, as supported by the findings of ssNMR investigations. ²⁸ The PRD domain of the HTTex1, including 50 residues (P62–P111), was modelled as an end-to-end-distance-maximized random coil, with the two oligoproline (P62-P72 and P90–P99) segments in a polyproline-II-helix conformation. The termini were set to NH₃⁺ and COO⁻ for the N- and C-terminal, respectively. The turns of neighboring Q44 hairpins were positioned on opposite sides of the fibril (Fig. ??A). The system was solvated with \sim 840 000 water molecules, resulting in a total of \sim 2 800 000 atoms, in a cuboid box of \sim 37 \times 37 \times 19 nm³.

MD simulations The production MD simulations were conducted for a duration of 5 µs on Gromacs version 2021.4 with AMBER14SB⁴⁵ protein force field and TIP3P⁸⁷ water.

Polymer brush theory

The largest particle that a polymer brush in an ideal solvent can accommodate has the size 89,90

$$b_{\text{max}} = \sqrt[4]{\frac{Na^2}{2\pi^3\sigma}},$$

where N is the number of monomer units per polymer, a the monomer size, and σ the grafting density. For a Q44-HTTex1 amyloid fibril, $N\approx 50$ and $a\approx 0.4\,\mathrm{nm}$ are the number of residues in the PRD domain and the persistence length of an intrinsically disordered protein, respectively; 91 and $\sigma\approx 0.7\,\mathrm{nm}^{-2}$ is the density of PRD domains on the fibril sides where the polyQ-flanking segments reside. Using these values results in $b_{\mathrm{max}}\approx 0.7\,\mathrm{nm}$; allowing for a good 91 instead of an ideal solvent gives the $b_{\mathrm{max}}\approx 0.8\,\mathrm{nm}$ used in Fig. 8.

5 Data Availability

The data that support the findings of this study are openly available at Zenodo (DOI: 10.5281/zenodo.8143752).

605 6 Acknowledgments

This study was supported by funds from the CHDI foundation (contract A-17778), the CampagneTeam Huntington and prior funding via NIGMS R01 GM112678. Part of the work has been performed under

the Project HPC-EUROPA3 (INFRAIA-2016-1-730897), with the support of the EC Research Innovation Action under the H2020 Programme, in particular, MBH gratefully acknowledges the support of Zernike Institute for Advanced Materials of the University of Groningen and the computer resources and technical support provided by SURF HPC. Majority of the calculations presented here were carried out on the MPG supercomputers RAVEN and COBRA hosted at MPCDF. MSM acknowledges financial support by the Volkswagen Foundation (86110) and by the Trond Mohn Foundation (BFS2017TMT01). This work benefited from access to the uNMR-NL facility at Utrecht University, an Instruct-ERIC centre, with financial support provided by Instruct-ERIC (PID 18439). We thank Dr. Alessia Lasorsa for recording some of the ssNMR experiments. MBH thanks Dr. Matthias Elgeti for his support during the writing of this manuscript and for his valuable feedback.

7 Competing Interests

The authors declare no competing interests.

20 References

625

- [1] Ross, C. A. Polyglutamine pathogenesis: emergence of unifying mechanisms for Huntington's disease and related disorders. *Neuron* **35**, 819–822 (2002).
- [2] Bates, G. P. et al. Huntington disease. Nature Reviews Disease Primers 1, 1–21 (2015).
- [3] DiFiglia, M. *et al.* Aggregation of huntingtin in neuronal intranuclear inclusions and dystrophic neurites in brain. *Science* **277**, 1990–1993 (1997).
- [4] Bäuerlein, F. J. *et al.* In situ architecture and cellular interactions of polyq inclusions. *Cell* **171**, 179–187 (2017).
- [5] Peskett, T. R. *et al.* A Liquid to Solid Phase Transition Underlying Pathological Huntingtin Exon1 Aggregation. *Mol Cell* **70**, 588–601.e6 (2018).
- 630 [6] Galaz-Montoya, J. G., Shahmoradian, S. H., Shen, K., Frydman, J. & Chiu, W. Cryo-electron tomography provides topological insights into mutant huntingtin exon 1 and polyQ aggregates. *Communications Biology* **4**, 849 (2021).
 - [7] Sawaya, M. R., Hughes, M. P., Rodriguez, J. A., Riek, R. & Eisenberg, D. S. The expanding amyloid family: Structure, stability, function, and pathogenesis. *Cell* **184**, 4857–4873 (2021).
- [8] Hoop, C. L. *et al.* Huntingtin exon 1 fibrils feature an interdigitated β -hairpin–based polyglutamine core. *Proceedings of the National Academy of Sciences* **113**, 1546–1551 (2016).
 - [9] Scherzinger, E. *et al.* Huntingtin-encoded polyglutamine expansions form amyloid-like protein aggregates in vitro and in vivo. *Cell* **90**, 549–558 (1997).
 - [10] Liu, L. *et al.* Imaging mutant huntingtin aggregates: development of a potential pet ligand. *Journal of medicinal chemistry* **63**, 8608–8633 (2020).
 - [11] van der Wel, P. C. A. Insights into protein misfolding and aggregation enabled by solid-state NMR spectroscopy. *Solid State Nucl Magn Reson* **88**, 1–14 (2017).
 - [12] Fitzpatrick, A. W. & Saibil, H. R. Cryo-em of amyloid fibrils and cellular aggregates. *Current opinion in structural biology* **58**, 34–42 (2019).
- 645 [13] Chen, S., Ferrone, F. A. & Wetzel, R. Huntington's disease age-of-onset linked to polyglutamine aggregation nucleation. *Proceedings of the National Academy of sciences* **99**, 11884–11889 (2002).
 - [14] Guo, Q. et al. The cryo-electron microscopy structure of huntingtin. Nature 555, 117–120 (2018).

660

670

675

685

- [15] Harding, R. J. *et al.* Huntingtin structure is orchestrated by hap40 and shows a polyglutamine expansion-specific interaction with exon 1. *Communications Biology* **4**, 1374 (2021).
- 650 [16] Lunkes, A. *et al.* Proteases acting on mutant huntingtin generate cleaved products that differentially build up cytoplasmic and nuclear inclusions. *Molecular cell* **10**, 259–269 (2002).
 - [17] Sathasivam, K. *et al.* Aberrant splicing of htt generates the pathogenic exon 1 protein in huntington disease. *Proceedings of the National Academy of Sciences* **110**, 2366–2370 (2013).
 - [18] Neueder, A. *et al.* The pathogenic exon 1 HTT protein is produced by incomplete splicing in Huntington's disease patients. *Scientific Reports* 7, 1307 (2017).
 - [19] Bugg, C. W., Isas, J. M., Fischer, T., Patterson, P. H. & Langen, R. Structural features and domain organization of huntingtin fibrils. *Journal of Biological Chemistry* **287**, 31739–31746 (2012).
 - [20] Hoop, C. L. *et al.* Polyglutamine amyloid core boundaries and flanking domain dynamics in huntingtin fragment fibrils determined by solid-state nuclear magnetic resonance. *Biochemistry* **53**, 6653–6666 (2014).
 - [21] Lin, H.-K. *et al.* Fibril polymorphism affects immobilized non-amyloid flanking domains of huntingtin exon1 rather than its polyglutamine core. *Nature communications* **8**, 1–12 (2017).
 - [22] Isas, J. M., Langen, R. & Siemer, A. B. Solid-state nuclear magnetic resonance on the static and dynamic domains of huntingtin exon-1 fibrils. *Biochemistry* **54**, 3942–3949 (2015).
- 665 [23] Nazarov, S., Chiki, A., Boudeffa, D. & Lashuel, H. A. Structural basis of huntingtin fibril polymorphism revealed by cryogenic electron microscopy of exon 1 htt fibrils. *Journal of the American Chemical Society* **144**, 10723–10735 (2022).
 - [24] Perutz, M., Staden, R., Moens, L. & De Baere, I. Polar zippers. Current biology 3, 249–253 (1993).
 - [25] Perutz, M. F., Finch, J. T., Berriman, J. & Lesk, A. Amyloid fibers are water-filled nanotubes. *Proceedings of the National Academy of Sciences* **99**, 5591–5595 (2002).
 - [26] Sikorski, P. & Atkins, E. New model for crystalline polyglutamine assemblies and their connection with amyloid fibrils. *Biomacromolecules* **6**, 425–432 (2005).
 - [27] Sharma, D., Shinchuk, L. M., Inouye, H., Wetzel, R. & Kirschner, D. A. Polyglutamine homopolymers having 8–45 residues form slablike β -crystallite assemblies. *Proteins: Structure, Function, and Bioinformatics* **61**, 398–411 (2005).
 - [28] Sivanandam, V. *et al.* The aggregation-enhancing huntingtin n-terminus is helical in amyloid fibrils. *Journal of the American Chemical Society* **133**, 4558–4566 (2011).
 - [29] Schneider, R. *et al.* Structural characterization of polyglutamine fibrils by solid-state nmr spectroscopy. *Journal of molecular biology* **412**, 121–136 (2011).
- 680 [30] Buchanan, L. E. *et al.* Structural motif of polyglutamine amyloid fibrils discerned with mixed-isotope infrared spectroscopy. *Proceedings of the National Academy of Sciences* **111**, 5796–5801 (2014).
 - [31] Caulkins, B. G., Cervantes, S. A., Isas, J. M. & Siemer, A. B. Dynamics of the Proline-Rich C-Terminus of Huntingtin Exon-1 Fibrils. *J Phys Chem B* **122**, 9507–9515 (2018).
 - [32] Mario Isas, J. *et al.* Huntingtin fibrils with different toxicity, structure, and seeding potential can be interconverted. *Nat. Commun.* **12**, 4272 (2021).
 - [33] Xiong, K., Punihaole, D. & Asher, S. A. Uv resonance raman spectroscopy monitors polyglutamine backbone and side chain hydrogen bonding and fibrillization. *Biochemistry* **51**, 5822–5830 (2012).
 - [34] Shahmoradian, S. H. et al. Tric's tricks inhibit huntingtin aggregation. Elife 2, e00710 (2013).
 - [35] Wagner, A. S. *et al.* Self-assembly of mutant huntingtin exon-1 fragments into large complex fibrillar structures involves nucleated branching. *Journal of molecular biology* **430**, 1725–1744 (2018).
 - [36] Van der Wel, P. C. Solid-state nuclear magnetic resonance in the structural study of polyglutamine aggregation. *Biochemical Society Transactions* **52**, 719–731 (2024).

- [37] Rout, M. P. & Sali, A. Principles for integrative structural biology studies. *Cell* **177**, 1384–1403 (2019).
- 695 [38] Boatz, J. C. *et al.* Protofilament structure and supramolecular polymorphism of aggregated mutant huntingtin exon 1. *Journal of molecular biology* **432**, 4722–4744 (2020).
 - [39] Matlahov, I., Boatz, J. C. & van der Wel, P. C. Selective observation of semi-rigid non-core residues in dynamically complex mutant huntingtin protein fibrils. *Journal of structural biology: X* **6**, 100077 (2022).
- 700 [40] Matlahov, I. & van der Wel, P. C. Conformational studies of pathogenic expanded polyglutamine protein deposits from huntington's disease. *Experimental Biology and Medicine* **244**, 1584–1595 (2019).
 - [41] Sharma, D., Sharma, S., Pasha, S. & Brahmachari, S. K. Peptide models for inherited neurodegenerative disorders: conformation and aggregation properties of long polyglutamine peptides with and without interruptions. *FEBS Lett* **456**, 181–185 (1999).
 - [42] Margittai, M. & Langen, R. Fibrils with parallel in-register structure constitute a major class of amyloid fibrils: molecular insights from electron paramagnetic resonance spectroscopy. *Quarterly reviews of biophysics* **41**, 265–297 (2008).
- [43] Punihaole, D., Workman, R. J., Hong, Z., Madura, J. D. & Asher, S. A. Polyglutamine Fibrils: New
 Insights into Antiparallel β-Sheet Conformational Preference and Side Chain Structure. *J Phys Chem B* 120, 3012–3026 (2016).
 - [44] Wiegand, T. *et al.* Asparagine and Glutamine Side-Chains and Ladders in HET-s(218–289) Amyloid Fibrils Studied by Fast Magic-Angle Spinning NMR. *Frontiers in Molecular Biosciences* **7**, 582033 (2020).
- 715 [45] Maier, J. A. *et al.* ff14sb: improving the accuracy of protein side chain and backbone parameters from ff99sb. *Journal of chemical theory and computation* **11**, 3696–3713 (2015).
 - [46] Robertson, M. J., Tirado-Rives, J. & Jorgensen, W. L. Improved peptide and protein torsional energetics with the opls-aa force field. *Journal of chemical theory and computation* **11**, 3499–3509 (2015).
- 720 [47] Huang, J. *et al.* Charmm36m: an improved force field for folded and intrinsically disordered proteins. *Nature methods* **14**, 71–73 (2017).
 - [48] van der Wel, P. C. Dihedral angle measurements for structure determination by biomolecular solid-state nmr spectroscopy. *Frontiers in Molecular Biosciences* **8**, 791090 (2021).
- [49] Lovell, S. C., Word, J. M., Richardson, J. S. & Richardson, D. C. The penultimate rotamer library.
 Proteins 40, 389–408 (2000).
 - [50] Chan, J. C. C., Oyler, N. A., Yau, W.-M. & Tycko, R. Parallel beta-sheets and polar zippers in amyloid fibrils formed by residues 10-39 of the yeast prion protein Ure2p. *Biochemistry* **44**, 10669–10680 (2005).
- [51] Wagner, G., Pardi, A. & Wuethrich, K. Hydrogen bond length and proton nmr chemical shifts in proteins. *Journal of the American Chemical Society* **105**, 5948–5949 (1983).
 - [52] Hori, S., Yamauchi, K., Kuroki, S. & Ando, I. Proton nmr chemical shift behavior of hydrogen-bonded amide proton of glycine-containing peptides and polypeptides as studied by ab initio mo calculation. *International Journal of Molecular Sciences* **3**, 907–913 (2002).
- [53] Hervas, R. *et al.* Cryo-EM structure of a neuronal functional amyloid implicated in memory persistence in *Drosophila*. *Science* **367**, 1230–1234 (2020).

755

760

- [54] Perutz, M. F., Johnson, T., Suzuki, M. & Finch, J. T. Glutamine repeats as polar zippers: their possible role in inherited neurodegenerative diseases. *Proceedings of the National Academy of Sciences* **91**, 5355–5358 (1994).
- [55] Smith, A. N. *et al.* Structural Fingerprinting of Protein Aggregates by Dynamic Nuclear Polarization Enhanced Solid-State NMR at Natural Isotopic Abundance. *J Am Chem Soc* 140, 14576–14580 (2018).
 - [56] Perutz, M. F., Pope, B. J., Owen, D., Wanker, E. E. & Scherzinger, E. Aggregation of proteins with expanded glutamine and alanine repeats of the glutamine-rich and asparagine-rich domains of Sup35 and of the amyloid beta-peptide of amyloid plaques. *Proc. Natl. Acad. Sci. USA* **99**, 5596–5600 (2002).
 - [57] Jayaraman, M. *et al.* Slow amyloid nucleation via α -helix-rich oligomeric intermediates in short polyglutamine-containing huntingtin fragments. *J Mol Biol* **415**, 881–899 (2012).
 - [58] Poirier, M. A. *et al.* Huntingtin Spheroids and Protofibrils as Precursors in Polyglutamine Fibrilization. *J Biol Chem* **277**, 41032–41037 (2002).
- 750 [59] Thakur, A. K. & Wetzel, R. Mutational analysis of the structural organization of polyglutamine aggregates. *Proc. Natl. Acad. Sci. USA* **99**, 17014–17019 (2002).
 - [60] Zhang, Q. C. et al. A Compact Beta Model of huntingtin Toxicity. J Biol Chem 286, 8188–8196 (2011).
 - [61] Kar, K. *et al.* b-hairpin-mediated nucleation of polyglutamine amyloid formation. *J Mol Biol* **425**, 1183–1197 (2013).
 - [62] Kandola, T. *et al.* Pathologic polyglutamine aggregation begins with a self-poisoning polymer crystal. *eLife* **12**, RP86939 (2023).
 - [63] De Genst, E. *et al.* Structure of a single-chain fv bound to the 17 n-terminal residues of huntingtin provides insights into pathogenic amyloid formation and suppression. *Journal of molecular biology* **427**, 2166–2178 (2015).
 - [64] Duennwald, M. L., Jagadish, S., Muchowski, P. J. & Lindquist, S. L. Flanking sequences profoundly alter polyglutamine toxicity in yeast. *Proc. Natl. Acad. Sci. USA* **103**, 11045–11050 (2006).
 - [65] Burke, K. A., Kauffman, K. J., Umbaugh, C. S., Frey, S. L. & Legleiter, J. The interaction of polyglutamine peptides with lipid membranes is regulated by flanking sequences associated with huntingtin. *J Biol Chem* **288**, 14993–15005 (2013).
 - [66] Thakur, A. K. *et al.* Polyglutamine disruption of the huntingtin exon 1 N terminus triggers a complex aggregation mechanism. *Nat Struct Mol Biol* **16**, 380–389 (2009).
 - [67] Gu, X. *et al.* Serines 13 and 16 are critical determinants of full-length human mutant huntingtin induced disease pathogenesis in HD mice. *Neuron* **64**, 828–840 (2009).
- 770 [68] DeGuire, S. M. *et al.* N-terminal Huntingtin (Htt) phosphorylation is a molecular switch regulating Htt aggregation, helical conformation, internalization, and nuclear targeting. *J Biol Chem* **293**, 18540–18558 (2018).
 - [69] Isas, J. M., Langen, A., Isas, M. C., Pandey, N. K. & Siemer, A. B. Formation and Structure of Wild Type Huntingtin Exon-1 Fibrils. *Biochemistry* **56**, 3579–3586 (2017).
- 775 [70] Phan, T. T. & Schmit, J. D. Thermodynamics of huntingtin aggregation. *Biophysical Journal* **118**, 2989–2996 (2020).
 - [71] Nekooki-Machida, Y. *et al.* Distinct conformations of in vitro and in vivo amyloids of huntingtin-exon1 show different cytotoxicity. *Proceedings of the National Academy of Sciences* **106**, 9679–9684 (2009).
- [72] Jain, G. *et al.* Inhibitor-based modulation of huntingtin aggregation reduces fibril toxicity. *bioRxiv* 2023–04 (2023).

805

815

- [73] Tam, S. *et al.* The chaperonin TRiC blocks a huntingtin sequence element that promotes the conformational switch to aggregation. *Nat Struct Mol Biol* **16**, 1279–1285 (2009).
- [74] Michalek, M., Salnikov, E. S., Werten, S. & Bechinger, B. Membrane interactions of the amphipathic amino terminus of huntingtin. *Biochemistry* **52**, 847–858 (2013).
- [75] Ceccon, A. *et al.* Interaction of Huntingtin Exon-1 Peptides with Lipid-Based Micellar Nanoparticles Probed by Solution NMR and Q-Band Pulsed EPR. *J Am Chem Soc* **140**, 6199–6202 (2018).
 - [76] Gasteiger, E. *et al.* Expasy: the proteomics server for in-depth protein knowledge and analysis. *Nucleic acids research* **31**, 3784–3788 (2003).
- [77] Mandal, A., Boatz, J. C., Wheeler, T. B. & van der Wel, P. C. On the use of ultracentrifugal devices for routine sample preparation in biomolecular magic-angle-spinning nmr. *Journal of biomolecular NMR* **67**, 165–178 (2017).
 - [78] Bennett, A. E., Rienstra, C. M., Auger, M., Lakshmi, K. & Griffin, R. G. Heteronuclear decoupling in rotating solids. *The Journal of chemical physics* **103**, 6951–6958 (1995).
 - [79] Takegoshi, K., Nakamura, S. & Terao, T. 13c–1h dipolar-assisted rotational resonance in magic-angle spinning nmr. *Chemical physics letters* **344**, 631–637 (2001).
 - [80] Baldus, M. & Meier, B. H. Total correlation spectroscopy in the solid state. The use of scalar couplings to determine the through-bond connectivity. *J Magn Reson Ser A* **121**, 65–69 (1996).
 - [81] Abraham, M. J. *et al.* Gromacs: High performance molecular simulations through multi-level parallelism from laptops to supercomputers. *SoftwareX* **1**, 19–25 (2015).
- 800 [82] Bussi, G., Donadio, D. & Parrinello, M. Canonical sampling through velocity rescaling. *The Journal of chemical physics* **126**, 014101 (2007).
 - [83] Parrinello, M. & Rahman, A. Polymorphic transitions in single crystals: A new molecular dynamics method. *Journal of Applied physics* **52**, 7182–7190 (1981).
 - [84] Darden, T., York, D. & Pedersen, L. Particle mesh ewald: An $n \cdot \log(n)$ method for ewald sums in large systems. *The Journal of chemical physics* **98**, 10089–10092 (1993).
 - [85] Essmann, U. et al. A smooth particle mesh ewald method. The Journal of chemical physics 103, 8577–8593 (1995).
 - [86] Hess, B. P-lincs: A parallel linear constraint solver for molecular simulation. *Journal of chemical theory and computation* **4**, 116–122 (2008).
- [87] Jorgensen, W. L., Chandrasekhar, J., Madura, J. D., Impey, R. W. & Klein, M. L. Comparison of simple potential functions for simulating liquid water. *The Journal of chemical physics* 79, 926–935 (1983).
 - [88] Kuhlman, B., O'Neill, J. W., Kim, D. E., Zhang, K. Y. & Baker, D. Accurate computer-based design of a new backbone conformation in the second turn of protein l. *Journal of molecular biology* **315**, 471–477 (2002).
 - [89] Kim, J. U. & O'Shaughnessy, B. Nanoinclusions in dry polymer brushes. *Macromolecules* **39**, 413–425 (2006).
 - [90] Yaneva, J., Dimitrov, D. I., Milchev, A. & Binder, K. Nanoinclusions in polymer brushes with explicit solvent –a molecular dynamics investigation. *Journal of Colloid and Interface Science* **336**, 51–58 (2009).
 - [91] Hofmann, H. *et al.* Polymer scaling laws of unfolded and intrinsically disordered proteins quantified with single-molecule spectroscopy. *Proceedings of the National Academy of Sciences* **109**, 16155–16160 (2012).

Supplementary Material: Integrative determination of the atomic structure of mutant huntingtin exon 1 fibrils implicated in Huntington's disease

Mahdi Bagherpoor Helabad 1,2 , Irina Matlahov 3 , Raj Kumar 4 , Jan O. Daldrop 5 , Greeshma Jain 3 , Markus Weingarth 4 , Patrick C.A. van der Wel 3,* and Markus S. Miettinen 1,5,6,7,*

¹Department of Theory and Bio-Systems, Max Planck Institute of Colloids and Interfaces, 14424 Potsdam, Germany

²Institute for Drug Discovery, Leipzig University Medical Center, 04103 Leipzig, Germany

³Zernike Institute for Advanced Materials, University of Groningen, Groningen, The Netherlands

⁴Utrecht University, Utrecht, The Netherlands

⁵ Fachbereich Physik, Freie Universität Berlin, 14195 Berlin, Germany

⁶Department of Chemistry, University of Bergen, 5007 Bergen, Norway

⁷Computational Biology Unit, Department of Informatics, University of Bergen, 5008 Bergen, Norway

^{*}Corresponding authors: Sunday 15th September, 2024 p.c.a.van.der.wel@rug.nl; markus.miettinen@iki.fi




Figure S1. Summary of key structural data from prior solid-state NMR studies. (A) 2D spectra showing the nitrogen-carbon correlations in the polyQ backbone and side chains, comparing three different types of fibrils. The left column shows NCO spectra, with correlations for N–C δ groups in the Gln side chain, and the backbone nitrogen of one Gln with the backbone CO of the preceding amino acid. To the right, NCA spectra show correlations between the backbone N and the $C\alpha$ (intra-residue). The top spectra are for synthetic polyQ peptides with two ¹³C, ¹⁵N-labeled Gln residues, and bottom rows show two different types of O44-HTTex1 fibrils. Adapted from Van der Wel (2024)¹. (B) Peak patterns in the NCA and NCO spectra inform on the connectivity between the two polyO core conformers. This is illustrated based on three hypothetical models, in which the "a"/"b" conformers form uninterrupted segments (top), alternate in a systematic manner (middle), or form more complex patterns (as in typical amyloid fibril structures). Images on the right illustrate expected peak patterns in NCA/NCO spectra. The NCA spectra (intra-residue peaks) are always unchanged, but the NCO spectra show distinct peak patterns. Only the top model fits the observed data. Figure adapted from Boatz et al. (2020)². (C) The presence of a β -hairpin structure in Q44-HTTex1 fibrils was previously demonstrated by NMR comparison of fully ¹³C-labeled and mixed ¹³C/¹²C protein fibrils; see ref³ for details. Figure adapted from Hoop et al (2016)³. (D) Backbone torsion angles were determined by combination of chemical shift analysis and dipolar recoupling measurements. This figure summarizes these data in a Ramachandran plot. Adapted from Van der Wel (2024)¹, based on data from Hoop et al (2016)³. (E) Summary of MAS NMR side chain dihedral angle constraints via dipolar recoupling of CH couplings. Adapted with permission from ref³. Readers are also referred to a recent comprehensive review on this topic.




Figure S2. Schematic visualization of the eight (χ_1, χ_3) **rotamer classes** of a Gln–Gln pair, in which a side-chain–side-chain hydrogen bonding interaction could take place. The side-chains of the pair are located on neighbouring β-strands of an antiparallel β-sheet inside the polyQ amyloid core. The shown snapshots of these eight unique pairs are taken from the dihedral-restraint-equilibrated conformations, where the dihedral angles (χ_1, χ_3) are restrained to their initial values (listed next to the corresponding sidechain, see also Supplementary Fig. S3). Depending on the H-bond direction, the eight distinct structural classes are categorized into two forms: \downarrow and \uparrow .




Figure S3. (A) Illustration of the molecular architecture of the eight-glutamine (Gln) building block, which forms the basis for generating plausible polyQ amyloid core structures. (B) Initial dihedral angle pairs (χ_1, χ_3) of eight Gln residues in a unit cell, for the 30 structurally distinct polyQ amyloid core candidates, with models M1 and M2 highlighted in gray. These initial configurations serve as the starting points for molecular dynamics (MD) simulations, aiming to explore the stability of each candidate structure.




Figure S4. Stabilities S(t) (see Eq. (1) in main text Methods) as a function of MD simulation time t for the 30 experimentally-feasible polyQ core candidates (colored lines). The blue-shaded areas indicate the gentle initiating protocol (of applying structural restraints that are gradually removed—such that on the non-shaded area no restraints remain) used to assure that no de-facto-inconsequential incompatibilities between an ideal candidate structure and the force field would lead the structure losing stability during the first few simulation steps. The three blue-shaded areas in the left column indicate three consecutive 100-ps simulations with restraints of 1 000, 500, and 100 kJ/mol/nm² on heavy (non-H) atom positions. The four blue-shaded areas in the right column indicate restraints of 1 000, 500, 250, and 100 kJ/mol/rad² on χ_1 and χ_3 dihedral angles. The top left panel shows the first 1 µs of main text Fig. 2B.




Figure S5. The side-chain $\chi_1 - \chi_3$ (left panels) and backbone $\psi - \phi$ (right) dihedral angle distributions of conformers "a" (red) and "b" (blue) for the final models M1 (top) and M2 (bottom). Calculations were performed using the OPLSAA/M force field; for Amber14SB see main text Fig. 2D.




Figure S6. Dihedral angle distributions of χ_1 and χ_3 for 30 structurally distinct polyQ amyloid core candidates. The gray distributions represent the dihedral angles of the last frames from the 30 MD simulations. The red and blue points indicate the initial χ_1 and χ_3 dihedral angles for the two populated conformers "a" and "b", respectively.




Figure S7. MAS NMR assignment spectra for the Gln side chain protons in the polyQ core. (A) NCA and NCO spectra reproduced from Supplementary Figure S1A (top), showing the nitrogen–carbon correlations from polyQ core residues. The a and b conformers are color-coded as usual (a= red; b=blue). Dashed lines mark the 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the panel (A) allow the identification and assignment of the lackbone (near 120 ppm) and side chain (near 15 N assignments from panel (A) allow the identification and assignment of the backbone (near 120 ppm) and side chain (near 15 N assignments from panel (A) allow the identification and assignment shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N assignments from panel (A) allow the identification and assignment shifts that we can thus assign, for the backbone (near 120 ppm) and side chain (near 15 N chemical shifts that we can thus assign, for the backbone (near 120 ppm) and shifts that we can thus assign, for the backbone (near 120 ppm) and shifts that we can thus assignments fro




Figure S8. (A) Spatial arrangement of the side-chain and backbone atoms in the polyQ amyloid core model M2. Dashed lines represent the distances between the N_{ϵ} atoms of the "a" and "b" types of Gln residues and their nearest backbone O atoms (brown), reflecting the H_E nomenclature discussed in the main text. Black dashed lines show the N_{ϵ} – O_{ϵ} distances between side-chains, reflecting the H_Z amide hydrogens. (B) Side-chain–backbone distances (left panel), i.e., the distances between the N_{ϵ} atoms of the "a" and "b" types of Gln residues and their closest backbone O atoms (indicative of H_E intersheet H-bonding). Side-chain–side-chain distances (right panel), i.e., the N_{ϵ} – O_{ϵ} distances between the side chains, either from "a" to "b" or from "b" to "a" (indicative of H_Z intrasheet H-bonding). The calculations are presented for both the M1 and M2 models, using two force fields: OPLSAA/M (green) and AMBER14SB (orange); error bars show standard deviation.




Figure S9. Both polyQ₁₅ models M1 (orange) and M2 (green) remained stable throughout 1- μ s MD simulations in both the AMBER14SB (left) and OPLSAA/M (right) force fields. Shown are the mean χ_1 dihedral angles in type "a" (red) and "b" (blue) Gln side-chains, calculated over consecutive 20-ns windows; error bars show standard deviation.




Figure S10. Distributions of the (A) χ_1 , (B) χ_2 , and (C) ψ dihedral angles in the MI (orange lines) and M2 (green lines) models of the $D_2Q_{15}K_2$ fibril obtained from 1- μ s MD simulations using the OPLSAA/M (left) and AMBER14SB (right) force fields. The upper panels show the type "a" conformers (red-shaded distributions) and the lower panels the type "b" (blue-shaded). The gray-shaded regions represent the ssNMR-informed constraints. The dashed vertical lines depict the mean values of the corresponding dihedral angles.




Figure S11. Illustration of the structural differences between the (A) MI and (B) M2 models, visualized through views along the fibril axis z (top panels) and along the β -strand direction x (bottom panels). The yellow boxes highlight backbone atoms. (C) Sheet-to-sheet (left panel) and strand-to-strand (right panel) distances calculated for both the MI and M2 models of polyQ₁₅ using the AMBER14SB (orange) and OPLSAA/M (green) force fields. The dashed black horizontal lines corresponds to the data obtained from X-ray experiments ^{5,6}. Error bars represent standard deviation.




Figure S12. Water-facing surface of polyQ amyloid. (A) Atomistic MD snapshot of the $D_2Q_{15}K_2$ peptide fibril's polyQ surface in contact with water. Exposed and buried Gln residues are colored green and gray, respectively. Note how the Gln side-chains internal to the (model M2) amyloid core are well-ordered, while the water-facing side-chains display more mobility. (B) Side-chain dihedral angle distributions for the buried Gln residues and (C) for the Gln residues on the fibril surface (Amber14SB⁷). The surface-facing residues show more disorder, but are nonetheless constrained to eight varyingly prominent specific rotamer states.




Figure S13. Water-facing surface of polyQ amyloid. (A) Atomistic MD snapshot of the $D_2Q_{15}K_2$ peptide fibril's polyQ surface in contact with water. Exposed and buried Gln residues are colored green and gray, respectively. Note how the Gln side-chains internal to the (model MI) amyloid core are well-ordered, while the water-facing side-chains display more mobility. (B) Side-chain dihedral angle distributions for the buried Gln residues and (C) for the Gln residues on the fibril surface (OPLSAA/M⁸). The surface-facing residues show more disorder, but are nonetheless constrained to eight varyingly prominent specific rotamer states.




Figure S14. Water-facing surface of polyQ amyloid. (A) Atomistic MD snapshot of the $D_2Q_{15}K_2$ peptide fibril's polyQ surface in contact with water. Exposed and buried Gln residues are colored green and gray, respectively. Note how the Gln side-chains internal to the (model M2) amyloid core are well-ordered, while the water-facing side-chains display more mobility. (B) Side-chain dihedral angle distributions for the buried Gln residues and (C) for the Gln residues on the fibril surface (OPLSAA/M⁸). The surface-facing residues show more disorder, but are nonetheless constrained to eight varyingly prominent specific rotamer states.




Figure S15. MAS NMR of core and surface polyQ residues of Q44-HTTex1 fibrils submitted to HDX. (A,B) Negative stain TEM of Q44-HTTex1 fibrils prepared in regular (protonated) PBS buffer (A), or in PBS buffer made with D_2O (B). (C) Illustration of the HE vs HZ nomenclature used for the NH₂ hydrogens in the Gln ladders (see also main text). (D) 2D projections of 3D 1 H-detected HCONH and HCANH 3D spectra for fully protonated Q44-HTTex1 fibrils. These spectra can be compared to the 15 N-detected spectra in Supplementary Fig. S7, and are predominantly derived from the polyQ amyloid core of these HTTex1 fibrils. (E) Overlay of 1 H-detected 2D HN spectra for fully protonated (blue) and surface-deuterated HTTex1 fibrils. These data are obtained for fibrils grown in regular protonated PBS, which were washed with deuterated PBS prior to MAS NMR analysis. Thus, exchangeable protons should disappear, but protected amide groups are visible (i.e., the polyQ core internals). (F) Analogous data for fibrils grown in deuterated PBS and washed with regular PBS prior to NMR analysis, showing only exchangable amide signals that we attribute to the polyQ surface. (G–H) Bar graphs of 15 N T_{1ρ} and T₁ relaxation data for core and surface signals. (I–J) Relaxation decay curves related to panels G-H. Data measured at 60 kHz MAS, 700 MHz, 253K setpoint temperature.




Figure S16. Ramachandran plot for the β -turn residues (Q38 and Q39) in the Q44-HTTex1 polyQ amyloid core. The distribution was obtained over the last 1 μ s of the 5- μ s MD simulation. The β -turn was initially prepared as a type I' conformer (whose canonical dihedrals are indicated with the red/white plus-signs); however, during the simulation it transitioned to the type II (black/green crosses).




Figure S17. Ramachandran plots of the N17, Q_{44} , and PRD domains elucidate the characteristic secondary structures present in these three disparate domains of the HTTex1 protein: α -helical, β -sheet, and PPII-helical, respectively. The distributions were obtained over the last 1 μ s of the 5- μ s MD simulation. For clarity, $\log_{10}(\text{probability density})$ values below 1.3, characterized primarily by noise, have been excluded.




Figure S18. Ramachandran plots for residues 2–36 in the Q44-HTTex1 fibril. The plots showcase the conformational space explored by each individual residue, revealing variations in backbone torsion angles across the protein structure. The colorbar is calibrated such that a normalized value of 1 corresponds to the bin with the highest frequency among all protein residues. Each bin spans one degree in both ϕ and ψ . The distributions were obtained over the last 1 μ s of the 5- μ s MD simulation.




Figure S19. Ramachandran plots for residues 37–71 in the Q44-HTTex1 fibril. The plots showcase the conformational space explored by each individual residue, revealing variations in backbone torsion angles across the protein structure. The colorbar is calibrated such that a normalized value of 1 corresponds to the bin with the highest frequency among all protein residues. Each bin spans one degree in both ϕ and ψ . The distributions were obtained over the last 1 μ s of the 5- μ s MD simulation.




Figure S20. Ramachandran plots for residues 72–106 in the Q44-HTTex1 fibril. The plots showcase the conformational space explored by each individual residue, revealing variations in backbone torsion angles across the protein structure. The colorbar is calibrated such that a normalized value of 1 corresponds to the bin with the highest frequency among all protein residues. Each bin spans one degree in both ϕ and ψ . The distributions were obtained over the last 1 μ s of the 5- μ s MD simulation.




Figure S21. Ramachandran plots for residues 107–110 in the Q44-HTTex1 fibril. The plots showcase the conformational space explored by each individual residue, revealing variations in backbone torsion angles across the protein structure. The colorbar is calibrated such that a normalized value of 1 corresponds to the bin with the highest frequency among all protein residues. Each bin spans one degree in both ϕ and ψ . The distributions were obtained over the last 1 μ s of the 5- μ s MD simulation.




Figure S22. Comparison of polyQ amyloid fold to that of glutamine-rich functional amyloid Orb2. (A) Cryo-EM structure of the functional amyloid Orb2, showing its glutamine-rich amyloid core (PDB ID: 6VPS)⁹. Gln residues in the amyloid core are shown in green, where they form an interdigitated zipper sheet-sheet interface just like polyQ amyloid. However, in contrast to polyQ, this protein adopts the more common parallel and in-register β -sheet structure that allows identical residues to stack atop each other. Another noteworthy difference to polyQ is that the polypeptide chain in Orb2 forms a β -arcade, ¹⁰ stabilized by intermolecular backbone hydrogen bonds, whereas β -hairpin-containing sheets for expanded polyQ are also stabilized by intra-molecular hydrogen bonding. (B) Depicted are the mean dihedral angle values of ψ , ϕ , χ_1 , χ_2 , and χ_3 for conformers "a" (displayed in light red) and "b" (displayed in light blue) within the M1 and M2 models. The dihedral angles of the Gln residues situated within the core domain (specifically residues 28, 30, 32, 47, 49, and 51) of the Orb2 amyloid structure (PDB ID: 6VPS)⁹ are illustrated in green. The error bars represent the standard deviation. (C) β -sheet regions of Ramachandran plots, comparing polyQ Gln residues from model M1 (left) and the Orb2 residues located within the β -strand regions (residues 24-33 and 45-52) of the Orb2 amyloid structure (right). Each plot shows both polyQ and Orb2; however, in the plot representing polyQ M1, the Orb2 residues are shown as grey spots, and conversely, in the plot for Orb2, the polyQ residues are marked in grey.

References

- [1] Van der Wel PC. Solid-state nuclear magnetic resonance in the structural study of polyglutamine aggregation. *Biochemical Society Transactions* **52** (2024) 719–731. doi:10.1042/BST20230731.
- [2] Boatz JC, Piretra T, Lasorsa A, Matlahov I, Conway JF, van der Wel PC. Protofilament structure and supramolecular polymorphism of aggregated mutant huntingtin exon 1. *Journal of molecular biology* **432** (2020) 4722–4744.
- [3] Hoop CL, Lin HK, Kar K, Magyarfalvi G, Lamley JM, Boatz JC, et al. Huntingtin exon 1 fibrils feature an interdigitated β -hairpin–based polyglutamine core. *Proceedings of the National Academy of Sciences* **113** (2016) 1546–1551.
- [4] Wiegand T, Malär AA, Cadalbert R, Ernst M, Böckmann A, Meier BH. Asparagine and Glutamine Side-Chains and Ladders in HET-s(218–289) Amyloid Fibrils Studied by Fast Magic-Angle Spinning NMR. *Frontiers in Molecular Biosciences* **7** (2020) 582033. doi:10.3389/fmolb.2020.582033.
- [5] Perutz MF, Finch JT, Berriman J, Lesk A. Amyloid fibers are water-filled nanotubes. *Proceedings of the National Academy of Sciences* **99** (2002) 5591–5595.
- [6] Sikorski P, Atkins E. New model for crystalline polyglutamine assemblies and their connection with amyloid fibrils. *Biomacromolecules* **6** (2005) 425–432.
- [7] Maier JA, Martinez C, Kasavajhala K, Wickstrom L, Hauser KE, Simmerling C. ff14sb: improving the accuracy of protein side chain and backbone parameters from ff99sb. *Journal of chemical theory and computation* **11** (2015) 3696–3713.
- [8] Robertson MJ, Tirado-Rives J, Jorgensen WL. Improved peptide and protein torsional energetics with the opls-aa force field. *Journal of chemical theory and computation* **11** (2015) 3499–3509.
- [9] Hervas R, Rau MJ, Park Y, Zhang W, Murzin AG, Fitzpatrick JAJ, et al. Cryo-EM structure of a neuronal functional amyloid implicated in memory persistence in *Drosophila*. *Science* **367** (2020) 1230–1234. doi:10.1126/science.aba3526.
- [10] Kajava AV, Baxa U, Steven AC. Beta arcades: recurring motifs in naturally occurring and disease-related amyloid fibrils. *FASEB J* **24** (2010) 1311–1319. doi:10.1096/fj.09-145979.