

Gallium-67 radiotoxicity in human U937 lymphoma cells

A.R. Jonkhoff¹, P.C. Huijgens¹, R.T. Versteegh², E.B. van Dieren², G.J. Ossenkoppele¹, H.J.M. Martens³ & G.J.J. Teule²

Departments of ¹Haematology, ²Nuclear Medicine, ³Pharmacology, Free University Hospital, de Boelelaan 1117, 1081 HV Amsterdam, The Netherlands.

Summary Promising clinical results have been obtained with radiolabeled antibodies in lymphoma patients. The higher uptake by lymphomas of ⁶⁷Gallium (⁶⁷Ga) compared with monoclonal antibodies makes selective radiotherapy by the widely available ⁶⁷Ga appealing. However, the gamma radiation of ⁶⁷Ga used in scintigraphy is considered to be almost non-toxic to lymphoma cells. However, in addition to photon radiation ⁶⁷Ga emits low energy Auger electrons and 80–90 keV conversion electrons which could be cytotoxic. The objective of the present study was the assessment of radiotoxicity of ⁶⁷Ga on a lymphoid cell line: U937. Proliferation (MTT-assay) and clonogenic capacity (CFU-assay) were measured after 3 and 6 days incubation with 10, 20 and 40 $\mu\text{Ci ml}^{-1}$ ⁶⁷Ga.

Growth inhibition was 36% after 3 days incubation and 63% after 6 days incubation with 40 $\mu\text{Ci ml}^{-1}$ ⁶⁷Ga. Clonogenic capacity was reduced by 51% after 3 days and 72% after 6 days incubation with 40 $\mu\text{Ci ml}^{-1}$ ⁶⁷Ga. A survival curve showed an initial shoulder and became steeper beyond 200–250 pCi cell⁻¹ (low linear energy transfer type). Iso-effect doses of ⁶⁷Ga and ⁹⁰Yttrium (⁹⁰Y) were determined. The iso-effect dose of 40 $\mu\text{Ci ml}^{-1}$ ⁶⁷Ga (cumulative dose of conversion electrons 306 cGy) was 2.5 $\mu\text{Ci ml}^{-1}$ ⁹⁰Y (cumulative dose 494 cGy) and the iso-effect dose of 80 $\mu\text{Ci ml}^{-1}$ ⁶⁷Ga was 5.0 $\mu\text{Ci ml}^{-1}$ ⁹⁰Y. The main cytotoxic effect of ⁶⁷Ga seems to be induced by the 80 keV conversion electrons. We conclude that the conversion electrons of ⁶⁷Ga have a cytotoxic effect on U937 cells and that in our experiments a 16-fold higher μCi -dose of ⁶⁷Ga than of ⁹⁰Y was needed for the same cytotoxic effect. We believe that ⁶⁷Ga holds promise for therapeutic use.

⁶⁷Gallium (⁶⁷Ga) is being used in diagnostic imaging to detect sites of infection and is well known for its ability to accumulate in many malignant tissues, especially lymphomas (Watson *et al.*, 1973; Nelson *et al.*, 1972).

To a large extent this accumulation resembles the antibody mediated uptake of ⁹⁰Yttrium and ¹³¹Iodine in lymphomas in the clinical studies of Vriesendorp *et al.* (1989, 1991), Press *et al.* (1989) and Goldenberg *et al.* (1991). In these studies very promising tumour reductive effects were obtained in lymphoma patients. Selective radiotherapy by the widely available ⁶⁷Ga is an appealing idea. However, the gamma radiation of ⁶⁷Ga used in scintigraphy is considered to be almost non-toxic to lymphoma cells because only very little energy is absorbed by the tissue (low Linear Energy Transfer). Besides gamma radiation, however, ⁶⁷Ga emits very low energy 0.1–8.0 keV Auger electrons and low energy 80–90 keV conversion electrons and these electrons could very well be cytotoxic to lymphoma cells (high Linear Energy Transfer). On the other hand, Auger electrons have to be localised inside each cell, probably in association with the DNA to exert a cytotoxic effect.

In the present study we investigated the cytotoxic effect of ⁶⁷Ga on a lymphoma cell line: U937. Iso-effect doses of ⁶⁷Ga and ⁹⁰Yttrium (⁹⁰Y) were sought to relate the cytotoxic effect of ⁶⁷Ga to the well known cytotoxic effect of ⁹⁰Y.

Materials and methods

Radionuclides

⁶⁷Gallium was obtained from Mallinckrodt Diagnostics Holland B.V. as ⁶⁷Ga-chloride. ⁶⁷Ga-citrate was prepared as follows: 0.1 ml GaCl₃ (0.7–0.8 N HCl, specific activity: 50 mCi ml⁻¹) was added to 4.0 ml Na-citrate stock solution. This stock solution was prepared as follows: 1.17 ml Na-citrate (Trisodium-citrate, C₆H₅Na₃O₇·2H₂O), 150 gr l⁻¹ was

added to 15 ml 0.1 N NaOH and the mixture diluted to 100 ml with NaCl 0.9% and the pH adjusted to 7.0. For sterilisation a micropore filter 0.2 μm (Schleicher & Schuell) was used.

⁹⁰Yttrium colloidal citrate was obtained from CIS bio international, ORIS industry S.A., Gif-sur-Yvette Cedex, France. Specific activity: 4.3 mCi ml⁻¹.

For purposes of convenience, activities are given as mCi, μCi and pCi (1 mCi = 37 MBq).

Cells and culture conditions

U937 cells, originally derived from a patient with a diffuse histiocytic lymphoma, were purchased from ATCC (Rockville, Maryland, USA), and have been maintained in RPMI-1640-L-Glutamine (Gibco-Europe, Breda, NL) with 10% heat-inactivated foetal calf serum (FCS; Gibco, Bio Cult, Irvine, Scotland). Cells were incubated with ⁶⁷Ga during a culture with an initial cell concentration of 0.5×10^6 ml⁻¹ (total volume 5 ml) in 50 cm³ culture flasks (Nunc 1-63371, Life Technology, Breda, NL) in a medium consisting of RPMI-1640 supplemented with 1% heat-inactivated human serum, 25 mM hepes buffer, 100 U ml⁻¹ penicillin, 100 $\mu\text{g ml}^{-1}$ streptomycin containing either 10 $\mu\text{Ci ml}^{-1}$, 20 $\mu\text{Ci ml}^{-1}$, 40 $\mu\text{Ci ml}^{-1}$ of ⁶⁷Ga citrate or sodium-citrate in a concentration corresponding with the highest concentration of ⁶⁷Ga used (40 $\mu\text{Ci ml}^{-1}$) or no addition. On day 3 after initial seeding aliquots were taken for cell counting, ⁶⁷Ga uptake study, MTT- and CFU-assays. The remaining cells were centrifuged at 100 g for 10 min and resuspended in the original medium with or without ⁶⁷Ga. From day 3 to 6 the cells were allowed further proliferation and incubation with ⁶⁷Ga. On day 6 again ⁶⁷Ga uptake studies, MTT and CFU-assays were performed. In separate experiments the effects of incubation with 40 $\mu\text{Ci ml}^{-1}$ and 80 $\mu\text{Ci ml}^{-1}$ of ⁶⁷Ga were compared with 1.25 $\mu\text{Ci ml}^{-1}$, 2.5 $\mu\text{Ci ml}^{-1}$, 5.0 $\mu\text{Ci ml}^{-1}$, 10 $\mu\text{Ci ml}^{-1}$ and 20 $\mu\text{Ci ml}^{-1}$ ⁹⁰Yttrium colloidal citrate. MTT- and CFU-assays were performed as described. Cells were counted by a flow cytometric technique on an AI 134 Cell counter (Analys instruments) and checked for viability by trypan blue dye exclusion. Initially viability was always >95%. Cells were cultured at 37°C, 5% CO₂, 90% relative humidity. Percentage inhibition of proliferation in cell

Correspondence: A.R. Jonkhoff.

Received 14 September 1992; and in revised form 23 November, 1992

counts, colony forming units and MTT optical densities was calculated as follows: 100- (mean value after incubation with ^{67}Ga /mean value control * 100%). Cytospins (350 r.p.m., 10 min, Cytospin 2, Shandon) were prepared for May Giemsa Grunwald staining. Cell cultures were regularly checked to be negative for mycoplasma using a gen probe kit (Lab Serv Benelux).

Cellular uptake of ^{67}Ga

Aliquots of 0.3 ml were taken from the cell suspensions incubated with ^{67}Ga . Cells were washed three times with cold phosphate buffered saline (PBS, pH = 7.4) and subsequent supernatants and cell pellets were counted with a gamma scintillation counter (compugamma 1282, Wallac). ^{67}Ga uptake was determined as follows: % ^{67}Ga uptake = bound c.p.m. ÷ bound + free c.p.m. Cellular ^{67}Ga content was determined as follows: initial ^{67}Ga concentration * elapsed $t_{\frac{1}{2}}$ * % ^{67}Ga uptake ÷ cell number/ml. In separate experiments the dependency of the ^{67}Ga uptake on transferrin concentrations was studied. In these experiments ^{67}Ga uptake of U937 cells ($0.5 \times 10^6 \text{ ml}^{-1}$) was measured using $1 \mu\text{Ci}$ ^{67}Ga added to RPMI-1640-L-glycine supplemented with different concentrations of human apotransferrin (Sigma: T 1147, 98% iron free, St. Louis, USA) and in RPMI-1640-L-glutamine supplemented with 1% human serum or 15% foetal calf serum. After 6 h incubation at 37°C, uptake of ^{67}Ga was measured as described above.

MTT-Assay

Inhibition of proliferation after incubation with ^{67}Ga was measured in a colorimetric MTT-assay as previously described (Twentyman *et al.*, 1989; Price & McMillan, 1990). Cells incubated with or without ^{67}Ga were washed and resuspended in fresh RPMI 1640-1% human serum medium and 200 μl aliquots containing 3,000 vital cells were plated in triplicate in 96 wells round-bottomed micro-culture plates (Greiner 650180, Alphen a/d Rijn, NL). After 1, 4 and 7 days of culture 20 μl MTT (3-[4,5 dimethylthiazol-2-yl]-2,5 diphenyl tetrazolium bromide [Sigma MTT M2128; 5 mg ml^{-1}]) was added to each well. Plates were incubated in the dark for 4 h at 37°C after which the plates were centrifuged at 275 g for 5 min. The supernatants were aspirated and the formazan crystals dissolved in 175 μl DMSO/glycine buffer (150 μl DMSO, Sigma D 8779 ACS + 25 μl glycine buffer (0.1 M glycine, pH 10.5)). Complete solubilisation was achieved by vigorously shaking on a microplate shaker for 15 min. The absorbance (Optical Density: OD) was measured on an eight channel spectrophotometer (Titertek Multiscan MCC 340, Flow Laboratory) at a wavelength of 540 nm.

Colony forming unit (CFU-C) assay

Fifty μl of a $1.0 \times 10^6 \text{ ml}^{-1}$ vital cell suspension was suspended in 2.5 ml placenta conditioned medium (manufactured at the Central Laboratory of the Netherlands Red Cross, Amsterdam, NL), 0.9% methylcellulose (final concentration) and 723 μl Iscove's modified Dulbecco's medium (supplemented with L-glutamine, without NaHCO_3 dissolved in 500 ml H_2O ; Gibco 074022200A, Breda, NL). After mixing, 220 μl of the suspension was plated (double) in a 24 wells culture plate (Costar, 3424 Mark II, One Alewile center, Cambridge, UK). The surrounding wells were filled with sterile water to prevent dehydration. After 7 days of culture clusters (>8, <40 cells) and colonies (>40 cells) were counted with an inverted microscope. Total CFU count is defined as the sum of clusters and colonies. Plating efficiency for the control cells was 40–50%.

Absorbed dose calculations

The absorbed dose in the cells originating from β -particles, gamma rays, X-rays and internal conversion electrons was calculated with the assumption that the radioactivity is dis-

tributed homogeneously, according to the MIRD (Medical Internal Radiation Dose Committee) Loevinger & Berman (1976). For the β -particles, as well as for the internal conversion electrons, an absorbed dose fraction of 1.0 in the cell culture was assumed. The absorbed dose fractions for the gamma rays and X-rays were estimated by a Monte Carlo stimulation (100,000 events). For the energy of the Auger electrons in the emission spectrum of ^{67}Ga , a complete, uniform absorption in the cell (diameter of 12.5 μm) was assumed.

The residence time in the 5 ml culture flask was estimated on the basis of physical decay and a constant uptake of 1% per 500,000 cells ml^{-1} . Residence times in the wells were based on the assumption that the uptake of 1% per 500,000 cells ml^{-1} remains inside the cells (for ^{67}Ga), or that the radio-activity cannot be separated from the cells (for ^{90}Y). To calculate the residence time in the cells for ^{67}Ga , a mono-exponential curve was used which describes the concentration decrease because of cell division.

Statistics

Two sample analysis was performed with the Stat-Graphics 2.6 statistical computer program. A 95% confidence interval was computed for the hypothesis: difference in means = 0. If the hypothesis was not rejected at $\alpha = 0.05$ the difference was considered statistically significant. Error bars shown in figures indicate the standard error of the mean (s.e.m.).

Results

^{67}Ga -Gallium uptake

^{67}Ga uptake was found to be rather constant (1.0–1.5%) at a medium transferrin concentration ranging from 0 to 1 $\mu\text{g ml}^{-1}$ (Figure 1). A slightly higher uptake (not significant) was observed for a transferrin concentration of 10 $\mu\text{g ml}^{-1}$. Transferrin concentrations over 100 $\mu\text{g ml}^{-1}$ caused a sharp decline in ^{67}Ga uptake. ^{67}Ga uptake in 1% human serum supplemented serum ($1.74\% \pm 0.54$) was higher than in 15% foetal calf serum supplemented medium ($0.76\% \pm 0.18$) (Figure 1).

In the experiments measuring ^{67}Ga cytotoxicity, U937 cells were incubated in a 1% human serum supplemented medium. ^{67}Ga uptake was measured in each experiment after 3 and 6 days incubation. Mean ^{67}Ga uptake values after 3 days were 1.9%, 1.69% and 1.9% for 40 $\mu\text{Ci ml}^{-1}$, 20 $\mu\text{Ci ml}^{-1}$ and 10 $\mu\text{Ci ml}^{-1}$ concentration respectively. The mean ^{67}Ga uptake after 6 days incubation measured 0.92%, 1.9% and 1.3% for the same concentrations. Cells incubated with 40 μCi $^{67}\text{Ga ml}^{-1}$ had a statistically significant lower ^{67}Ga cellular uptake after 6 vs 3 days.

Proliferation after exposure to ^{67}Ga

Cell counts were performed after 3 and 6 days of culture with ^{67}Ga (Table I). No significant difference was found between control cells and cells incubated with non-radioactive sodium-citrate.

After 3 days incubation with ^{67}Ga a proliferation inhibition of 7.4%, 7.4% and 18% was seen for 10 $\mu\text{Ci ml}^{-1}$, 20 $\mu\text{Ci ml}^{-1}$ and 40 $\mu\text{Ci ml}^{-1}$ concentration of ^{67}Ga respectively. Cell counts after 6 days incubation with ^{67}Ga showed a reduction compared with control cells of 7%, 21% and 22% for 10, 20 and 40 $\mu\text{Ci ml}^{-1}$ ^{67}Ga respectively. The reduction in cell number compared with control cells after incubation with 40 μCi $^{67}\text{Ga ml}^{-1}$ was statistically significant after both incubation periods. A concentration of 20 μCi $^{67}\text{Ga ml}^{-1}$ showed a statistically significant effect compared with control cells only after 6 days incubation with ^{67}Ga .

Viability tended to be slightly lower in cultures incubated with 20 $\mu\text{Ci ml}^{-1}$ and 40 $\mu\text{Ci ml}^{-1}$ of ^{67}Ga (Table I).




Figure 1 Percentage cellular ^{67}Ga uptake by U937 cells depending on medium transferrin concentration ($\mu\text{g ml}^{-1}$). In the same experiments the cellular ^{67}Ga was measured in a medium supplemented with 15% foetal calf serum and a medium with 1% human serum. The observed ^{67}Ga uptake in the serum supplemented media are shown in the curve. (Mean \pm s.e.m.; $n = 3$).

Table I Proliferation U937 cells after incubation with Gallium-67

3 Days ^{67}Ga	Cell counts 10^6 ml^{-1}		Viability %	MTT-optical density day = 7	
Control	1.45	(1.2–1.9)	91%	1.052	(0.453–1.56)
Citrate	1.45	(1.2–2.1)	91%	1.003	(0.404–1.41)
10 μCi	1.3	(1.17–1.7)	90%	0.76	(0.434–0.97)
20 μCi	1.4	(1.17–1.6)	90%	0.736	(0.424–0.91)
40 μCi	1.2*	(0.8–1.6)	89%	0.583*	(0.371–0.99)
6 Days					
^{67}Ga					
Control	1.2	(0.7–1.4)	92%	1.052	(0.556–2.62)
Citrate	1.1	(0.6–1.5)	91%	1.125	(0.275–2.36)
10 μCi	1.14	(0.7–1.3)	89%	0.579	(0.343–0.78)
20 μCi	0.92*	(0.7–1.2)	89%	0.564	(0.354–0.76)
40 μCi	0.96*	(0.4–1.2)	83%	0.53*	(0.160–0.97)

Proliferation of U937 cells after 3 and 6 days of incubation with different concentrations of ^{67}Ga was measured with cell counts and MTT-optical density after 7 days of microtiter culture. Sodium citrate in a concentration equal to the 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ concentration was used as extra control. Median values are shown of 11 experiments. Numbers in parentheses indicate range. Statistically significant differences compared with control cells are indicated with an asterisk (*).

MTT-assay

After 3 and 6 days of incubation with ^{67}Ga cells were washed and replated in a microplate culture to assess the residual growth capacity. MTT measurements were made after 1, 4 and 7 days of microplate subculture. The optical densities show a clear growth inhibition by ^{67}Ga (Table I and Figure 2a and b). Cells incubated with ^{67}Ga were still able to grow but seem to proliferate more slowly. Figure 3a and b shows the proliferation profile in a representative experiment. Figure 2a and b shows the relative inhibition of ^{67}Ga incubated cells vs the control cells in each experiment. No statistically significant difference was observed between control cells and citrate incubated cells. Proliferation was reduced, after 3 days incubation with 10 $\mu\text{Ci ml}^{-1}$ and 20 $\mu\text{Ci ml}^{-1}$ of ^{67}Ga , with 4% and 20% respectively (MTT-culture: day 7). This difference was not statistically different from control cells. After 6 days incubation with 10 $\mu\text{Ci ml}^{-1}$ and 20 $\mu\text{Ci ml}^{-1}$ ^{67}Ga the observed reduction of proliferation was 12% for both concentrations (MTT-culture: day 7) (no statistically significant difference from control cells). Incubation with 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ for 3 days resulted in a growth inhibition of 23% (day 4) and 36% (day 7) (significantly different from control cells). Incubation with 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ for 6 days

resulted in an even more pronounced inhibition: 51% (day 4) and 63% (day 7) (significantly different from control cells).

CFU-assay

Colony forming units (CFU's) assays were performed of the control cells and the 3 and 6 days ^{67}Ga incubated cultures. In comparison with the control cells the CFU counts after 3 days incubation with 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ were as follows: 51% of clusters, 46% of colonies and 49% of total CFU's (Figure 4a). After 6 days incubation with 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ 30% of clusters, 27% of colonies and 28% of total CFU's were found (Figure 4b). The reduction of CFU's compared with control cells after incubation with 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ for 3 or 6 days periods was statistically significant. No statistically significant differences in CFU counts were found after incubation with 10 $\mu\text{Ci ml}^{-1}$ or 20 $\mu\text{Ci ml}^{-1}$ ^{67}Ga .

The mean ^{67}Ga content (pCi cell $^{-1}$) was estimated using the ^{67}Ga -uptake results and this ^{67}Ga content in each experiment was related to the total CFU's of the same experiment. Figure 5 shows a dose-effect curve with a bend around 200–250 pCi cell $^{-1}$.




Figure 2 Residual growth capacity after incubation with ^{67}Ga was measured in a MTT assay. Data represent the relative optical densities vs control values at 1, 4 and 7 days of subculture after 3 days incubation with ^{67}Ga **a**, and after 6 days incubation with ^{67}Ga **b**. Sodium citrate: (—●—), $10\ \mu\text{Ci}\ ^{67}\text{Ga}\ \text{ml}^{-1}$: (---○---), $20\ \mu\text{Ci}\ ^{67}\text{Ga}\ \text{ml}^{-1}$: (---▲---), $40\ \mu\text{Ci}\ ^{67}\text{Ga}\ \text{ml}^{-1}$: (...▽...). * = $P < 0.05$. (Median \pm s.e.m.; $n = 11$).




Figure 3 Optical densities (MTT-assay) are shown of a representative experiment. Control: (—+—), sodium citrate: (—●—), $10\ \mu\text{Ci}\ ^{67}\text{Ga}\ \text{ml}^{-1}$: (---○---), $20\ \mu\text{Ci}\ ^{67}\text{Ga}\ \text{ml}^{-1}$: (---▲---), $40\ \mu\text{Ci}\ ^{67}\text{Ga}\ \text{ml}^{-1}$: (...▽...). Optical densities were measured 1, 4 and 7 days after 3 days incubation with ^{67}Ga **a**, and after 6 days incubation with ^{67}Ga **b**.

^{67}Ga compared with ^{90}Y -colloid

In three experiments the cytotoxicity of ^{67}Ga and ^{90}Y on U937 cells were compared. Uptake studies showed that 99% of ^{90}Y -colloid was cell associated or could not be separated by centrifugation. However, the high energy of the

β -particles (max 2.3 deV) of ^{90}Y implicate that the radiation dose is not influence by the location of the radionuclide in this *in vitro* model.

In the MTT-assay a concentration of $\geq 5\ \mu\text{Ci}\ ^{90}\text{Y}\ \text{ml}^{-1}$ seemed necessary to prevent proliferation (data not shown).




Figure 4 Percentage of total colony forming units (CFU's) vs control cells in the CFU-assay. Sodium citrate: (■), 10 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$: (▨), 20 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$: (□) 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$: (◻). Percentage CFU's are shown after 3 days incubation with ^{67}Ga a, and after 6 days incubation with ^{67}Ga b. * = $P < 0.05$. (Median \pm s.e.m.; $n = 8$).




Figure 5 Surviving fraction of U937 cells measured by the CFU-assay related to the intracellular content of ^{67}Ga (pCi cell^{-1}). The curve shows a typical low LET profile with a broad initial shoulder.

The inhibitory effect of 80 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ in the MTT-assay was comparable with a concentration of ^{90}Y between 2.5 $\mu\text{Ci ml}^{-1}$ and 5.0 $\mu\text{Ci ml}^{-1}$ (data not shown).

The CFU-assay after 3 days incubation with ^{67}Ga showed a reduction of 38% and 60% for 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ and 80 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ dose respectively. The 40 $\mu\text{Ci ml}^{-1}$ concentration of ^{67}Ga was comparable with 2.5 $\mu\text{Ci } ^{90}\text{Y ml}^{-1}$ (38% vs 38% reduction in CFU's) and 80 $\mu\text{Ci ml}^{-1}$ of ^{67}Ga was comparable with an ^{90}Y concentration between 2.5 and 5.0 $\mu\text{Ci ml}^{-1}$ (60% vs 38%–83% reduction in CFU's) (Figure 6a). After 6 days (Figure 6b) 40 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ equalled 2.5 $\mu\text{Ci } ^{90}\text{Y ml}^{-1}$ (64% vs 70% reduction in CFU's) and 80 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ equalled 5.0 $\mu\text{Ci } ^{90}\text{Y ml}^{-1}$ (97% vs 98% reduction in CFU's). In these experiments further culturing

after 3 days of the 20 $\mu\text{Ci } ^{90}\text{Y ml}^{-1}$ incubated cells was prevented by low vital cell counts.

Morphology

Control cells as well as ^{67}Ga incubated U937 cells showed enhanced granularity, probably a culture artefact.

After 3 and 6 days cells, that had been incubated with citrate, or with 10 $\mu\text{Ci ml}^{-1}$, 20 $\mu\text{Ci ml}^{-1}$, 40 $\mu\text{Ci ml}^{-1}$ and 80 $\mu\text{Ci ml}^{-1}$ of ^{67}Ga showed no clear differences compared with control cells. The only apparent difference after 6 days incubation with 80 $\mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ seemed to be a higher number of cells with two or more nuclei, and somewhat more apoptotic cells, but otherwise the cells looked quite normal




Figure 6 Colony forming units (CFU) counts after incubation with $40 \mu\text{Ci ml}^{-1}$ and $80 \mu\text{Ci ml}^{-1}$ of ^{67}Ga and various concentrations of ^{90}Y (1.25 – $20 \mu\text{Ci ml}^{-1}$). CFU counts are shown after an incubation period of 3 days **a**, and after 6 days **b**. * = $P < 0.05$. (Median \pm s.e.m.; $n = 3$).

with the same number of mitotic figures. In contrast, even after incubation with $1.25 \mu\text{Ci } ^{90}\text{Y ml}^{-1}$ for 3 days cells showed already signs of necrosis with smearing of nuclear material. Incubation for 3 days with $2.5 \mu\text{Ci ml}^{-1}$, $5.0 \mu\text{Ci ml}^{-1}$, $10 \mu\text{Ci ml}^{-1}$ and $20 \mu\text{Ci ml}^{-1}$ of ^{90}Y resulted in 50%, 80%, 90% and 100% necrotic cells respectively.

Absorbed dose calculations

Table II shows the comparative dosimetry for ^{67}Ga ($40 \mu\text{Ci ml}^{-1}$) and ^{90}Y ($2.5 \mu\text{Ci ml}^{-1}$). Initial dose rates (cGy h^{-1}) and cumulative dose (cGy, in parentheses) are given.

Discussion

The present study shows an inhibitory effect of ^{67}Ga on proliferation of the lymphocytic cell line: U937. Six days incubation with $40 \mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ resulted in an inhibition of 22% in cell number and 63% in MTT optical density signal. The CFU-assay showed a 72% reduction in clonogenic capacity of U937 cells after incubation with $40 \mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ for 6 days. After incubation with $80 \mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ an even greater reduction in CFU's of 97% was observed. The inhibitory effect on proliferation (MTT-assay) does not necessarily indicate cell killing and could also be explained by mitotic delay (Cole *et al.*, 1980). However, the reduced clonogenic capacity after incubation with ^{67}Ga clearly shows a cytotoxic effect on clonogenic cells, probably the most

important cells to be killed. A dose-effect relation of ^{67}Ga could be established with a broad initial 'shoulder' fitting a low Linear Energy Transfer (LET) type of cytotoxicity (Kassis *et al.*, 1988). The bending of the curve was around the 200–250 pCi cell $^{-1}$ and the cellular activity required to reduce the clonogenic capacity to 37% (D_{37}) was 350 pCi cell $^{-1}$. This D_{37} is substantially higher than those of DNA-associated auger emitters as [^{125}I] or [^{77}Br]-BrdU with a high

Table II Comparative dosimetry of ^{67}Ga and ^{90}Y

	^{90}Y $2.5 \mu\text{Ci ml}^{-1}$	^{67}Ga (Augers excluded) $40 \mu\text{Ci ml}^{-1}$	^{67}Ga (Augers included) $40 \mu\text{Ci ml}^{-1}$
5 ml culture (3 days)	5.0 (247)	2.9 (153)	20.6 (792)
5 ml culture (6 days)	5.0 (494)	2.9 (306)	20.6 (1584)
Small wells (MTT, 7 days)	0.034 (2.63)	0.0004 (0.04)	6.4 (220)
Large wells (CFU, 7 days)	0.015 (1.12)	0.0002 (0.016)	6.3 (315)

Initial dose rates (cGy h^{-1}) of $40 \mu\text{Ci } ^{67}\text{Ga ml}^{-1}$ and $2.5 \mu\text{Ci } ^{90}\text{Y ml}^{-1}$ during different experimental conditions were calculated according to the MIRD, (Loevinger, 1976). The absorbed dose fractions for the gamma rays and X-rays were estimated by a Monte Carlo simulation (100,000 events). Absorbed dose calculations of ^{67}Ga were calculated with and without Auger electrons. Numbers in parentheses indicate the cumulative dose (cGy), $1 \mu\text{Ci} = 0.037 \text{ MBq}$.

LET type of cytotoxicity with a D_{37} of 0.13 pCi cell⁻¹ or cytoplasmic localised auger emitters with a low LET type cytotoxicity as [⁷⁵Se]-selenomethionine ($D_{37} = 3.9$ pCi cell⁻¹) (Kassis *et al.*, 1988; 1989). A possible explanation for the extremely broad shoulder could be that the cellular ⁶⁷Ga concentration, which induces a radiation dose dependent on Auger electrons, underestimates the radiation dose that the cells receive from the ⁶⁷Ga in the medium (conversion electrons). This is in accordance with our dosimetry results, which indicate that the Auger electrons seem to add relatively little to the cytotoxic effect (see below). On the other hand Hofer *et al.* needed a high ⁶⁷Ga dose to induce a minimal cytotoxic effect of ⁶⁷Ga on mice bearing peritoneal L 1210 leukaemia cells labelled with [¹²⁵I]-IUDR (Hofer *et al.*, 1975). For a 50% cell-lethality 50 KeV cell⁻¹ h⁻¹ [¹²⁵I]-IUDR was needed, compared with 325 KeV cell⁻¹ h⁻¹ (10 cGy h⁻¹) for [³H]-Thymidine and 2250 KeV cell⁻¹ h⁻¹ (69 cGy h⁻¹) for ⁶⁷Ga. In our experiments a cytotoxic effect of ⁶⁷Ga was already observed at an initial dose rate of 20 cGy h⁻¹. In another study on ⁶⁷Ga cytotoxicity, Martin *et al.* (1988) studied the effects of a ⁶⁷Ga-DNA-ligand as well as ⁶⁷Ga-citrate on isolated DNA and observed double-stranded DNA breaks with both substrates, the ligand being more effective than ⁶⁷Ga-citrate.

In order to place the data in perspective we comparatively assessed the cytotoxicity and dose effect relationships of ⁶⁷Ga-citrate and ⁹⁰Y-colloid. We selected this radionuclide because its well known cytotoxicity in animal and human studies (Vriesendorp *et al.*, 1989, 1991; Bloomer *et al.*, 1984) and the comparable half-lives of ⁶⁷Ga (78 h) and ⁹⁰Y (64 h). We found that after a 6 days incubation period the cytotoxicity of 40 μ Ci ⁶⁷Ga ml⁻¹ equalled 2.5 μ Ci ⁹⁰Y ml⁻¹ (64% vs 70% reduction in CFU's) and 80 μ Ci ⁶⁷Ga ml⁻¹ equalled 5.0 μ Ci ⁹⁰Y ml⁻¹ (97% vs 98% reduction in CFU's). In our experiments an about 16 times higher ⁶⁷Ga μ Ci dose as ⁹⁰Y seems to induce the same cytotoxic effect. Whether a cytotoxic concentration of ⁶⁷Ga can be reached *in vivo* should be addressed in a clinical study. A 16 times higher ⁶⁷Ga-dose would mean that for a therapeutic effect 320–640 mCi ⁶⁷Ga is needed, as 20–40 mCi ⁹⁰Y was required for a clinical effect in the studies of Vriesendorp *et al.* However, the high uptake

of ⁶⁷Ga in malignant tissues (0.01%–0.025% of the injected dose per gram) after intravenous administration (Nelson, 1972) compared with radiolabelled antibodies (uptake generally <0.012% ID/g) (Press *et al.*, 1989; Carrasquillo *et al.*, 1986; Bunn *et al.*, 1984), suggests that *in vivo* possibly less than 16 times the ⁹⁰Y dose might be needed for the same cytotoxic effect. An additional advantage, as compared with monoclonal antibodies would be that ⁶⁷Ga-citrate does not induce immunological phenomena which might preclude repeated treatments.

Surprisingly, cells incubated for 6 days with 80 μ Ci ⁶⁷Ga ml⁻¹ looked quite normal, as contrasted with cells incubated with ⁹⁰Y, showing necrosis. However, effects on clonogenic capacity were very similar. These observations might indicate either delayed cell death as reported by others (Shipley *et al.*, 1981) or a more pronounced effect of ⁶⁷Ga on clonogenic cells.

Differences in emission spectrum, only high energy β -radiation (2.27 MeV) for ⁹⁰Y and gamma-radiation, Auger electrons (0.1–8 keV) and conversion electrons (80–90 keV) for ⁶⁷Ga make a valid comparison difficult, although the absorbed energy during the experimental conditions could be estimated. Comparative dosimetry for iso-effect doses of ⁶⁷Ga (40 μ Ci ml⁻¹) and ⁹⁰Y (2.5 μ Ci ml⁻¹) after 6 days showed a cumulative dose of ⁹⁰Y of 494 cGy (an initial dose rate of 5.0 cGy h⁻¹) and cumulative dose of ⁶⁷Ga (Auger electrons excluded) of 306 cGy (initial dose rate 2.9 cGy h⁻¹). The calculated dose of ⁶⁷Ga with Augers included was much higher (1584 cGy). These data indicate that the Auger electrons seems to add relatively little to the cytotoxic effect. Most likely, the main cytotoxic effect of ⁶⁷Ga can be attributed to the 80 keV conversion electrons.

In conclusion our results show a substantial cytotoxic effect of ⁶⁷Ga on proliferation and clonogenic capacity of human U937 cells. This cytotoxic effect is most probably induced by 80 keV conversion electrons. We think further research is worthwhile to explore the therapeutic potential of this widely available isotope.

This study was supported by a grant of the Dutch Cancer Society (IKA 91-07).

References

- BLOOMER, W.D., MCLAUGHLIN, W.H., LAMBRECHT, R.M., ATCHER, R.W., MIRZADEH, S., MADARA, J.L., MILIUS, R.A., ZALUTSKY, M.R., ADELSTEIN, S.J. & WOLF, A.P. (1984). 211-As radiocolloid therapy: further observations and comparison with radiocolloids of 32-P, 165-Dy, and 90-Y. *Int. J. Radiat. Oncol. Biol. Phys.*, **10**, 341–348.
- BUNN, P.A., CARRASQUILLO, J.A., KEENAN, A.M., SCHROFF, R.W., FOON, K.A., MING-HSU, S., GAZDAR, A.F., REYNOLDS, J.C., PERENTESIS, P. & LARSON, S.M. (1984). Imaging of T-cell lymphoma by radiolabeled monoclonal antibody. *Lancet*, **2**, 1219–1221.
- CARRASQUILLO, J.A., BUNN, P.A., KEENAN, A.M., REYNOLDS, J.C., SCHROFF, R.W., FOON, K.A., MING-HSU, S., GAZDAR, A.F., MULSHINE, J.L., OLDHAM, R.K., PERENTESIS, P., HOROWITZ, M., EDDY, J., JAMES, P. & LARSON, S.M. (1986). Radioimmunodetection of cutaneous T-cell lymphoma with 111-In-labeled T101 monoclonal antibody. *N. Engl. J. Med.*, **315**, 673–680.
- COLE, A., MEYN, R.E., CHEN, R., CORRY, P.M. & HITTELMAN, W. (1980). Mechanisms of cell injury. In: *Radiat. Biol. Cancer Res.*, Meyn, R.E. & Withers, H.R. (eds), pp. 35–58, Raven Press: New York.
- GOLDENBERG, D.M., HOROWITZ, J.A., SHARKEY, R.M., HALL, T.C., MURTHY, S., GOLDENBERG, H., LEE, R.E., STEIN, R., SIEGEL, J.A., IZON, D.O., BURGER, K., SWAYNE, L.C., BELISLE, E., HANSEN, H.J. & PINSKY, C.M. (1991). Targeting, dosimetry, and radioimmunotherapy of B-cell lymphomas with iodine-131-labeled LL2 monoclonal antibody. *J. Clin. Oncol.*, **9**, 548–564.
- HOFER, K.G., HARRIS, C.R. & SMITH, J.M. (1975). Radiotoxicity of intracellular ⁶⁷Ga, 125-I and 3-H nuclear versus cytoplasmic radiation effects in murine L-1210 leukemia. *Int. J. Radiat. Biol.*, **28**, 225–241.
- KASSIS, A.I., HOWELL, R.W., SASTRY, K.S.R. & ADELSTEIN, S.J. (1988). Positional effects of Auger decays in mammalian cells in culture. In *DNA Damage by Auger Emitters*, Baverstock, K.F. & Charlton, D.E. (eds), pp. 1–13, Taylor & Francis Publ: Philadelphia, USA.
- KASSIS, A.I., FAYAT, F., KINSEY, B.M., SASTRY, K.S.R. & ADELSTEIN, S.J. (1989). Radiotoxicity of an 125-I-labeled DNA intercalator in mammalian cells. *Radiat. Res.*, **118**, 283–294.
- LOEVINGER, R. & BERMAN, M. (1976). A revised scheme for calculating the absorbed dose from biologically distributed radionuclides; *MIRD pamphlet no 1 (revised)*. Society of Nuclear Medicine, New York.
- MARTIN, R.E., ALLEN, B.J., D'CUNHA, G., GIBBS, R., MURRAY, V. & PARDEE, M. (1988). DNA damage by Auger emitters. In *DNA Damage by Auger Emitters*, Baverstock, K.F. & Charlton, D.E. (eds) pp. 63–64, Taylor & Francis Publ: Philadelphia, USA.
- NELSON, B., HAYES, R.L., EDWARDS, C.L., KNISELEY, R.M. & ANDREWS, G.A. (1972). Distribution of gallium in human tissues, after intravenous administration. *J. Nucl. Med.*, **13**, 92–100.
- PRESS, O.W., EARY, J.F., BADGER, C.C., MARTIN, P.J., APPELBAUM, F.R., LEVY, R., MILLER, R., BROWN, S., NELP, W.B., KROHN, K.A., FISHER, D., DESANTES, K., PORTER, B., KIDD, P., THOMAS, E.D. & BERNSTEIN, I.D. (1989). Treatment of refractory Non-Hodgkin's Lymphoma with radiolabeled MB-1 (anti-CD37) antibody. *J. Clin. Oncol.*, **7**, 1027–1038.
- PRICE, P. & MCMILLAN, T.J. (1990). Use of the tetrazolium assay in measuring the response of human tumor cells to ionizing radiation. *Cancer Res.*, **50**, 1392–1396.

- SHIPLEY, W.V., JENNINGS, M., GERWICK, L.E. & LING, C.C. (1981). Prolonged 'ultra' low dose rate irradiation: effects on chinese hamster cell population growth, survival, and radiation sensitivity. *Radiat. Res.*, **85**, 150-160.
- TWENTYMAN, P.R., FOX, N.E. & REES, K.H. (1989). Chemosensitivity testing of fresh leukemia cells using the MTT colorimetric assay. *Br. J. Haematol.*, **71**, 19-24.
- VRIESENDORP, H.M., HERPST, J.M., LEICHNER, P.K., KLEIN, J.L. & ORDER, S.E. (1990). Polyclonal 90-Yttrium labeled antiferritin for refractory Hodgkin's disease. *Int. J. Radiat. Oncol. Biol. Phys.*, **17**, 815-821.
- VRIESENDORP, H.M., HERPST, J.M., GERMACK, M.A., KLEIN, J.L., LEICHNER, P.K., LOUDENSLAGER, D.W. & ORDER, S.E. (1991). Phase I-II studies of Yttrium-labelled antiferritin treatment for end stage Hodgkin's disease, including radiation therapy oncology group 87-01. *J. Clin. Oncol.*, **9**, 918-928.
- WATSON, E.E., CLOUTIER, R.J. & GIBBS, W.D. (1973). Whole-body retention of ⁶⁷Ga-citrate. *J. Nucl. Med.*, **14**, 840-842.