

Factors affecting dense and α -granule secretion from electropermeabilized human platelets: Ca^{2+} -independent actions of phorbol ester and $\text{GTP}\gamma\text{S}$

Jens R. Coorsen,* Monica M. L. Davidson,* and Richard J. Haslam*†‡

Departments of *Pathology and †Biochemistry
McMaster University
Hamilton, Ontario, Canada L8N 3Z5

Electropermeabilized human platelets containing 5-hydroxy[^{14}C]tryptamine ([^{14}C]5-HT)¹ were suspended in a glutamate medium containing ATP and incubated for 10 min with (in various combinations) Ca^{2+} buffers, phorbol 12-myristate 13-acetate (PMA), guanine nucleotides, and thrombin. Release of [^{14}C]5-HT and β -thromboglobulin (βTG) were used to measure secretion from dense and α -granules, respectively. Ca^{2+} alone induced secretion from both granule types; half-maximal effects were seen at a $-\log [\text{Ca}^{2+}_{\text{free}}]$ (pCa) of 5.5 and maximal secretion at a pCa of 4.5, when $\sim 80\%$ of 5-HT and $\sim 50\%$ of βTG were released. Addition of PMA, guanosine 5'-O-(3-thiotriphosphate) ($\text{GTP}\gamma\text{S}$), GTP, or thrombin shifted the Ca^{2+} dose-response curves for secretion of both 5-HT and βTG to the left and caused small increases in the maximum secretion observed. These results suggested that secretion from α -granules, like that from dense granules, is a Ca^{2+} -dependent process stimulated by the sequential activation of a G-protein, phospholipase C, and protein kinase C (PKC). However, high concentrations of PMA and $\text{GTP}\gamma\text{S}$ had distinct effects in the absence of Ca^{2+} (pCa > 9); 100 nM PMA released $\sim 20\%$ of platelet 5-HT but little βTG , whereas 100 μM $\text{GTP}\gamma\text{S}$ stimulated secretion of $\sim 25\%$ of each. Simultaneous addition of PMA greatly enhanced these effects of $\text{GTP}\gamma\text{S}$. Phosphorylation of pleckstrin in permeabilized platelets incubated with [γ - ^{32}P]ATP was used as an index of the activation of PKC during secretion. In the absence of Ca^{2+} , 100 nM PMA caused maximal phosphorylation of

pleckstrin and 100 μM $\text{GTP}\gamma\text{S}$ was $\sim 50\%$ as effective as PMA; neither $\text{GTP}\gamma\text{S}$ nor Ca^{2+} enhanced the phosphorylation of pleckstrin caused by 100 nM PMA. These results indicate that, although activation of PKC promoted secretion, $\text{GTP}\gamma\text{S}$ exerted additional stimulatory effects on secretion from both dense and α -granules that were not mediated by PKC. Measurement of [^3H]inositol phosphate formation in permeabilized platelets containing [^3H]phosphoinositides showed that $\text{GTP}\gamma\text{S}$ did not stimulate phosphoinositide-specific phospholipase C in the absence of Ca^{2+} . It follows that in permeabilized platelets, $\text{GTP}\gamma\text{S}$ can both stimulate PKC and enhance secretion via G-protein-linked effectors other than this phospholipase.

Introduction

Platelets possess three types of secretory organelle: dense granules containing nucleotides, 5-hydroxytryptamine (5-HT), and Ca^{2+} ; lysosomes containing acid hydrolases; and α -granules, which are present in much larger numbers than the others and contain numerous proteins with diverse functions (Zucker and Nachmias, 1985). Secreted α -granule constituents include β -thromboglobulin (βTG), platelet factor 4, fibrinogen, thrombospondin, von Willebrand factor, fibronectin, factor V, platelet-derived growth factor, and protease nexin-II (Kaplan *et al.*, 1979; Kaplan, 1986; Sander *et al.*, 1983; Stenberg *et al.*, 1984; Wencel-Drake *et al.*, 1985; Van Nostrand *et al.*, 1990). Despite the importance of some of these proteins in platelet aggregation (fibrinogen and thrombospondin), adhesion of platelets to the subendothelium (von Willebrand factor, fibronectin), formation of the prothrombinase complex (factor V), various cell growth responses (platelet-derived growth factor, protease nexin-II), and chemotaxis (βTG and platelet factor 4), much less is known about the factors that regulate α -granule secretion than about dense granule secretion (Kaplan, 1986). However, release of dense granule constituents by aggregating agents such as ADP, epinephrine, arachidonate, and low concentrations of

‡ Corresponding author.

¹ Abbreviations: βTG , β -thromboglobulin; DAG, 1,2-diacetyl glycerol; EGTA, ethylene glycol-bis(β -aminoethyl ether)- N,N,N',N' -tetraacetic acid; $\text{GTP}\gamma\text{S}$, guanosine 5'-O-(3-thiotriphosphate); 5-HT, 5-hydroxytryptamine; pCa, $-\log [\text{Ca}^{2+}_{\text{free}}]$; PKC, protein kinase C; PMA, phorbol 12-myristate 13-acetate; RIA, radioimmunoassay.

thrombin or collagen is associated with the release of α -granule proteins, and it is clear that the high thrombin and collagen concentrations needed to release lysosomal hydrolases are not required (Kaplan *et al.*, 1979). Indeed, there is evidence that low concentrations of aggregating agents may release a higher percentage of α -granule proteins than of dense granule 5-HT (Kaplan *et al.*, 1979), though others have found that α -granule secretion is slower than that from dense granules (Akkerman *et al.*, 1982).

Studies on electroporated human platelets have provided detailed information on intracellular factors that regulate the secretion of dense granule 5-HT and of lysosomal enzymes. High concentrations of Ca^{2+} ions ($-\log [\text{Ca}^{2+}_{\text{free}}]$ [pCa] 5) promote secretion of 5-HT in the presence of ATP (Knight and Scrutton, 1980). Phorbol ester (Knight and Scrutton, 1984), thrombin (Haslam and Davidson, 1984a; Knight and Scrutton, 1984), and guanine nucleotides—especially guanosine 5'-O-(3-thiotriphosphate) ($\text{GTP}\gamma\text{S}$) (Haslam and Davidson, 1984b; Knight and Scrutton, 1986)—cause a leftward shift in the Ca^{2+} dose-response curve and thus greatly potentiate secretion at Ca^{2+} concentrations in the physiological range (pCa 7 to 6). These results can be at least partly explained by a G-protein-mediated activation of phosphoinositide-specific phospholipase C and the formation of 1,2-diacylglycerol (DAG) that promotes secretion by stimulating protein kinase C (PKC) (Haslam and Davidson, 1984b,c; Knight and Scrutton, 1984, 1986; Culty *et al.*, 1988). The release of lysosomal enzymes from electroporated platelets is also stimulated by Ca^{2+} , but in this case thrombin, guanine nucleotides, and a synthetic DAG have been shown to enhance secretion primarily by increasing the maximum response to Ca^{2+} rather than the sensitivity of the secretory mechanism to this ion (Knight *et al.*, 1984; Athayde and Scrutton, 1990). Apart from preliminary reports (Coorssen and Haslam, 1990; Peltola and Scrutton, 1990), comparable information on the factors regulating α -granule secretion is not yet available. We present here a detailed comparison of dense and α -granule secretion from permeabilized human platelets, which shows that the same factors promote secretion from both granule types, though not with equal effectiveness.

Studies on other permeabilized cells have suggested that guanine nucleotides can stimulate secretion by a mechanism additional to the sequential activation of phospholipase C and PKC (reviewed by Gomperts, 1990). Thus, the effects of $\text{GTP}\gamma\text{S}$ on secretion from neutro-

phils and HL60 cells differ from those observed after direct activation of PKC by phorbol 12-myristate 13-acetate (PMA) (Barrowman *et al.*, 1986; Stutchfield and Cockcroft, 1988). Moreover, $\text{GTP}\gamma\text{S}$ can induce secretion without formation of phosphoinositide breakdown products in permeabilized adrenal chromaffin cells (Bittner *et al.*, 1986), mast cells (Cockcroft *et al.*, 1987), and RINm5F cells (Vallar *et al.*, 1987). These studies led Gomperts and colleagues to propose that in many cells a GTP-binding protein (termed G_E), distinct from that mediating the activation of phospholipase C, may play an essential role in the exocytotic event (Barrowman *et al.*, 1986; Cockcroft *et al.*, 1987; Howell *et al.*, 1987; Gomperts, 1986, 1990). Initial interpretations of studies with permeabilized platelets did not support a role for G_E in dense granule secretion, because $\text{GTP}\gamma\text{S}$ appeared to have little effect in the absence of Ca^{2+} ions (Haslam and Davidson, 1984b; Knight and Scrutton, 1986). However, in the present study, we have reexamined this question and have demonstrated that $\text{GTP}\gamma\text{S}$, acting either alone or more potently in combination with PMA, can induce a Ca^{2+} - and phospholipase C-independent secretion of both dense and α -granule constituents. Our results, together with a recent report that $\text{GTP}\gamma\text{S}$ can stimulate Ca^{2+} -independent secretion of lysosomal enzymes from permeabilized platelets (Athayde and Scrutton, 1990), suggest that secretion of platelet granule constituents is not fundamentally different from exocytosis in cells in which a role for G_E has been postulated.

Results

Effects of Ca^{2+} ions on secretion

We used [^{14}C]5-HT and βTG as markers for the secretion of platelet dense and α -granule constituents, respectively. Permeabilized human platelets contained $71 \pm 3 \mu\text{g}$ of $\beta\text{TG}/10^9$ cells (mean \pm SE, 17 determinations). Incubation of permeabilized platelets for 10 min at 25°C in the absence of added Ca^{2+} ions, or at a buffered pCa of 7, did not cause any release of either [^{14}C]5-HT or βTG . However, incubation with higher Ca^{2+} concentrations (pCa 6 to 4.5) led to secretion from both granule types (Figure 1). There was no consistent difference in the Ca^{2+} sensitivity of the release of [^{14}C]5-HT and βTG , in that the most marked effects of increasing Ca^{2+} concentrations were always obtained at pCa values between 6 and 5. In 10-min incubations, half-maximal secretion from both granule types required a pCa of 5.5 ± 0.1 (mean




Figure 1. Effects of PMA and of GTP γ S on the secretion of [14 C]5-HT (A) and β TG (B) from permeabilized platelets at various buffered Ca $^{2+}$ concentrations. Samples of permeabilized platelets in a glutamate-based medium containing ATP (see Materials and methods) were equilibrated for 15 min at 0°C with the indicated Ca $^{2+}$ buffers and either no other additions (●), 100 nM PMA (▲), or 100 μ M GTP γ S (■). The samples were then incubated for 10 min at 25°C and [14 C]5-HT and β TG secretion were then determined. Values are means \pm SE from three identical incubation mixtures.

\pm SE, 5 experiments); maximal secretion, observed at a pCa of 4.5, amounted to $81 \pm 3\%$ of the platelet [14 C]5-HT and $50 \pm 3\%$ of platelet β TG (means \pm SE). The latter value is significantly less than the former ($p < 0.001$). Higher Ca $^{2+}$ concentrations (e.g., pCa 4) caused less secretion (not shown), probably as a result of Ca $^{2+}$ -dependent proteolysis (Haslam and Davidson, 1984a). Although Ca $^{2+}$ appeared to have very similar effects on the secretion of dense and α -granule constituents, the dose-response curves for β TG release were slightly but consistently steeper than those for [14 C]5-HT, as shown by a progressive increase in the ratio of β TG to [14 C]5-HT released between pCa values of 6 and 4.5 (Figure 2A). This suggests a minor difference in the regulation of secretion from the two granule types under these conditions. At a pCa of 5, in the absence of other additions, secretion of β TG was only slightly slower than that of [14 C]5-HT, with both approaching maximum values after 10–20 min (Figure 3, C and D).

Effects of PMA on secretion

A previous study with permeabilized platelets (Knight and Scrutton, 1984) showed that addi-

tion of PMA (16 nM) shifted the Ca $^{2+}$ dose-response curve for secretion of [14 C]5-HT to the left and caused just detectable secretion of [14 C]5-HT in the absence of added Ca $^{2+}$. In the present work, we used a higher PMA concentration (100 nM), which was just sufficient to activate PKC optimally in permeabilized platelets (see later), and observed similar though somewhat more marked effects (Figure 1A). Thus, PMA caused 5- to 10-fold increases in the Ca $^{2+}$ sensitivity of [14 C]5-HT secretion, significant release of [14 C]5-HT in the absence of Ca $^{2+}$ (pCa > 8), and a small but significant increase in the secretion observed at pCa 4.5 ($p < 0.05$). To determine whether or not truly Ca $^{2+}$ -independent release of [14 C]5-HT occurs, we also measured secretion in samples containing additional ethylene glycol-bis(β -aminoethyl ether)- N,N,N',N' -tetraacetic acid (EGTA, final concentration 12.5 mM, pCa > 9). Under these conditions, the release of [14 C]5-HT amounted to $22 \pm 1\%$ (mean \pm SE, 5 experiments) and was no less than seen with 2.5 mM EGTA (pCa > 8). Thus, we were able to conclude that PMA can induce a significant Ca $^{2+}$ -independent se-




Figure 2. Effects of GTP γ S and of PMA on the relationship between the secretion of β TG and [14 C]5-HT from permeabilized platelets at various Ca $^{2+}$ concentrations. Permeabilized platelets were equilibrated and incubated with the indicated Ca $^{2+}$ buffers and either no other additions (A), 100 nM PMA (B), or 100 μ M GTP γ S (C), as described for Figure 1. The percent secretion of β TG and of [14 C]5-HT were determined for each condition and expressed as a ratio. Values are means \pm SE from 3 to 11 separate experiments. When secretion of β TG and [14 C]5-HT was negligible (A, pCa > 6), ratios were not calculated.

cretion of [14 C]5-HT from permeabilized platelets. Analysis of the time-course of [14 C]5-HT release showed that, at a pCa > 9, dense granule secretion continued for at least 20 min in the presence of PMA (Figure 3A). At a pCa of 5, secretion was much more rapid and, in the presence of PMA, was almost complete within 5 min (Figure 3C).

As observed for the secretion of [14 C]5-HT, incubation of permeabilized platelets with 100 nM PMA enhanced the Ca $^{2+}$ -sensitivity of secretion of β TG and increased the maximum extent of secretion observed at a pCa of 4.5 (Figure 1B). However, 100 nM PMA caused very little secretion of β TG in the absence of Ca $^{2+}$ ions. Thus, at a pCa > 9, the platelet β TG found in the supernatant after incubation for 10 min with 100 nM PMA amounted to only $3 \pm 1\%$ (mean \pm SE, 5 experiments), and the ratio of β TG to [14 C]5-HT released (calculated as percentages of the platelet content) was only 0.16 ± 0.03 (mean \pm SE). This ratio increased progressively as the Ca $^{2+}$ concentration was in-

creased from a pCa of 7 to 4.5, reaching a value of 0.64 ± 0.09 (Figure 2B), essentially the same as observed in the absence of PMA. In the presence of PMA, secretion of β TG was slightly delayed relative to that of [14 C]5-HT (Figure 3, C and D). These results imply a significant difference between the regulatory mechanisms responsible for the secretion of dense and α -granule constituents.

Effects of guanine nucleotides on secretion

Previous work with electropermeabilized platelets prepared as in the present study showed that 100 μ M GTP γ S greatly enhanced the Ca $^{2+}$ sensitivity of the secretion of [14 C]5-HT and also caused some secretion in the absence of added Ca $^{2+}$ (Haslam and Davidson, 1984b,c); small amounts of Ca $^{2+}$ in the reagents or released from the platelets appeared to be partly responsible for the latter effect. We have now re-investigated these findings and have compared [14 C]5-HT release with that of β TG (Figure 1).




Figure 3. Effects of PMA and of GTP γS on the time course of secretion of $[^{14}\text{C}]5\text{-HT}$ (A and C) and βTG (B and D) from permeabilized platelets. Experiments were carried out as for Figure 1 at pCa values of either >9 (A and B) or 5 (C and D); the period of incubation at 25°C was varied as indicated. Samples were equilibrated and incubated with no other additions (●), with 100 nM PMA (▲), or with 100 μM GTP γS (■). Values are means \pm SE from three identical incubation mixtures.




Figure 4. Effects of GTP and of GTP γ S on the secretion of [14 C]5-HT (A) and β TG (B) from permeabilized platelets at various buffered Ca $^{2+}$ concentrations. Samples of permeabilized platelet suspension were equilibrated for 15 min at 0°C with the indicated Ca $^{2+}$ buffers and either no other additions (●), 100 μ M GTP (▲), or 10 μ M GTP γ S (■). Samples were then incubated for 10 min at 25°C and [14 C]5-HT and β TG secretion were then determined. Values are means \pm SE from three identical incubations.

We found that 100 μ M GTP γ S caused substantial secretion from both granule types in the presence of 12.5 mM EGTA (pCa > 9), amounting to 25 \pm 2% of the platelet [14 C]5-HT and 26 \pm 2% of platelet β TG (means \pm SE, 10 experiments). These values were only slightly less than ([14 C]5-HT) or the same as (β TG) those obtained with 2.5 mM EGTA (pCa > 8). Thus, 100 μ M GTP γ S differed in its effects from 100 nM PMA, which induced Ca $^{2+}$ -independent secretion mainly from the dense granules. GTP γ S also enhanced the maximal secretion of [14 C]5-HT and of β TG, again observed at a pCa of 4.5, to values of 92 \pm 3% and 57 \pm 5%, respectively (means \pm SE; 4 experiments). These results show that in the absence of Ca $^{2+}$ ions, 100 μ M GTP γ S induced the secretion of a much higher percentage of the releasable β TG (49 \pm 4%) than of the releasable [14 C]5-HT (27 \pm 4%) (means \pm SE, 4 experiments), indicating that the actions of GTP γ S favor the secretion of α -granule constituents under these conditions. As the Ca $^{2+}$ concentration was increased in the presence of 100 μ M GTP γ S, the ratio of β TG to [14 C]5-HT released decreased progressively to

reach a value similar to that seen in the absence of GTP γ S (Figure 2C). In the absence of Ca $^{2+}$ ions, the GTP γ S-induced secretion of both [14 C]5-HT and β TG proceeded slowly and almost linearly for 20 min, apart from an initial 2-min lag (Figure 3, A and B), whereas at a pCa of 5, secretion of both granule constituents was greatly accelerated, with that of [14 C]5-HT slightly preceding that of β TG, as also observed with PMA (Figure 3, C and D).

Ca $^{2+}$ -independent secretion of [14 C]5-HT and β TG was not observed in the presence of either 10 μ M GTP γ S or 100 μ M GTP. However, these additions enhanced the Ca $^{2+}$ -sensitivity of secretion of both [14 C]5-HT and β TG and, to some extent, the maximum secretion obtained (Figure 4). As reported previously for [14 C]5-HT (Haslam and Davidson, 1984b), 10 μ M GTP γ S shifted the Ca $^{2+}$ dose-response curve for β TG secretion further to the left than did 100 μ M GTP and even promoted limited secretion at a pCa of 7. Thus, in the pCa range in which these concentrations of guanine nucleotides were effective (7 to 4.5), no significant dissociation of [14 C]5-HT and β TG secretion was apparent.

Effects of thrombin on secretion

Addition of an optimal dose of thrombin (2 U/ml; Haslam and Davidson, 1984a) increased the Ca^{2+} -sensitivity of secretion from both dense and α -granules to similar extents, but caused no release of [^{14}C]5-HT or βTG in the absence of Ca^{2+} ions (Figure 5). Thrombin also increased the maximum secretion of βTG and, to a lesser extent, of [^{14}C]5-HT. The effects of this concentration of thrombin (Figure 5) were quantitatively very similar to those of 100 μM GTP (Figure 4). Addition of a low GTP concentration (10 μM) with thrombin caused a further shift to the left of the Ca^{2+} dose-response curves for secretion, so that substantial effects were seen at a pCa of 7 (as previously reported for [^{14}C]5-HT by Haslam and Davidson, 1984b). However, no secretion of either granule constituent was detected in the complete absence of Ca^{2+} ions (Figure 5). These results suggest that addition of thrombin, or of thrombin with GTP, stimulated secretion of both dense and α -granule constituents by the same or similar Ca^{2+} -dependent mechanisms.

Synergistic effects of PMA and $\text{GTP}\gamma\text{S}$ on secretion

The ability of $\text{GTP}\gamma\text{S}$ to induce secretion of βTG from permeabilized platelets in the absence of Ca^{2+} ions, a condition in which PMA had little effect, suggested that the action of the former compound might not be fully accounted for by the activation of PKC. We therefore studied the effects of increasing concentrations of $\text{GTP}\gamma\text{S}$ on Ca^{2+} -independent secretion in the absence and presence of an optimal concentration of PMA (100 nM). In 10-min incubations in the absence of PMA, the release of platelet [^{14}C]5-HT and βTG caused by $\text{GTP}\gamma\text{S}$ did not exceed 40%, even with 1 mM of the latter compound (Figure 6, A and B). Secretion of [^{14}C]5-HT and βTG caused by 100 μM $\text{GTP}\gamma\text{S}$ amounted to 70–80% of the maximum observed with 1 mM $\text{GTP}\gamma\text{S}$ in the absence of Ca^{2+} . However, when PMA was included in the incubation mixtures, the effects of all concentrations of $\text{GTP}\gamma\text{S}$ on the release of both [^{14}C]5-HT and βTG were enhanced (Figure 6, A and B). This effect was particularly striking with 10 μM $\text{GTP}\gamma\text{S}$, which did not cause




Figure 5. Effects of GTP and thrombin on the sensitivity to Ca^{2+} of the secretion of [^{14}C]5-HT (A) and βTG (B) from permeabilized platelets. Samples of permeabilized platelet suspension were equilibrated for 15 min at 0°C with the indicated Ca^{2+} buffers and were then incubated for 10 min at 25°C . Samples contained either no other additions (\bullet) or 2 U of thrombin/ml added after equilibration with Ca^{2+} alone (\blacktriangle) or with Ca^{2+} and 10 μM GTP (\blacksquare). Secretion of both [^{14}C]5-HT and βTG were then determined. Values are means \pm SE from three identical incubation mixtures.




Figure 6. Ca^{2+} -independent secretion of [^{14}C]5-HT and β TG from permeabilized platelets by different concentrations of GTP γ S added without or with PMA; relationship to pleckstrin phosphorylation. Samples of permeabilized platelets containing 12.5 mM EGTA (pCa > 9) were equilibrated for 15 min at 0°C with the indicated concentrations of GTP γ S in the absence (○) or presence (●) of 100 nM PMA and were then incubated for 10 min at 25°C. The secretion of [^{14}C]5-HT (A) and β TG (B) were measured in three identical samples; mean values \pm SE are shown. Parallel duplicate incubations were carried out with permeabilized platelet suspension containing [γ - ^{32}P]ATP for measurement of the phosphorylation of pleckstrin (C); mean values \pm range are shown.

any secretion by itself. These supra-additive effects of GTP γ S and an optimal concentration of PMA provide further evidence that GTP γ S must exert its effects, at least in part, by a mechanism other than activation of PKC.

Relationship between protein phosphorylation and secretion

The phosphorylation of pleckstrin, the major substrate of PKC in platelets (Imaoka *et al.*, 1983; Sano *et al.*, 1983; Tyers *et al.*, 1988), was used as an index of the extent to which this enzyme was activated during secretion. As expected, incubation of permeabilized platelets

with 100 nM PMA in the presence of [γ - ^{32}P]ATP caused a marked increase in the ^{32}P -labeling of pleckstrin (Figures 6C and 7A). In the absence of Ca^{2+} ions, phosphorylation of pleckstrin amounted to 481 ± 28 pmol/ 10^9 platelets (mean \pm SE, 3 experiments) and was not further increased by addition of GTP γ S (Figure 6C) or Ca^{2+} ions (Figure 7A). Indeed, both GTP γ S and high Ca^{2+} concentrations tended to decrease the phosphorylation of pleckstrin seen in the presence of PMA. Lower concentrations of PMA (20 and 50 nM) caused only slightly less phosphorylation than 100 nM (not shown), indicating that 100 nM was optimal. Addition of GTP γ S alone in the absence of Ca^{2+} ions (pCa > 9) also caused a phosphorylation of pleckstrin amounting to $53 \pm 2\%$ of the maximum extent seen with PMA (mean \pm SE, 3 experiments). Addition of Ca^{2+} ions slightly increased the phosphorylation of pleckstrin observed in the presence of GTP γ S, but never to the level seen with PMA alone (Figure 7A).

As reported previously (Haslam and Davidson, 1984a), addition of Ca^{2+} ions alone to permeabilized platelets increased the phosphorylation of both pleckstrin and myosin light chain (Figure 7). Although phosphorylation of pleckstrin was optimal at a pCa of 4.5, reaching a level similar to that seen in the presence of GTP γ S and Ca^{2+} , this reaction did not correlate well with secretion, in that substantial phosphorylation was seen at a pCa value as low as 6. Although PMA and, to a lesser extent, GTP γ S enhanced the phosphorylation of myosin light chain at pCa values in the range >9–5, presumably as a result of the activation of PKC, the dominant factor regulating the phosphorylation of this protein was the Ca^{2+} concentration (Figure 7B). This contrasts with the largely Ca^{2+} -independent effects of PMA and GTP γ S on the phosphorylation of pleckstrin (Figure 7A).

Activation of phosphoinositide-specific phospholipase C

Previous studies in this laboratory have shown that GTP γ S stimulates the release of [^3H]inositol phosphates from [^3H]phosphoinositides by phospholipase C in permeabilized platelets incubated at a pCa of 7 and that this effect was much diminished in the absence of added Ca^{2+} ions (pCa > 8) (Culty *et al.*, 1988). We have now shown that no significant [^3H]inositol phosphate formation could be detected in the presence or absence of 100 μM GTP γ S, when the Ca^{2+} ion concentration was further reduced by additional EGTA (pCa > 9) (Table 1). This finding suggests




Figure 7. Effects of Ca^{2+} , PMA, and $\text{GTP}\gamma\text{S}$ on the phosphorylation of pleckstrin (A) and myosin light chain (B) in permeabilized platelets. Samples of permeabilized platelet suspension containing $[\gamma\text{-}^{32}\text{P}]\text{ATP}$ were equilibrated for 15 min at 0°C with the indicated Ca^{2+} buffers and either no other additions (●), 100 nM PMA (▲), or 100 μM $\text{GTP}\gamma\text{S}$ (■). The samples were then incubated for 10 min at 25°C before the addition of trichloroacetic acid and analysis of ^{32}P -labeled proteins by sodium dodecyl sulfate–polyacrylamide gel electrophoresis. Areas of gels containing pleckstrin and myosin light chain were cut out and counted for ^{32}P . Values are means \pm range from duplicate incubation mixtures.

that the Ca^{2+} -independent activation of PKC by $\text{GTP}\gamma\text{S}$ was not mediated by DAG released from phosphoinositides. This conclusion is supported by the finding that, although there was trace formation of $[\text{H}]\text{inositol}$ phosphates at pCa 7 in the absence of $\text{GTP}\gamma\text{S}$ (Table 1), the associated phosphorylation of pleckstrin (Figure 7A) was much less than observed with $\text{GTP}\gamma\text{S}$ at a pCa > 9 , when no phosphoinositide-specific phospholipase C activity was detected. The enhanced Ca^{2+} -independent secretion of 5-HT and βTG caused by addition of $\text{GTP}\gamma\text{S}$ in the presence of PMA (Figure 6) was also not associated with any $[\text{H}]\text{inositol}$ phosphate formation; indeed, PMA inhibited the stimulation of $[\text{H}]\text{inositol}$ phosphate formation caused by $\text{GTP}\gamma\text{S}$ at a pCa of 7 (Table 1).

Discussion

We selected βTG as the most appropriate marker for α -granule secretion because many of the others, including platelet factor 4, bind extensively to the platelet surface (Stenberg *et*

al., 1984; Capitanio *et al.*, 1985), usually by Ca^{2+} -dependent mechanisms (George and Onofre, 1982). Our results show that secretion of βTG from electropermeabilized platelets, as monitored by release of βTG into the platelet supernatant, was stimulated by the addition of Ca^{2+} ions in a manner very similar to the secretion of dense granule 5-HT. Thus, half-maximal secretion was seen at a pCa of 5.5 in both instances. However, of the total βTG in permeabilized platelets ($\sim 70 \mu\text{g}/10^9$ platelets), only 50–60% could be released at an optimal Ca^{2+} concentration (pCa 4.5), the exact value depending on whether or not a second stimulus was present. The Ca^{2+} -stimulated release of an even lower percentage of platelet factor 4 from permeabilized platelets has recently been reported (Peltola and Scrutton, 1990). This maximum secretion of βTG should be compared with the much more complete release of dense granule 5-HT (80–90%). However, the βTG released in our experiments was similar to the maximum secreted from intact platelets in response to thrombin ($38 \mu\text{g}/10^9$ platelets; Akkerman *et al.*,

Table 1. Effects of GTP γ S and PMA on total [3 H]inositol phosphate formation in permeabilized platelets incubated in the presence and absence of Ca $^{2+}$ ions

Additions	[3 H]inositol phosphates (dpm/ 10 9 platelets)	
	pCa > 9	pCa 7
None	-250 \pm 187	508 \pm 211
PMA (100 nM)	-166 \pm 183	129 \pm 211
GTP γ S (100 μ M)	31 \pm 192	11 008 \pm 434
GTP γ S (100 μ M) + PMA (100 nM)	-15 \pm 197	4 894 \pm 247

Platelets labeled with both [3 H]inositol and [14 C]5-HT were permeabilized, as described under Materials and methods. Samples were equilibrated for 15 min at 0°C with the additions indicated at the designated pCa values and were then incubated for 10 min at 25°C before extraction and measurement of [3 H]inositol phosphates. Amounts found in the suspension of permeabilized platelets before equilibration of the samples (1333 \pm 182 dpm/10 9 platelets) were subtracted. Values given are means \pm SE of the difference from three identical samples. The secretion of [14 C]5-HT at a pCa > 9 (not shown) was similar to that illustrated in Figure 6.

1982) or released from platelets by physical methods of disruption (Rink *et al.*, 1983; Krishnamurthi *et al.*, 1986; Coorssen and Haslam, unpublished). This suggests that platelets contain a form of β TG that is not readily secreted. Preliminary experiments suggest that this β TG is membrane-bound, because it is not released by freezing and thawing followed by sonication, but can then be extracted partly by 2 M KCl, as well as by detergent (Coorssen and Haslam, unpublished). It is possible that this pool of β TG is the source of that found on the plasma membrane after stimulation of platelets with thrombin (Stenberg *et al.*, 1984).

Incubation of permeabilized platelets with thrombin, particularly in the presence of GTP, with low concentrations of GTP γ S (e.g., 10 μ M), or with PMA, all shifted the Ca $^{2+}$ dose-response curve for the release of β TG to the left, either into or beyond the physiological range (pCa 7 to 6), as previously reported for dense granule 5-HT (Haslam and Davidson, 1984a,b; Knight and Scrutton, 1984, 1986). Thus, the regulation of the secretion of α -granule constituents from permeabilized platelets resembles much more closely that of dense granule constituents than that of lysosomal hydrolases, since in the latter case, the above stimuli enhance the maximum response to Ca $^{2+}$ rather than the Ca $^{2+}$ sensitivity of secretion (Knight *et al.*, 1984; Athayde and Scrutton, 1990). Because thrombin and guanine nucleotides activate phosphoinositide-specific

phospholipase C in permeabilized platelets (Brass *et al.*, 1986; Culty *et al.*, 1988), enhance the formation of DAG (Haslam and Davidson, 1984a,c; Brass *et al.*, 1986), and promote the phosphorylation in these cells of the PKC substrate pleckstrin (Haslam and Davidson, 1984a; Figure 7), the similar effects of these stimuli and of PMA on secretion from permeabilized platelets can plausibly be explained by the activation of PKC. However, high concentrations of GTP γ S (e.g., 100 μ M) were far more effective in promoting the release of 5-HT and particularly of β TG than was 100 nM PMA, which stimulated the phosphorylation of pleckstrin to the maximum extent possible in permeabilized platelets and always to a higher level than was observed with GTP γ S. Moreover, although Ca $^{2+}$ enhanced the phosphorylation of pleckstrin, presumably by activating PKC, this effect did not correlate well with secretion in either a previous study (Haslam and Davidson, 1984a) or the present work. This is not to say that PKC is unimportant. The potentiating effects of PMA and synthetic DAG (Knight and Scrutton, 1984; Athayde and Scrutton, 1990) and preliminary results showing that complete inhibition of PKC markedly reduces but does not abolish the effects of GTP γ S and Ca $^{2+}$ on secretion (Haslam and Davidson, 1990) both indicate that PKC plays a major role in secretion of platelet granule constituents. It is, nevertheless, clear that both GTP γ S and Ca $^{2+}$ ions promote secretion of dense and α -granule constituents by mechanisms additional to the activation of PKC.

Thus, as in other cells (Gomperts, 1990), there appear to be three major factors involved in the regulation of secretion from platelets, namely Ca $^{2+}$ ions, guanine nucleotide, and PKC. Our results indicate that these factors exert independent as well as interacting effects with significantly different consequences for the secretion of dense and α -granule constituents. Since the ratio of the maximum percentages of β TG and 5-HT secreted was \sim 0.6 (at pCa 4.5), whether or not PMA or GTP γ S was present (Figure 2), departures from this ratio under conditions of suboptimal stimulation are indicative of selective secretion from one or the other granule type. By this criterion, low Ca $^{2+}$ concentrations (pCa 7 to 6) tended to favor secretion from dense granules when either no other stimulus or PMA was present, but induced the parallel secretion of both dense and α -granule constituents when GTP γ S was present. However, the clearest dissociation of dense and α -granule secretion was obtained in the effective absence of Ca $^{2+}$ ions. When no CaCl $_2$ was added to the

permeabilized platelets, only limiting pCa values could be calculated, since the Ca^{2+} present depended on reagent contamination and the extent to which platelet Ca^{2+} was released into the medium. However, even with the most conservative assumptions (see Materials and methods), pCa values in incubation mixtures (pH 7.4) containing no CaCl_2 and either 2.5 or 12.5 mM EGTA were >8 or >9 , respectively. Because little difference in secretion was observed under these two conditions with any stimulus (see Figure 1), we believe that such effects can reasonably be described as Ca^{2+} -independent. In particular, PMA induced the slow Ca^{2+} -independent secretion of dense granule 5-HT, as has also been found by others (Knight and Scrutton, 1984; Athayde and Scrutton, 1990). However, PMA caused little release of βTG under these conditions, suggesting that activation of PKC is an insufficient stimulus for α -granule secretion. In intact platelets, PMA has been reported to stimulate the secretion of both dense and α -granule constituents (Rink *et al.*, 1983; Krishnamurthi *et al.*, 1986). The reason for this discrepancy is not known, but it is possible that additional factors play a role in the intact system. In the absence of Ca^{2+} , 100 μM $\text{GTP}\gamma\text{S}$ differed markedly from 100 nM PMA in its effects on secretion from permeabilized platelets, causing release of both βTG and 5-HT, but preferentially of the former (ratio over 1.0, Figure 2C). Selective secretion of platelet factor 4 in response to $\text{GTP}\gamma\text{S}$ has also recently been noted (Peltola and Scrutton, 1990). Our results also showed that $\text{GTP}\gamma\text{S}$ stimulated the phosphorylation of pleckstrin in the absence of Ca^{2+} , but much less effectively than PMA. This again indicates that $\text{GTP}\gamma\text{S}$ has effects, particularly on the secretion of βTG , that cannot be accounted for by the activation of PKC, a conclusion that is further strengthened by the enhanced stimulation of secretion by $\text{GTP}\gamma\text{S}$ in the presence of an optimal concentration of PMA. Synergism between $\text{GTP}\gamma\text{S}$ and PMA in the absence of Ca^{2+} was also observed with respect to the secretion of β -glucuronidase from permeabilized HL60 cells (Stutchfield and Cockcroft, 1988).

The differences that we have observed between the effects of PMA and $\text{GTP}\gamma\text{S}$ are not sufficient to establish that the latter acts through a GTP-binding protein coupled to an effector other than phosphoinositide-specific phospholipase C, because the diacylglycerol formed by this enzyme could well potentiate secretion through effects additional to the activation of PKC. It is, therefore, crucial that we

have been able to show for the first time in platelets that $\text{GTP}\gamma\text{S}$ induces secretion under conditions in which there is no detectable phosphoinositide breakdown. In this regard, our results are similar to those obtained in experiments with permeabilized adrenal chromaffin cells (Bittner *et al.*, 1986) and RINm5F cells (Vallar *et al.*, 1987). Secretion has also been dissociated from phospholipase C activity by neomycin in streptolysin O-permeabilized mast cells (Cockcroft *et al.*, 1987), studies of which have provided the best evidence that a specific GTP-binding protein, G_E , mediates exocytosis (Gomperts, 1986, 1990). Although secretion from permeabilized mast cells required the simultaneous presence of Ca^{2+} and $\text{GTP}\gamma\text{S}$, when the principal anion present was Cl^- (Howell *et al.*, 1987), these stimuli exerted independent effects very similar to those we obtained in platelets, when the anion was glutamate (Churcher and Gomperts, 1990). Thus, there may be no essential difference between exocytosis from platelets and from cells in which a role for a hypothetical G_E has been postulated.

Although the mechanism by which $\text{GTP}\gamma\text{S}$ stimulates secretion from permeabilized platelets in the absence of Ca^{2+} ions remains obscure, it is associated with the phosphorylation of pleckstrin. The function of pleckstrin is still unknown (Tyers *et al.*, 1988), but phosphorylation of this protein does indicate that activation of PKC has occurred (Sano *et al.*, 1983). Platelets have, in fact, been shown to contain an unidentified isozyme of PKC that can phosphorylate pleckstrin in the absence of Ca^{2+} (Tsukuda *et al.*, 1988), and current results show that PKC is essential for the Ca^{2+} -independent secretion of dense and α -granule constituents, caused by $\text{GTP}\gamma\text{S}$ (Coorssen, Davidson, and Haslam, unpublished). These findings imply that, even in the absence of Ca^{2+} , $\text{GTP}\gamma\text{S}$ acts on a G-protein-coupled effector enzyme that generates a lipid second messenger capable of stimulating PKC. Because $\text{GTP}\gamma\text{S}$ also has an essential action that is not accounted for by activation of PKC, it is possible that a product of the same effector enzyme stimulates secretion by another mechanism, perhaps by acting as a membrane fusogen. Alternatively, $\text{GTP}\gamma\text{S}$ may stimulate Ca^{2+} -independent secretion through two different GTP-binding proteins. Candidate effector enzymes that could be involved in the formation of activators of PKC and possibly of fusogenic lipids in the absence of Ca^{2+} include a form of phospholipase C that utilizes substrates other than the phosphoinositides, phospholipase A_2 and phospholipase D. A phosphatidylcholine

phospholipase C that is Ca^{2+} independent and is activated by $\text{GTP}\gamma\text{S}$ has been described in liver membranes (Irving and Exton, 1987) but has not so far been reported in platelets. A $\text{GTP}\gamma\text{S}$ -activated phospholipase A_2 is present in platelet membranes but appears to require Ca^{2+} (Akiba *et al.*, 1989; Silk *et al.*, 1989). Finally, we have recently shown that rabbit platelet membranes contain a phospholipase D activity that is stimulated by $\text{GTP}\gamma\text{S}$ in the absence of Ca^{2+} , though this ion does enhance enzyme activity (Haslam *et al.*, 1990; Van der Meulen and Haslam, 1990). In all cases, PMA treatment appears to potentiate the actions of $\text{GTP}\gamma\text{S}$ on these enzymes, which would be consistent with the effect of PMA on $\text{GTP}\gamma\text{S}$ -induced secretion from permeabilized platelets. Each of these potential effector enzymes can generate, directly or indirectly, DAG and/or arachidonate, both of which can activate platelet PKC in the absence of Ca^{2+} (Tsukuda *et al.*, 1988). Moreover, DAG (Siegel *et al.*, 1989; Coorssen and Rand, 1990), arachidonate (Meers *et al.*, 1988), and the immediate product of phospholipase D action, phosphatidate (Sundler and Papahadjopoulos, 1981; Leventis *et al.*, 1986), are all potentially fusogenic. However, exogenous phospholipase C does not stimulate secretion from permeabilized adrenal chromaffin cells, despite substantial DAG formation (Eberhard *et al.*, 1990). Moreover, secretion has been dissociated from phospholipase A_2 activation in permeabilized mast cells (Churcher *et al.*, 1990). For these reasons, activation of phospholipase D may be the most promising candidate. A role for phospholipase D-generated phosphatidate or its metabolites in exocytosis from mast cells has recently been proposed (Gruchalla *et al.*, 1990), and it may be significant that activation of this enzyme is particularly prominent in neutrophils (Billah *et al.*, 1989), the cell in which a phospholipase C-independent effect of $\text{GTP}\gamma\text{S}$ on secretion was first detected (Barrowman *et al.*, 1986).

Materials and methods

Materials

Radioimmunoassay (RIA) kits for βTG , [*side-chain-2- ^{14}C*]5-HT (55 mCi/mmol) and ACS scintillant were from Amersham (Oakville, Ont.). [γ - ^{32}P]ATP was from Du Pont Canada (Mississauga, Ont.). $\text{GTP}\gamma\text{S}$ was obtained from Boehringer Mannheim Canada (Laval, Que.). ATP (prepared by phosphorylation of adenosine), GTP, PMA, piperazine-*N,N'*-bis(2-ethanesulfonic acid) (PIPES), *N*-2-hydroxyethylpiperazine-*N'*-2-ethanesulfonic acid (HEPES), L-glutamic acid, and bovine serum albumin (fraction V) were from Sigma (St. Louis, MO). Human α -thrombin (2700 U/mg) was kindly provided by Dr. J.W. Fenton II of the New York State Department

of Health (Albany, NY). Other materials were from sources listed in Haslam and Davidson (1984a) and Culty *et al.* (1988).

Labeling and permeabilization of human platelet suspensions

Human platelets were isolated, labeled with [^{14}C]5-HT, and washed, as described in Haslam and Davidson (1984a). Labeled platelets—in Ca^{2+} -free Tyrode's solution (pH 6.5) containing 5 mM PIPES, 0.35% (w/v) bovine serum albumin, and 5 mM EGTA—were electropermeabilized in a 0.2-cm-wide chamber by 10 discharges from 4.5- μF capacitors charged at 3 kV; this procedure yielded permeabilized platelets with a sensitivity to Ca^{2+} identical to that described by Haslam and Davidson (1984a). As previously, the permeabilized platelets were cooled to 4°C, applied to a column of Sepharose CL-4B, and eluted with a medium (pH 7.4) containing 12.5 mM MgCl_2 and the potassium salts of glutamic acid (160 mM), HEPES (20 mM), EGTA (2.5 mM), and EDTA (2.5 mM) (buffer A). Immediately after elution, the platelet suspension was diluted with buffer A containing ATP to give $3\text{--}5 \times 10^8$ platelets/ml (final ATP, 5 mM) and stored at 0°C until used (within 2 h).

Incubations

Samples (160 μl) of permeabilized platelet suspension were mixed with 40 μl of buffer A containing any guanine nucleotide and the CaCl_2 required to give a particular pCa value (Haslam and Davidson, 1984b). PMA or vehicle (0.4 μl of dimethylsulfoxide) was added at the same time as the platelets to prevent the PMA from coming out of solution. These mixtures were equilibrated for 15 min at 0°C before transfer to 25°C and further incubation for up to 20 min. Thrombin, if present, was added in 2 μl of buffer A at the time of transfer to 25°C. Incubations were terminated by addition of 200 μl of ice-cold buffer (pH 7.4) containing EDTA (35 mM), glutamate (80 mM), and HEPES (20 mM) and immediate centrifugation at $12\,000 \times g$ for 1 min. Supernatants were quickly recovered for determination of the platelet [^{14}C]5-HT and βTG released.

The concentration of CaCl_2 required to give the desired pCa values in the EGTA/EDTA/ MgCl_2 buffer system used were calculated according to Fabiato and Fabiato (1979). The pH values of the CaCl_2 solutions were adjusted so that a final pH of 7.4 was obtained after mixing with the other additions. The [$\text{Ca}^{2+}_{\text{free}}$] in incubation mixtures containing no added CaCl_2 cannot be determined accurately, but, assuming that the total platelet Ca^{2+} (80 nmol/mg protein; Feinstein and Fraser, 1975) was released into the medium during incubations and that reagent contamination cannot exceed 20 μM Ca^{2+} , we calculate that the pCa value under these conditions must be >8 . To verify that this [$\text{Ca}^{2+}_{\text{free}}$] has no functional effect, we increased the EGTA concentration in some incubation mixtures from 2.5 to 12.5 mM, which decreases the [$\text{Ca}^{2+}_{\text{free}}$] sixfold and, on the above assumptions, gives a pCa value >9 in the absence of added CaCl_2 .

Measurement of secretion from dense and α -granules

Release of platelet [^{14}C]5-HT was measured by counting 200 μl of supernatant in ACS scintillant; βTG in the supernatant was determined by RIA. Total platelet [^{14}C]5-HT and βTG were determined in permeabilized platelets lysed by addition of 0.01 vol. of 10% (w/v) Triton X-100. The secretion of each of these granule constituents was expressed as a percentage of the total present in the permeabilized platelet suspension after subtraction of that found in supernatant

from permeabilized platelets that had not undergone equilibration or incubation. The latter amount was never more than 5% of the total [^{14}C]5-HT and 1% of the total βTG in the permeabilized platelets.

The RIA procedure described by Amersham was modified to permit 250 assays/kit. The assay volume was reduced from 450 to 90 μl , comprising 40 μl of ^{125}I -labeled βTG , 40 μl of anti- βTG serum, and 10 μl of βTG standard or of a dilution of platelet supernatant or lysate. Centrifugation of the $(\text{NH}_4)_2\text{SO}_4$ -precipitated antigen-antibody complex was carried out at $12\,000 \times g$ for 2 min, and the pellet was then washed with an equivalent amount of $(\text{NH}_4)_2\text{SO}_4$ solution. Both βTG standards and dilutions of experimental samples were adjusted to contain 0.001% Triton X-100. Failure to include Triton X-100 in assays of supernatant samples reduced the values of βTG obtained.

Phosphorylation of platelet proteins

To measure protein phosphorylation in permeabilized platelets, the methods of Haslam and Davidson (1984a) were used. Suspensions of permeabilized platelets (containing 5 mM ATP) were mixed with [γ - ^{32}P]ATP to give 100 $\mu\text{Ci/ml}$. Samples (final volume 0.2 ml) were equilibrated and incubated with appropriate additions, as described above, and incubations were then terminated by addition of 1.0 ml of 10% (w/v) trichloroacetic acid. Platelet protein was analyzed by sodium dodecyl sulfate-polyacrylamide gel electrophoresis (Imoaka *et al.*, 1983). After autoradiography, the regions of the gel containing pleckstrin (apparent M_r , 47 000) and the phosphorylated light chain of myosin (apparent M_r , 20 000) were cut out and counted for ^{32}P , which was measured as Cerenkov radiation in 0.01% (w/v) 4-methylumbelliferone. Incorporation of ^{32}P into both pleckstrin and myosin light chain was expressed as pmol/ 10^9 platelets.

Measurement of [^3H]inositol phosphate formation

In some experiments, platelets were labeled with both [^3H]inositol and [^{14}C]5-HT before permeabilization, to permit measurement of phosphoinositide-specific phospholipase C activity. Labeling with [^3H]inositol and measurement of the total formation of [^3H]inositol phosphates in permeabilized platelets were carried out essentially as described by Culty *et al.* (1988). However, the [^3H]inositol phosphates were eluted from Dowex-1 together, rather than individually, using 1.2 M ammonium formate in 0.1 M formic acid. LiCl was not included in these assays, because previous work showed that this salt decreased rather than increased the total recovery of [^3H]inositol phosphates in this system (Culty *et al.*, 1988).

Statistics

Incubations for measurement of secretion (or [^3H]inositol phosphate formation) were performed in triplicate and incubations for measurement of protein phosphorylation in duplicate; values from individual experiments are given as mean \pm SE or as mean \pm range, respectively. Experiments were repeated three or more times and pooled results are given as mean \pm SE; the significance of differences was then determined by two-sided paired *t* tests.

Acknowledgments

This work was supported by a grant from the Medical Research Council of Canada (MT-5626). J.R.C. holds an M.R.C. Studentship.

Received: August 22, 1990.

Revised and accepted: October 1, 1990.

References

- Akiba, S., Sato, T., and Fujii, T. (1989). Differential effects of phorbol 12-myristate 13-acetate on GTP γ S-induced diacylglycerol formation and arachidonic acid liberation in saponin-permeabilized rabbit platelets. *Thromb. Res.* 53, 503–512.
- Akkerman, J.W.N., Gorter, G., and Klopogge, E. (1982). Kinetic analysis of α -granule secretion by platelets. A methodological report. *Thromb. Res.* 27, 59–64.
- Athayde, C.M., and Scrutton, M.C. (1990). Guanine nucleotides and Ca^{2+} -dependent lysosomal secretion in electropermeabilized human platelets. *Eur. J. Biochem.* 189, 647–655.
- Barrowman, M.M., Cockcroft, S., and Gomperts, B.D. (1986). Two roles for guanine nucleotides in the stimulus-secretion sequence of neutrophils. *Nature* 319, 504–507.
- Billah, M.M., Eckel, S., Mullmann, T.J., Egan, R.W., and Siegel, M.I. (1989). Phosphatidylcholine hydrolysis by phospholipase D determines phosphatidate and diglyceride levels in chemotactic peptide-stimulated human neutrophils. Involvement of phosphatidate phosphohydrolase in signal transduction. *J. Biol. Chem.* 264, 17069–17077.
- Bittner, M.A., Holz, R.W., and Neubig, R.R. (1986). Guanine nucleotide effects on catecholamine secretion from digitonin-permeabilized adrenal chromaffin cells. *J. Biol. Chem.* 261, 10182–10188.
- Brass, L.F., Laposata, M., Banga, H.S., and Rittenhouse, S.E. (1986). Regulation of the phosphoinositide hydrolysis pathway in thrombin-stimulated platelets by a pertussis toxin-sensitive guanine nucleotide-binding protein. Evaluation of its contribution to platelet activation and comparisons with the adenylate cyclase inhibitory protein, G_i . *J. Biol. Chem.* 261, 16838–16847.
- Capitanio, A.M., Niewiarowski, S., Rucinski, B., Tuszyński, G.P., Cierniewski, C.S., Hershock, D., and Kordecki, E. (1985). Interaction of platelet factor 4 with human platelets. *Biochim. Biophys. Acta* 839, 161–173.
- Churcher, Y., Allan, D., and Gomperts, B.D. (1990). Relationship between arachidonate generation and exocytosis in permeabilized mast cells. *Biochem. J.* 266, 157–163.
- Churcher, Y., and Gomperts, B.D. (1990). ATP-dependent and ATP-independent pathways of exocytosis revealed by interchanging glutamate and chloride as the major anion in permeabilized mast cells. *Cell Regul.* 1, 337–346.
- Cockcroft, S., Howell, T.W., and Gomperts, B.D. (1987). Two G-proteins act in series to control stimulus-secretion coupling in mast cells: use of neomycin to distinguish between G-proteins controlling polyphosphoinositide phosphodiesterase and exocytosis. *J. Cell Biol.* 105, 2745–2750.
- Coorsen, J.R., and Haslam, R.J. (1990). Comparison of dense and α -granule secretion from permeabilized platelets: effects of Ca^{2+} , guanine nucleotides, thrombin and phorbol ester. *FASEB J.* 4, A2310.
- Coorsen, J.R., and Rand, R.P. (1990). Effects of cholesterol on the structural transitions induced by diacylglycerol in phosphatidylcholine and phosphatidylethanolamine bilayer systems. *Biochem. Cell Biol.* 68, 65–69.
- Culty, M., Davidson, M.M.L., and Haslam, R.J. (1988). Effects of guanosine 5'-[γ -thio]triphosphate and thrombin on the phosphoinositide metabolism of electropermeabilized human platelets. *Eur. J. Biochem.* 171, 523–533.
- Eberhard, D.A., Cooper, C.L., Low, M.G., and Holz, R.W.

- (1990). Evidence that the inositol phospholipids are necessary for exocytosis. Loss of inositol phospholipids and inhibition of secretion in permeabilized cells caused by a bacterial phospholipase C and removal of ATP. *Biochem. J.* 268, 15–25.
- Fabiato, A., and Fabiato, F. (1979). Calculator programs for computing the composition of the solutions containing multiple metals and ligands used for experiments in skinned muscle cells. *J. Physiol. (Paris)* 75, 463–505.
- Feinstein, M.B., and Fraser, C. (1975). Human platelet secretion and aggregation induced by calcium ionophores. Inhibition by PGE₁ and dibutyl cyclic AMP. *J. Gen. Physiol.* 66, 561–581.
- George, J.N., and Onofre, A.R. (1982). Human platelet surface binding of endogenous secreted factor VIII–von Willebrand factor and platelet factor 4. *Blood* 59, 194–197.
- Gomperts, B.D. (1986). Calcium shares the limelight in stimulus-secretion coupling. *Trends Biochem. Sci.* 11, 290–292.
- Gomperts, B.D. (1990). G_q: a GTP-binding protein mediating exocytosis. *Annu. Rev. Physiol.* 52, 591–606.
- Gruchalla, R.S., Dinh, T.T., and Kennerly, D.A. (1990). An indirect pathway of receptor-mediated 1,2-diacylglycerol formation in mast cells. I. IgE receptor-mediated activation of phospholipase D. *J. Immunol.* 144, 2334–2342.
- Haslam, R.J., and Davidson, M.M.L. (1984a). Potentiation by thrombin of the secretion of serotonin from permeabilized platelets equilibrated with Ca²⁺ buffers. Relationship to protein phosphorylation and diacylglycerol formation. *Biochem. J.* 222, 351–361.
- Haslam, R.J., and Davidson, M.M.L. (1984b). Guanine nucleotides decrease the free [Ca²⁺] required for secretion of serotonin from permeabilized blood platelets. Evidence of a role for a GTP-binding protein in platelet activation. *FEBS Lett.* 174, 90–95.
- Haslam, R.J., and Davidson, M.M.L. (1984c). Receptor-induced diacylglycerol formation in permeabilized platelets: possible role for a GTP-binding protein. *J. Recept. Res.* 4, 605–629.
- Haslam, R.J., and Davidson, M. (1990). GTP γ S stimulates secretion from permeabilized platelets by a mechanism additional to the sequential activation of phospholipase C and protein kinase C. *FASEB J.* 4, A2310.
- Haslam, R.J., Williams, K.A., Davis, W., Sherwood, J., and Van der Meulen, J. (1990). Roles of GTP-binding proteins and protein kinase C in signal transduction in the platelet. *Adv. Second Messenger Phosphoprotein Res.* 24, 364–369.
- Howell, T.W., Cockcroft, S., and Gomperts, B.D. (1987). Essential synergy between Ca²⁺ and guanine nucleotides in exocytotic secretion from permeabilized rat mast cells. *J. Cell Biol.* 105, 191–197.
- Imaoka, T., Lynham, J.A., and Haslam, R.J. (1983). Purification and characterization of the 47,000-dalton protein phosphorylated during degranulation of human platelets. *J. Biol. Chem.* 258, 11404–11414.
- Irving, H.R., and Exton, J.H. (1987). Phosphatidylcholine breakdown in rat liver plasma membranes. *J. Biol. Chem.* 262, 3440–3443.
- Kaplan, K.L., Broekman, J., Chernoff, A., Lesznik, G.R., and Drillings, M. (1979). Platelet α -granule proteins: studies on release and subcellular localization. *Blood* 53, 604–618.
- Kaplan, K.L. (1986). In vitro platelet responses: α -granule secretion. In: *Platelet Responses and Metabolism*, ed. H. Holmsen, Boca Raton, FL: CRC Press, vol. 1, 145–162.
- Knight, D.E., Niggli, V., and Scrutton, M.C. (1984). Thrombin and activators of protein kinase C modulate secretory responses of permeabilized human platelets induced by Ca²⁺. *Eur. J. Biochem.* 143, 437–446.
- Knight, D.E., and Scrutton, M.C. (1980). Direct evidence for a role for Ca²⁺ in amine storage granule secretion by human platelets. *Thromb. Res.* 20, 437–446.
- Knight, D.E., and Scrutton, M.C. (1984). Cyclic nucleotides control a system which regulates Ca²⁺ sensitivity of platelet secretion. *Nature* 309, 66–68.
- Knight, D.E., and Scrutton, M.C. (1986). Effects of guanine nucleotides on the properties of 5-hydroxytryptamine secretion from electropermeabilized human platelets. *Eur. J. Biochem.* 160, 183–190.
- Krishnamurthi, S., Joseph, S., and Kakkar, V.V. (1986). Synergistic potentiation of 5-hydroxytryptamine secretion by platelet agonists and phorbol myristate acetate despite inhibition of agonist-induced arachidonate/thromboxane and β -thromboglobulin release and Ca²⁺ mobilization by phorbol myristate acetate. *Biochem. J.* 238, 193–199.
- Leventis, R., Gagne, J., Fuller, N., Rand, R.P., and Silvius, J.R. (1986). Divalent cation induced fusion and lipid lateral segregation in phosphatidylcholine-phosphatidic acid vesicles. *Biochemistry* 25, 6978–6987.
- Meers, P., Hong, K., and Papahadjopoulos, D. (1988). Free fatty acid enhancement of cation-induced fusion of liposomes: synergism with synexin and other promoters of vesicle aggregation. *Biochemistry* 27, 6784–6794.
- Peltola, K., and Scrutton, M.C. (1990). Guanine nucleotides enhance Ca²⁺-driven protein storage granule secretion from electropermeabilized human platelets. *Biochem. Soc. Trans.* 18, 466–467.
- Rink, T.J., Sanchez, A., and Hallam, T.J. (1983). Diacylglycerol and phorbol ester stimulate secretion without raising cytoplasmic free calcium in human platelets. *Nature* 305, 317–319.
- Sander, H.J., Slot, J.W., Bouma, B.N., Bolhuis, P.A., Pepper, D.S., and Sixma, J.J. (1983). Immunocytochemical localization of fibrinogen, platelet factor 4, and beta thromboglobulin in thin frozen sections of human blood platelets. *J. Clin. Invest.* 72, 1277–1287.
- Sano, K., Takai, Y., Yamanishi, J., and Nishizuka, Y. (1983). A role of calcium-activated phospholipid-dependent protein kinase in human platelet activation. Comparison of thrombin and collagen actions. *J. Biol. Chem.* 258, 2010–2013.
- Siegel, D.P., Banschbach, J., Alford, D., Ellens, H., Lis, L.J., Quinn, P.J., Yeagle, P.L., and Bentz, J. (1989). Physiological levels of diacylglycerols in phospholipid membranes induce membrane fusion and stabilize inverted phases. *Biochemistry* 28, 3703–3709.
- Silk, S.T., Clejan, S., and Witkom, K. (1989). Evidence of GTP-binding protein regulation of phospholipase A₂ activity in isolated human platelet membranes. *J. Biol. Chem.* 264, 21466–21469.
- Stenberg, P.E., Shuman, M.A., Levine, S.P., and Bainton, D.F. (1984). Redistribution of alpha-granules and their contents in thrombin-stimulated platelets. *J. Cell Biol.* 98, 748–760.
- Stutchfield, J., and Cockcroft, S. (1988). Guanine nucleotides

stimulate polyphosphoinositide phosphodiesterase and exocytotic secretion from HL60 cells permeabilized with streptolysin O. *Biochem. J.* 250, 375–382.

Sundler, R., and Papahadjopoulos, D. (1981). Control of membrane fusion by phospholipid head groups. I. Phosphatidate/phosphatidylinositol specificity. *Biochim. Biophys. Acta* 649, 743–750.

Tsukuda, M., Asaoka, Y., Sekiguchi, K., Kikkawa, U., and Nishizuka, Y. (1988). Properties of protein kinase C sub-species in human platelets. *Biochem. Biophys. Res. Commun.* 155, 1387–1395.

Tyers, M., Rachubinski, R.A., Stewart, M.I., Varrichio, A.M., Shorr, R.G.L., Haslam, R.J., and Harley, C.B. (1988). Molecular cloning and expression of the major protein kinase C substrate of platelets. *Nature* 333, 470–473.

Vallar, L., Biden, T.J., and Wollheim, C.B. (1987). Guanine

nucleotides induce Ca^{2+} -independent insulin secretion from permeabilized RINm5F cells. *J. Biol. Chem.* 262, 5049–5056.

Van der Meulen, J., and Haslam, R.J. (1990). Phorbol ester treatment of intact rabbit platelets greatly enhances both the basal and GTP[S]-stimulated phospholipase D activities of isolated platelet membranes. Physiological activation of phospholipase D may be secondary to activation of phospholipase C. *Biochem. J.* 271, 693–700.

Van Nostrand, W.E., Schmaier, A.H., Farrow, J.S., and Cunningham, D.D. (1990). Protease nexin-II (amyloid β -protein precursor): a platelet α -granule protein. *Science* 248, 745–748.

Wencel-Drake, J.D., Painter, R.G., Zimmerman, T.S., and Ginsberg, M.H. (1985). Ultrastructural localization of human platelet thrombospondin, fibrinogen, fibronectin and von Willebrand factor in frozen thin section. *Blood* 65, 929–938.

Zucker, M.B., and Nachmias, V.T. (1985). Platelet activation. *Arteriosclerosis* 5, 2–18.