

NIH Public Access

Author Manuscript

Angew Chem Int Ed Engl. Author manuscript; available in PMC 2014 January 23

Published in final edited form as:

Angew Chem Int Ed Engl. 2011 November 18; 50(47): 11238–11242.

Multivalent glycocluster design through directed evolution

lain S. MacPherson,

Department of Chemistry Brandeis University 415 South St. Waltham, MA 02454

J. Sebastian Temme,

Department of Chemistry Brandeis University 415 South St. Waltham, MA 02454

Sevan Habeshian,

Department of Chemistry Brandeis University 415 South St. Waltham, MA 02454

Krzysztof Felczak,

Center for Drug Design University of Minnesota 516 Delaware St. SE MMC 204 Minneapolis, MN 55455

Krzysztof Pankiewicz,

Center for Drug Design University of Minnesota 516 Delaware St. SE MMC 204 Minneapolis, MN 55455

Lizbeth Hedstrom, and

Departments of Biology and Chemistry Brandeis University 415 South St. Waltham, MA 02454

Isaac J. Krauss

Department of Chemistry Brandeis University 415 South St. Waltham, MA 02454

Keywords

Carbohydrates; Glycoconjugates; Multivalency; Carbohydrate Cluster Effect; Directed Evolution; 2G12

A vast number of biological processes are mediated by multivalent ligand-receptor interactions, including cell adhesion, host invasion by pathogens, pathogen neutralization by host and numerous cell regulatory signaling pathways.^[1] Multivalency is especially important for carbohydrate-receptor interactions: whereas individual glycans^[2] may bind with low affinity to a single binding site, the clustering of glycans creates a high-avidity interaction with clustered binding sites. This "carbohydrate cluster effect"^[1b] has been demonstrated experimentally with synthetic multivalent carbohydrate ligands which bind well to protein targets. These ligands have included oligo- and polyvalent clusters of glycans on diverse scaffolds, including small molecules, dendrimers, polymers and even viral capsids.

To date, most glycocluster ligands have been designed for synthetic convenience rather than control of tertiary structure. However, the biological activity of the natural glycocluster may be influenced by tertiary structure and other elements which are not usually addressed in synthetic glycocluster designs, such as: 1) *Glycan spacing and orientation* – glycans are normally attached to synthetic scaffolds through long flexible linkers, and the scaffolds themselves are often flexible.^[3] 2) *Glycan internal flexibility* – in a natural glycocluster,

Correspondence to: Lizbeth Hedstrom; Isaac J. Krauss.

Supporting information for this article is available on the WWW under http://www.angewandte.org or from the author.

neighboring structures may restrict a glycan's conformational ensemble, but this fingerprint is lost when the glycan is placed on an artificial scaffold. 3) *Non-carbohydrate recognition elements* – some receptors may recognize a combination of glycans and peptide or lipid elements.^[4] Few structures of glycocluster-receptor complexes have been solved, providing little data on which to base synthetic glycocluster designs. Even with unlimited structural data, this would be an exceedingly complex challenge for rational design.

As an alternative to rational design, we have been interested in directed evolution-based design of glycocluster ligands. Figure 1 outlines this concept: a library of scaffold molecules is glycosylated, generating a library of glycoclusters. The "best" glycoclusters are selected from the pool by binding to the target protein. These selection winners are then replicated to form a second-generation library and the process is repeated for several rounds until the pool is sufficiently enriched in high-affinity binders. We have chosen DNA as our glycocluster scaffolding material because DNA is easy to synthesize, easy to replicate by PCR, can fold into diverse sequence-dependent structures, and is amenable to sequence-specific "glycosylation" by glycan azides using CuAAC^[5] ("click") attachment to alkyne-modified nucleobases. Iterative selection/amplification of DNA structures (SELEX) is often performed to obtain DNAs which bind to a target.^[6] Our method, by contrast, would yield DNA *scaffolds* whose major function would be to position and support glycans optimally for target binding. However, these DNAs might also contain elements which would interact directly with the target, mimicking any non-carbohydrate components necessary in the natural ligand.

We decided to test this concept in the design of glycoclusters which mimic the epitope of 2G12, an antibody which protects against HIV infection and binds to a cluster of highmannose glycans on the HIV envelope protein gp120.^[7] Rationally-designed clusters of these glycans have been tested as vaccines to elicit 2G12-like antibodies, but without success.^[8] Our evolution-based design would be the product of the procedure outlined in Figure 1, using a high-mannose glycan as the azide and 2G12 as the target protein. However, to enable PCR amplification of selection winners with such large modifications on the DNA bases, we have significantly redesigned the traditional SELEX protocol. Our method, which we term SELMA^[9] (SELection with Modified Aptamers) is detailed in Scheme 1.

The SELMA method (Scheme 1) begins with (a) a synthetic library of ssDNA hairpins containing a stem-loop, a (-)-sense random region (colored hollow bar) and primer sites 1 and 2. Polymerase extension with alkyne-substituted EdUTP instead of dTTP creates a dsDNA hairpin library (b), with alkyne-modified EdU bases only in the (+)-sense strand. CuAAC chemistry with a glycan azide transforms the alkynyl bases into "glyco-bases", affording a glyco-dsDNA library (c). As before, the base modifications (now carbohydrates) are present only in the (+)-strand. Generation of the library is then completed by a strand displacement reaction: annealing of primer 2 inside the loop and polymerase extension with all-natural dNTPs creates an all-natural (+)-sense strand which displaces the glycoDNA strand, creating a library of glyco-ssDNA-dsDNA hybrids (d). The glyco-ssDNA (+)-sense strand now folds in a sequence dependent manner and exhibits a "phenotype". The covalently-linked dsDNA region contains the same sequence with no unnatural bases and can be efficiently amplified by PCR, serving as the genetic "barcode".^[10] The best binders are then isolated from the library by capture on solid-phase-bound 2G12, and this small fraction of the library (e) is amplified by PCR (primers 1 and 2 + natural dNTP's) affording the $(n+1)^{\text{th}}$ -generation library without the hairpin portion (f). The $(n+1)^{\text{th}}$ -generation library is then restored to ssDNA hairpin form (i) by bidirectional polymerase extension with an overhanging biotinylated primer and removal of the biotinylated strand (g-i). A similar selection scheme has been proposed, but not reduced to practice, for TNA libraries.^[11]

To facilitate rapid testing of our method, we chose to glycosylate our first library with easily-synthesized Man₄ tetrasaccharide (Scheme 2), which comprises the majority of the carbohydrate recognized by 2G12. Crich-Kahne β -mannosylation^[12] attached the core β -mannose **1** to cyclohexyl linker **2**. Protection of the sulfonamide N-H was essential to ensure clean mono-coupling of **3** with trisaccharide donor **4**. ^[13] Global deprotection of **5**,^[14] followed by azidation,^[15] reliably afforded 100-mg quantities of the desired Man₄-azide (**6**).

With Man₄-azide in hand, selection was then initiated with ~40 pmol of library (~ 2×10^{13} sequences). For the first cycle of SELMA, the state of the library at each selection stage was validated by observation in a PAGE gel (Figure 2). The original ssDNA hairpin library (Scheme 1a) ran as a poorly-staining smear (Figure 2, lane 1). After polymerase extension in the presence of dATP, dCTP, dGTP and EdUTP, the resulting duplex hairpin structure (Scheme 1b) ran on the gel as a narrow band (Figure 2, lane 2) with much less mobility than simple dsDNAs of similar length, due to the large molecular radius of the hairpin moiety. After CuAAC attachment of Man₄ glycans, the glyco-dsDNA hairpins (Scheme 1c) ran as a diffuse band (Figure 2, lane 3) with still less mobility in the gel.^[16] After strand displacement, the glyco-ssDNA-dsDNA hybrid structure of the library (see Scheme 1d) was confirmed by several observations and control experiments. First, it ran as a smear in the gel (Figure 2, lane 5). Additionally, treatment with exonuclease I (which digests the 3'-terminal ssDNA portion) resulted in the appearance of a sharp 80-bp band corresponding to the dsDNA portion (Figure 2, lane 6). By contrast, the glyco-dsDNA hairpins (Scheme 1c) showed no change upon exonuclease treatment (Figure 2, lanes 3 vs. 4). Heating the hybrids to 95 °C (but not 75 °C) destabilized the duplex portion of the hybrid structure, allowing the glycosylated strand to reinvade and expel the unglycosylated single strand. This results in a return to the glyco-dsDNA hairpin structure (Scheme 1c), which is impervious to the exonuclease (Figure 2, lane 8, same as lanes 3 & 4).

After this confirmation of the desired dsDNA-ssDNA hybrid structure, we began selection: the library was incubated with 2G12 and the 2G12-bound fraction was captured with protein A beads. Bound glycoclusters were retrieved from the beads by thermal denaturation and subjected to PCR with biotinylated primer 2, giving the 2nd-generation library in dsDNA format (Scheme 1f), which ran as the expected sharp 80-bp band on the PAGE gel (Figure 2, lane 9). The library was then converted back to its ssDNA hairpin form (Scheme 1i) in three steps. Removal of primer-2-derived biotinylated strand with streptavidin beads and polymerase extension with an overhanging biotinylated primer afforded 120-bp dsDNA product (Scheme 1h and Figure 2, lane 10). Finally, removal of the biotinylated strand from the 120-bp duplex afforded the 2nd-generation library in ssDNA hairpin format (Scheme 1i). This ssDNA hairpin could now be extended with dATP, dCTP, dGTP and EdUTP, to produce the 2nd-generation library in dsDNA hairpin form (Scheme 1b) which again ran as a sharp band, identical to the first cycle (Figure 2, lane 11 vs. lane 2).

Now that all SELMA steps had been validated, the entire cycle was repeated through multiple rounds. Rounds 2, 4, and 6 included a negative selection to remove library members that bound to protein A beads. Enrichment of 2G12 binders in the population was assessed by monitoring the number of PCR cycles required to regenerate the library. Between rounds 5, 6 and 7, enrichment of the library leveled off, so the selection was terminated and the resulting PCR products were cloned. Sequencing of 20 randomly-selected clones yielded 19 full sequences, including 2 pairs of duplicates and 15 unique sequences with no apparent similarity (see Supporting Information).

Examination of these sequences showed that they contained 7-14 glycosylation (EdU) sites. Three glycoclusters (clones 4/5, 16/23, 18), each containing 10 glycosylation sites, were synthesized and their K_d 's with 2G12 were measured in a filter binding assay. Glycoclusters

Page 4

4/5, 16/23 and 18 displayed moderate affinity for 2G12, with values of $K_d = 270 \pm 40$ nM, 220 \pm 50 nM and 330 \pm 30 nM, respectively (Figure 3a).^[17] This moderate affinity, combined with the large number of glycosylation sites, suggested that high valency alone was responsible for the observed binding to 2G12. However, neither the starting library (of which > 75 % contained 7-15 glycosylations)^[18] nor a random sequence containing 10 glycosylated positions showed detectable binding to 2G12. Therefore, the affinity of our selection winners is sequence dependent and not simply the result of high valency.

We then performed several experiments with glycocluster 16/23 to clarify the elements necessary for binding to 2G12 (Figure 3b). When annealed to its complementary DNA strand, glycocluster 16/23 bound 2G12 significantly less efficiently, showing that binding is dependent on tertiary structure. Additionally, no binding was observed in the absence of glycosylation, strongly suggesting the binding contacts with 2G12 are mostly or exclusively made through glycans and not through DNA alone. Gratifyingly, binding was significantly diminished in the presence of gp120, showing that gp120 and glycocluster 16/23 compete for the same (or overlapping) site(s) on 2G12.

Next, we carefully dissected the binding determinants of glycocluster 16/23 through a series of mutagenesis experiments (Figure 3c), starting with truncation at both the 5' and 3' ends (entries 1-8). The extreme ends were not essential for binding to 2G12; however, truncations extending beyond the first and last glycosylation sites did result in total loss of binding. We then performed point mutagenesis, replacing each glycosylated EdU residue with cytosine (entries 9-21). Seven of these mutations produced little change in the value of K_d, but mutations in the 2nd, 4th, and 10th glycosylation positions (entries 11, 13 and 19) caused a drastic loss of binding (K_d >> 800 nM), suggesting that these glycans directly contact 2G12. However, glycoclusters containing only these three glycosylation sites (entries 20 and 21) failed to bind to 2G12, suggesting that the other glycans may be important for maintaining tertiary structure. We attempted to gain additional insight into this question by Mfold secondary structure prediction,^[19] but the resulting structures did not provide an obvious explanation for the importance of the 2nd, 4th, and 10th glycosylation sites. Mfold calculation is probably of limited validity in this case, as it does not take into account the Man₄-modification of ten bases.

In conclusion, this work is the first to demonstrate the feasibility of directed evolution for glycocluster design. We have shown that an "evolved" Man₄ glycocluster binds to 2G12 and can compete with gp120. Future work will involve structural studies of these glycoclusters, refinement of the selection design, use of the full Man₉ glycans and *in vivo* immunogenicity studies. In addition to the HIV vaccine problem, this method should be broadly applicable to the study of other multivalent interactions.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments

I. J. K. gratefully acknowledges Brandeis University and the NIH (R01 AI090745). L. H. gratefully acknowledges the NIH (U01 AI75466-01 and R01 GM054403).

References

 a Mammen M, Choi S-K, Whitesides GM. Angew. Chem. Int. Ed. 1998; 37:2754–2794.b Lundquist JJ, Toone EJ. Chem. Rev. 2002; 102:555–578. [PubMed: 11841254] c Kiessling LL, Gestwicki JE, Strong LE. Angew. Chem. Int. Ed. 2006; 45:2348–2368.

- 2. "Glycan" is a generic term for a mono-, oligo-, or polysaccharide.
- Examples of rigid scaffolds include cyclodextrins and calixarenes. For reviews, see Baldini L, Casnati A, Sansone F, Ungaro R. Chem. Soc. Rev. 2007; 36:254–266. [PubMed: 17264928] Ortiz Mellet C, Defaye J, García Fernández JM. Chem. Eur. J. 2002; 8:1982–1990. [PubMed: 11981882]
- a Ohyabu N, Hinou H, Matsushita T, Izumi R, Shimizu H, Kawamoto K, Numata Y, Togame H, Takemoto H, Kondo H, Nishimura S-I. J. Am. Chem. Soc. 2009; 131:17102–17109. [PubMed: 19899793] b Brooks CL, Schietinger A, Borisova SN, Kufer P, Okon M, Hirama T, MacKenzie CR, Wang L-X, Schreiber H, Evans SV. Proc. Natl. Acad. Sci. U. S. A. 2010; 107:10056–10061. [PubMed: 20479270] c Yang Q, Li CS, Wei YD, Huang W, Wang LX. Bioconjugate Chem. 2010; 21:875–883.
- a Kolb HC, Finn MG, Sharpless KB. Angew. Chem.-Int. Edit. 2001; 40:2004–2021.b Rostovtsev VV, Green LG, Fokin VV, Sharpless KB. Angew. Chem.-Int. Edit. 2002; 41:2596–2599.c Gierlich J, Burley GA, Gramlich PM, Hammond DM, Carell T. Org. Lett. 2006; 8:3639–3642. [PubMed: 16898780] d Gierlich J, Gutsmiedl K, Gramlich PM, Schmidt A, Burley GA, Carell T. Chem. Eur. J. 2007; 13:9486–9494. [PubMed: 17868170]
- 6. Wilson DS, Szostak JW. Annu. Rev. Biochem. 1999; 68:611–647. [PubMed: 10872462]
- a Trkola A, Purtscher M, Muster T, Ballaun C, Buchacher A, Sullivan N, Srinivasan K, Sodroski J, Moore JP, Katinger H. J. Virol. 1996; 70:1100–1108. [PubMed: 8551569] b Sanders RW, Venturi M, Schiffner L, Kalyanaraman R, Katinger H, Lloyd KO, Kwong PD, Moore JP. J. Virol. 2002; 76:7293–7305. [PubMed: 12072528] c Scanlan CN, Pantophlet R, Wormald MR, Ollmann Saphire E, Stanfield R, Wilson IA, Katinger H, Dwek RA, Rudd PM, Burton DR. J. Virol. 2002; 76:7306– 7321. [PubMed: 12072529] d Calarese DA, Scanlan CN, Zwick MB, Deechongkit S, Mimura Y, Kunert R, Zhu P, Wormald MR, Stanfield RL, Roux KH, Kelly JW, Rudd PM, Dwek RA, Katinger H, Burton DR, Wilson IA. Science. 2003; 300:2065–2071. [PubMed: 12829775] e Hessell AJ, Rakasz EG, Poignard P, Hangartner L, Landucci G, Forthal DN, Koff WC, Watkins DI, Burton DR. PLoS Pathog. 2009; 5:e1000433. [PubMed: 19436712]
- a Wang J, Li H, Zou G, Wang LX. Org. Biomol. Chem. 2007; 5:1529–1540. [PubMed: 17571181] b Joyce JG, Krauss IJ, Song HC, Opalka DW, Grimm KM, Nahas DD, Esser MT, Hrin R, Feng MZ, Dudkin VY, Chastain M, Shiver JW, Danishefsky SJ. Proc. Natl. Acad. Sci. U. S. A. 2008; 105:15684–15689. [PubMed: 18838688] c Luallen RJ, Lin JQ, Fu H, Cai KK, Agrawal C, Mboudjeka I, Lee FH, Montefiori D, Smith DF, Doms RW, Geng Y. J. Virol. 2008; 82:6447–6457. [PubMed: 18434410] d Wang SK, Liang PH, Astronomo RD, Hsu TL, Hsieh SL, Burton DR, Wong CH. Proc. Natl. Acad. Sci. U. S. A. 2008; 105:3690–3695. [PubMed: 18310320] e Astronomo RD, Kaltgrad E, Udit AK, Wang SK, Doores KJ, Huang CY, Pantophlet R, Paulson JC, Wong CH, Finn MG, Burton DR. Chem. Biol. 2010; 17:357–370. [PubMed: 20416507]
- 9. Our method is the first example of a selection in which dNTPs are modified after incorporation into the library. SELEX has previously been performed with dNTP's bearing modifications which are tolerated by polymerases. For selected examples, see: Keefe AD, Cload ST. Curr. Opin. Chem. Biol. 2008; 12:448–456. [PubMed: 18644461] Li MY, Lin N, Huang Z, Du LP, Altier C, Fang H, Wang BH. J. Am. Chem. Soc. 2008; 130:12636–12638. [PubMed: 18763762] Hollenstein M, Hipolito CJ, Lam CH, Perrin DM. ChemBioChem. 2009; 10:1988–1992. [PubMed: 19591189] Vaught JD, Bock C, Carter J, Fitzwater T, Otis M, Schneider D, Rolando J, Waugh S, Wilcox SK, Eaton BE. J. Am. Chem. Soc. 2010; 132:4141–4151. [PubMed: 20201573]
- This covalent link between functional structure and its genetic barcode is similar to that used in mRNA display: Liu RH, Barrick JE, Szostak JW, Roberts RW. Rna-Ligand Interactions, Part B, Vol. 318. 2000:268–293. Academic Press IncSan Diego
- Ichida JK, Zou K, Horhota A, Yu B, McLaughlin LW, Szostak JW. J. Am. Chem. Soc. 2005; 127:2802–2803. [PubMed: 15740086]
- a Kahne D, Walker S, Cheng Y, Van Engen D. J. Am. Chem. Soc. 1989; 111:6881–6882.b Crich D, Sun S. J. Org. Chem. 1996; 61:4506–4507. [PubMed: 11667369]
- 13. Geng X, Dudkin VY, Mandal M, Danishefsky SJ. Angew. Chem. Int. Ed. 2004; 43:2562–2565.
- 14. Iserloh U, Dudkin V, Wang Z-G, Danishefsky SJ. Tetrahedron Lett. 2002; 43:7027–7030.
- Nyffeler PT, Liang C-H, Koeller KM, Wong C-H. J. Am. Chem. Soc. 2002; 124:10773–10778. [PubMed: 12207533]

- 16. Completion of the CuAAC reaction was assessed by control reactions on an individual library clone containing 10 alkynes. PAGE and LC/MS analysis showed that ~40% of the sample was fully glycosylated. An additional ~40 and ~20 % were species lacking 1- and 2- glycosylations, respectively (see Supporting Information).
- 17. Wong and coworkers (see ref. 7d) have reported a K_d value of 210 nM for a 9-valent Man₄ dendrimer binding to 2G12. However, their assay, based on competition binding to Man₄-printed glass slides, was sensitive to glycan printing density. Given the large differences between our assay format and theirs, caution should be exercised in comparison of the two types of data.
- 18. The estimate of 7–15 glycosylations is calculated by adding 2 (the number of constant glycosylation sites in the primer 1 region) to the 5–13 glycosylations in the random region. The 75 % figure is calculated from the binomial distribution:
 13 (25 + 1/2) (1/25 1) (1/25 1)

 $\lim_{i=5}^{13} (25! / i! (25-i)!)(1/4)^{i} (3/4)^{(25-i)}$

19. Zuker M. Nucleic Acids Res. 2003; 31:3406–3415. [PubMed: 12824337]



Figure 1. Directed evolution of glycosylated DNA scaffolds.

Page 8



Scheme 1. SELMA (<u>SEL</u>ection with <u>M</u>odified <u>A</u>ptamers)



Scheme 2. Synthesis of Man₄-azide







Figure 3.

Selection Results. **a** Preliminary 2G12- dependent filter binding data for clones 4/5,16/23 and 18, the starting library, and arbitrary sequence containing 10 glycosylation sites. **b** Effects of glycosylation, gp120 competition, and single/double-strandedness on 2G12 binding by glycocluster 16/23 determined by filter binding. **c** Mutagenesis study: Values of K_d and fraction bound (F_{max}) for truncated and mutated glycocluster 16. Entry 1 is the parent sequence. Underlined sequence is the random region. S denotes Man₄ -glycosylated EdU. [†] K_d and F_{max} were calculated by fitting data points to $y=(F_{max}*x)/(K_d+x)$. Errors reported are the standard error of the curve fit in all cases except entry 1, for which the average of errors in entries 1-8 is reported. * The value of K_d reported in the text, in entries 1-8 and entries 9-21 were measured with different batches of 2G12, giving slightly different values of K_d for the parent clone 16 (text vs. entries 1 vs. 9). The K_d values in entries 10-21 should be compared only with entry 9. ** K_d was much greater than the maximum 2G12 concentration tested and F_{max} was constrained to 1 to fit curve with finite K_d value.