

Article

Xeniaphyllane-Derived Terpenoids from Soft Coral *Sinularia nanolobata*

Fu-Yun Hsu ¹, Shang-Kwei Wang ^{2,*} and Chang-Yih Duh ^{1,*}

¹ Department of Marine Biotechnology and Resources, National Sun Yat-sen University, Kaohsiung 804, Taiwan; m00502034@student.nsysu.edu.tw

² Department of Microbiology and Immunology, Kaohsiung Medical University, Kaohsiung 807, Taiwan

* Correspondence: skwang@cc.kmu.edu.tw (S.-K.W.); yihduh@mail.nsysu.edu.tw (C.-Y.D.);

Tel.: +886-7-312-1101 (ext. 2015) (S.-K.W.); +886-7-525-2000 (ext. 5036) (C.-Y.D.);

Fax: +886-7-525-5020 (C.-Y.D.)

Received: 28 December 2017; Accepted: 19 January 2018; Published: 24 January 2018

Abstract: A novel tetranorditerpenoid, sinubatin A (**1**) (having an unprecedented carbon skeleton), a new norditerpenoid, sinubatin B (**2**) (a 4,5-epoxycaryophyllene possessing an unusual methylfuran moiety side chain), and a known diterpenoid, gibberosin J (**3**) were isolated from soft coral *Sinularia nanolobata*. The structures of the new compounds were elucidated by extensive analysis of spectroscopic data.

Keywords: *Sinularia nanolobata*; tetranorditerpenoid; norditerpenoid; gibberosin J; cytotoxicity

1. Introduction

Soft corals of genus *Sinularia* (*Alcyoniidae*) have been reported to be a rich source of novel structures and bioactive terpenoids and steroids [1]. Previous studies on the sample of *Sinularia nanolobata* Verseveldt have resulted in the isolation of diterpenoids [2–5] and sesquiterpenoids [3,4], and steroids [5,6]. During the course of our search of bioactive compounds from marine organisms, a chemical investigation on the secondary metabolites of *S. nanolobata* from Taiwanese waters has afforded a novel tetranorditerpenoid, sinubatin A (**1**) (possessing an unprecedented carbon skeleton), a new norditerpenoid, sinubatin B (**2**) (a 4,5-epoxycaryophyllene possessing an unusual methylfuran moiety side chain), and gibberosin J (**3**) (Figure 1). The structures of **1** and **2** were determined by extensive spectroscopic analysis. The chemical structure of gibberosin J (**3**) was determined by comparison of its infrared (IR), high resolution electron spray ionization mass spectrum (HR-ESI-MS), and nuclear magnetic resonance (NMR) spectroscopic data with the literature data [7].




Figure 1. Structure of Metabolites 1–3.

2. Results and Discussion

Chromatographic separation on the acetone extract resulted in the isolation of two new terpenoids, sinubatin A and B (**1** and **2**), as well as a known compound, gibberosin J (**3**). The HR-ESI-MS, ¹³C NMR,

and DEPT spectroscopic data of sinubatin A (**1**) established its molecular formula as $C_{19}H_{28}O_5$. ^{13}C NMR and DEPT spectrum of **1** showed the presence of four methyl, five sp^3 methylene, four sp^3 methine, one sp^2 methylene, two sp^3 quaternary, one sp^2 quaternary, and two carbonyl carbons. The presence of an exomethylene in **1** was shown by the NMR data [δ_H 4.90 (1H, s), 5.01 (1H, s); δ_C 114.0 (CH_2), 150.7 (C)] (Table 1). The NMR data [δ_C 59.6 (C), 63.8 (CH), δ_H 2.92 (1H, dd, $J = 10.8, 4.0$ Hz)] (Table 1) indicated a trisubstituted epoxide in **1**. The NMR spectrum contained signals for a secondary acetoxyl [δ_H 4.74 (1H, s), 2.15 (3H, s); δ_C 79.4 (CH), 20.6 (CH_3), and 170.8 (C)] (Table 1). The presence of a methyl ester [δ_H 3.71 (3H, s); δ_C 51.9 (CH_3), 169.2 (C)] was shown in the NMR spectrum. From the data of 1H - 1H COSY correlations (Figure 2), we established two partial structures of consecutive proton systems extending from H-10 to H-3 through H-9 and from H-16 to H-7 through H-4. HMBC correlations of (a) CH_3 -16 to C-3, C-4, and C-5, (b) H_2 -15 to C-7, C-8, and C-9, (c) CH_3 -14 to C-1, C-10, C-11, and C-12, (d) CH-12 to C-10, C-11, C-13, and C-14 connected four partial structures and concluded the planar structure of **1**, as shown in Figure 2. The above functionalities revealed that sinubatin A (**1**) possesses a novel xeniaphyllane-derived tetranorditerpene skeleton. The relative configuration of **1** was established from a NOESY experiment. NOE correlations of H_3 -14/ H -9 and H_3 -16/ H -9 pointed H_3 -14, H-9 and H_3 -16 to be on the β -side of the molecule. NOE correlation of H-1/ H -5 suggested H-1 and H-5 were on the α -side of the molecule. (Figure 3).




Figure 2. Selected 1H - 1H COSY (bold lines) and HMBC (arrows) correlations of **1** and **2**.




Figure 3. Key NOESY Correlations of **1** and **2**.

Table 1. NMR spectral data of 1.

Position	δ_H^a	(J in Hz)	δ_C^b	Type	COSY	HMBC	NOESY
1	2.34	m	45.3,	CH	2, 9	11, 12	5
2 α	1.45	m	27.7,	CH ₂	1	-	-
2 β	1.57	m			1, 3 β	-	9
3 α	1.00	td (12.8, 4.8)	38.4,	CH ₂	2 β	1, 4, 16	3 β , 5
3 β	2.09	m			2 β	-	3 α
4	-	-	59.6,	C	-	-	-
5	2.92	dd (10.8, 4.0)	63.8,	CH	6 β , 16	-	1, 3 α
6 α	2.30	m	30.2,	CH ₂	-	-	-
6 β	1.31	m			5	-	6 α
7 α	2.16	m	29.2,	CH ₂	6 α	6, 9	6 β
7 β	2.32	m			6 α	8, 15	-
8	-	-	150.7,	C	-	-	-
9	2.71	td (9.6, 9.2)	48.7,	CH	1, 10 α , 10 β	-	2 β , 10 β , 14, 15a
10 α	1.85	dd (10.4, 9.6)	36.2,	CH ₂	9	9, 11, 12, 14	-
10 β	1.74	dd (10.4, 9.2)			9	8	9, 14
11	-	-	38.3,	C	-	-	-
12	4.74	s	79.4,	CH	-	10, 11, 13, 14, carbonyl (OAc-12)	1, 10 α
13	-	-	169.2,	qC	-	-	-
14	1.14	s	15.2,	CH ₃	-	1, 10, 11, 12	2 α , 2 β , 9, 10 β
15a	5.01	s	114.0,	CH ₂	-	7, 8, 9	9, 10 α , 15b
15b	4.90	s			-	7, 9	7 α
16	1.19	s	17.1,	CH ₃	5	3, 4, 5	3 β , 6 β , 9
OAc-12	2.15	s	20.6,	CH ₃	OMe-13	carbonyl (OAc-12)	-
	-	-	170.8,	C	-	-	-
OMe-13	3.71	s	51.9,	CH ₃	OAc-12	13	-

^a Spectrum recorded at 400 MHz in CDCl₃. ^b Spectrum recorded at 100 MHz in CDCl₃.

HR-ESI-MS of sinubatin B (**2**) showed a pseudomolecular ion peak at m/z 309.1842 [M + Na]⁺, consistent with the molecular formula C₁₉H₂₆O₂, and seven degrees of unsaturation. The ¹³C NMR spectrum (Table 2) of **2** displayed 19 carbon signals, and a DEPT experiments indicated the presence of three methyl, five sp³ methylene, three sp³ methine, two sp² methine, one sp² methylene, two sp³ quaternary, and three sp² quaternary carbons. The ¹³C and ¹H NMR spectra (Table 2) revealed the presence of a trisubstituted epoxides [δ_H 2.92 (dd, $J = 10.4, 4.0$ Hz); δ_C 63.7 (CH) and 59.7 (C)], a 2,5-disubstituted furan [δ_H 5.83 (d, $J = 4.0$ Hz), 5.84 (dd, $J = 4.0, 0.8$ Hz), and 2.28 (d, $J = 0.8$ Hz); δ_C 103.7 (CH), 105.8 (CH), 150.6 (C), 160.2 (C), 13.6 (CH₃)] [8] and an exomethylene [δ_H 5.09 (s) and 4.93 (s); δ_C 113.5 (CH₂) and 151.4 (C)]. Thus, the tetracyclic structure of **2** was revealed. From the ¹H-¹H COSY spectrum of **2**, it was also possible to identify two different structural units (Figure 2), which were assembled with the assistance of an HMBC experiments. Key HMBC correlations (Figure 2) of H₃-19 to C-3, C-4, and C-5; H₃-18 to C-7, C-8, and C-9; H₃-17 to C-1, C-10, C-11, and C-12 indicated that compound **2** was a 4,5-epoxycaryophyllene having a methylfuran on C-11. The relative configuration of **2** was determined from a NOESY experiment. NOE correlations of H₃-19/H-9 and H₃-17/H-9 suggested H₃-19, H-9 and H₃-17 to be on the β -side of the molecule. NOE correlation of H-1/H-5 indicated H-1 and H-5 were on the α -side of the molecule. (Figure 3). Compound **2** was the first caryophyllene possessing a methylfuran on C-11.

Table 2. NMR spectral data of 2.

Position	δ_H^a	(J in Hz)	δ_C^b	Type	COSY	HMBC	NOESY
1	2.47	td (10.0, 8.4)	49.3,	CH	2 β , 9	3, 8, 9, 11, 17	2 α , 3 α , 5
2 α	1.72	m	27.2,	CH ₂	3 α , 3 β	1, 3, 11	1, 3 α , 3 β
2 β	1.54	m			1, 3 α , 3 β	1	3 β , 9
3 α	0.98	td (13.2, 5.2)	38.8,	CH ₂	2 α , 2 β , 19	2, 4, 5, 19	1, 2 α , 5
3 β	2.07	dt (13.2, 3.6)			2 α , 2 β	-	2 α , 2 β , 19

Table 2. Cont.

Position	δ_{H}^a	(J in Hz)	δ_{C}^b	Type	COSY	HMBC	NOESY
4	-	-	59.7,	C	-	-	-
5	2.92	dd (10.4, 4.0)	63.7,	CH	6 α , 6 β	3, 6	1, 3 α , 6 α
6 α	2.28	m	30.1,	CH ₂	5	4, 5, 7	5
6 β	1.37	m			5, 7 α , 7 β	-	7 β
7 α	2.44	ddd (12.8, 8.0, 4.0)	29.8,	CH ₂	6 β	5, 6, 8, 9	18b
7 β	2.17	ddd (12.8, 8.0, 4.4)			6 α , 6 β	5, 6, 8, 9	9
8	-	-	151.4,	C	-	-	-
9	2.74	td (9.6, 8.4)	47.9,	CH	1, 10 α , 10 β	1, 7, 8, 10	2 β , 7 β , 10 β , 18a, 19
10 α	2.33	dd (10.8, 9.6)	37.8,	CH ₂	9, 10 β	9, 11, 12, 17	18a
10 β	1.87	dd (10.8, 8.4)			9, 10 α	1, 16	9, 10 α , 17
11	-	-	36.9,	C	-	-	-
12	-	-	160.2,	C	-	-	-
13	5.83	d (4.0)	103.7,	CH	-	-	17
14	5.84	dd (4.0, 0.8)	105.8,	CH	-	-	16
15	-	-	150.6,	C	-	-	-
16	2.28	d (0.8)	13.6,	CH ₃	-	14, 15	14
17	1.35	s	17.9,	CH ₃	-	1, 10, 11, 12	2 α , 2 β , 9, 13
18a	5.09	s	113.5,	CH ₂	7 β	7, 8, 9	9, 10 α
18b	4.93	s			7 β	7, 8, 9	7 β
19	1.23	s	17.0,	CH ₃	3	3, 4, 5	3 β , 9

^a Spectrum recorded at 400 MHz in CDCl₃. ^b Spectrum recorded at 100 MHz in CDCl₃.

Compounds **1–3** were tested for cytotoxicity against mouse lymphocytic leukemia (P-388), human colon adenocarcinoma (HT-29), and human lung epithelial carcinoma (A-549) tumor cell lines. Compound **3** exhibited cytotoxicity against P-388, A549, and HT-29 with ED₅₀ values of 1.0, 1.2, and 0.5 $\mu\text{g}/\text{mL}$, respectively. However, compounds **1** and **2** were not cytotoxic to P-388, A549 and HT-29 cell lines. Compounds **1–3** were also examined for antiviral activity against human cytomegalovirus (HCMV) and did not show anti-HCMV activity.

3. Experimental Section

3.1. General Experimental Procedures

Optical rotations were obtained on a JASCO P1020 digital polarimeter (Tokyo, Japan). UV and IR spectra were determined on JASCO V-650 (JASCO, Tokyo, Japan) and JASCO FT/IR-4100 spectrophotometers (JASCO, Tokyo, Japan), respectively. NMR spectra were recorded on a Varian MR 400 NMR spectrometer (Santa Clara, CA, USA) at 400 MHz for ¹H and 100 MHz for ¹³C. ¹H NMR chemical shifts are expressed in δ (ppm) referring to the solvent peak δ_{H} 7.27 for CHCl₃ and coupling constants are expressed in Hertz (Hz). ¹³C NMR chemical shifts are expressed in δ (ppm) referring to the solvent peak δ_{C} 77.0 for CDCl₃. MS were obtained by a Bruker APEX II mass spectrometer (Bruker, Bremen, Germany). Precoated silica gel plates (Merck, Kieselgel 60 F₂₅₄, 0.25 mm) and precoated RP-18 F_{254s} plates (Merck) were used for thin-layer chromatography (TLC) analysis. Silica gel 60 (Merck, Darmstadt, Germany, 230–400 mesh) and LiChroprep RP-18 (Merck, 40–63 μm) were used for column chromatography. High-performance liquid chromatography (HPLC) (Hitachi, Tokyo, Japan) was carried out using a Hitachi L-7100 pump (Hitachi, Tokyo, Japan) equipped with a Hitachi, L-7400 UV detector (Hitachi, Tokyo, Japan) at 220 nm together with a semi-preparative reversed-phased column (Merck, Hibar LiChrospher RP-18e, 5 μm , 250 mm \times 25 mm).

3.2. Animal Material

The soft coral *S. nanolobata* was collected by hand using scuba at San-Shin-Tai, Taitong County, Taiwan, in July 2008, at a depth of 7 m. A voucher specimen (SST-009) was deposited in the Department of Marine Biotechnology and Resources, National Sun Yat-sen University.

3.3. Extraction and Separation

The frozen soft coral (3.0 kg) was chopped into small pieces (about 1 cm) and extracted with acetone in a percolator at room temperature. The acetone extract (30.0 g) of *S. nanolobata* was concentrated under reduced pressure to a brown gum, which was partitioned between EtOAc and H₂O. The EtOAc-soluble fraction (30 g) was applied to Si 60 CC using *n*-hexane–EtOAc mixtures of increasing polarity for elution. Fraction 12, eluted with *n*-hexane–EtOAc (6:1), was further purified by reverse-phase HPLC (MeOH–H₂O, 60:40) to obtain **1** (1.5 mg). Fraction 3, eluted with *n*-hexane–EtOAc (80:1), was further purified by reverse-phase HPLC (MeOH–H₂O, 85:15) to afford **2** (2.6 mg). Fraction 18, eluted with *n*-hexane–EtOAc (1:4), was further purified by reverse-phase HPLC (MeOH–H₂O, 65:35) to obtain **3** (5.0 mg).

Sinubatin A (**1**): Colorless oil; $[\alpha]_D^{25} -19.2$ (*c* 0.38, CHCl₃); IR (neat) ν_{\max} 2934, 1742, 1442, 1373 and 1420 cm⁻¹; ¹H and ¹³C NMR data, see Table 1; ESI-MS *m/z* 359 [M + Na]⁺; HR-ESI-MS *m/z* 359.1837 (calcd. for C₁₉H₂₈O₅Na, 359.1834).

Sinubatin B (**2**): Colorless oil; $[\alpha]_D^{25} +17.2$ (*c* 0.65, CHCl₃); IR (neat) ν_{\max} 2961, 2925, 1261, 1094, 1020, 799 cm⁻¹; ¹H and ¹³C NMR data, see Table 2; ESIMS *m/z* 309 [M + Na]⁺; HR-ESI-MS *m/z* 309.1832 (calcd. for C₁₉H₂₆O₂Na, 309.1830).

3.4. Biological Assay

Cytotoxicity assay and anti-HCMV assay were conducted as previously described [9].

4. Conclusions

The chemical study of soft coral *S. nanolobata* led to the isolation of a novel tetranorditerpenoid, sinubatin A (**1**) (having an unprecedented carbon skeleton), a new norditerpenoid, sinubatin B (**2**) (a 4,5-epoxycaryophyllene possessing an unusual methylfuran moiety side chain), and gibberosin J (**3**). Compound **3** exhibited cytotoxicity toward P-388, A549, and HT-29 with ED₅₀ values of 1.0, 1.2, and 0.5 µg/mL, respectively. However, compounds **1** and **2** were not cytotoxic to P-388, A549 and HT-29 cell lines. Compounds **1–3** did not show anti-HCMV activity.

Acknowledgments: This research was supported by grants from Ministry of Science and Technology (MOST105-2320-B-110-003-MY3), NSYSUNKMU Joint Project (106-P010), and NSYSUKMU Joint Project (106-P016). We thank Chang-Feng Dai, Institute of Oceanography, National Taiwan University, for the identification the soft coral specimen.

Author Contributions: Conceived of and designed the experiments: Chang-Yih Duh, Shang-Kwei Wang. Performed the experiments: Fu-Yun Hsu.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Blunt, J.W.; Copp, B.R.; Keyzers, R.A.; Munro, M.H.G.; Prinsep, M.R. Marine natural products. *Nat. Prod. Rep.* **2017**, *34*, 235–294. [[CrossRef](#)] [[PubMed](#)]
2. Yamada, K.; Ujiie, T.; Yoshida, K.; Miyamoto, T.; Higuchi, R. Sinulobatin A–D, new amphilectane-type diterpenoids from the Japanese soft coral *Sinularia nanolobata*. *Tetrahedron* **1997**, *53*, 4569–4578. [[CrossRef](#)]
3. Ahmed, A.F.; Su, J.H.; Shiue, R.T.; Pan, X.J.; Dai, C.F.; Kuo, Y.H.; Sheu, J.H. New β-caryophyllene-derived terpenoids from the Soft Coral *Sinularia nanolobata*. *J. Nat. Prod.* **2004**, *67*, 592–597. [[CrossRef](#)] [[PubMed](#)]
4. Tseng, Y.J.; Wen, Z.H.; Dai, C.F.; Chiang, M.Y.; Sheu, J.H. Nanolobatolide, a New C18 metabolite from the Formosan soft coral *Sinularia nanolobata*. *Org. Lett.* **2009**, *11*, 5030–5032. [[CrossRef](#)] [[PubMed](#)]
5. Tseng, Y.J.; Wang, S.K.; Duh, C.-Y. Secosteroids and norcembranoids from the soft coral *Sinularia nanolobata*. *Mar. Drugs* **2013**, *11*, 3288–3296. [[CrossRef](#)] [[PubMed](#)]
6. Ngoc, N.T.; Huong, P.T.M.; Thanh, N.V.; Cuong, N.X.; Nam, N.H.; Thung, D.C.; Kiem, P.V.; Minh, C.V. Steroid constituents from the soft coral *Sinularia nanolobata*. *Chem. Pharm. Bull.* **2016**, *64*, 1417–1419. [[CrossRef](#)] [[PubMed](#)]

7. Chen, S.P.; Su, J.H.; Ahmed, A.F.; Dai, C.F.; Wu, Y.C.; Sheu, J.H. Xeniaphyllane-derived terpenoids from the Formosan soft coral *Sinularia gibberosa*. *Chem. Pharm. Bull.* **2007**, *55*, 1471–1475. [[CrossRef](#)] [[PubMed](#)]
8. Kel'in, A.V.; Gevorgyan, V. Efficient synthesis of 2-mono- and 2,5-disubstituted furans via the CuI-catalyzed cycloisomerization of alkynyl ketones. *J. Org. Chem.* **2002**, *67*, 95–98. [[CrossRef](#)] [[PubMed](#)]
9. Lee, Y.-S.; Duh, T.-H.; Siao, S.-S.; Chang, R.-C.; Wang, S.-K.; Duh, C.-Y. New cytotoxic terpenoids from soft corals *Nephthea chabroli* and *Paralemmalia thyrsoides*. *Mar. Drugs* **2017**, *15*, 392. [[CrossRef](#)] [[PubMed](#)]



© 2018 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).