



OPEN

Author Correction: Prediction of oxygen requirement in patients with COVID-19 using a pre-trained chest radiograph xAI model: efficient development of auditable risk prediction models via a fine-tuning approach

Joowon Chung, Doyun Kim, Jongmun Choi, Sehyo Yune, Kyoung Doo Song, Seonkyoung Kim, Michelle Chua, Marc D. Succi, John Conklin, Maria G. Figueiro Longo, Jeanne B. Ackman, Milena Petranovic, Michael H. Lev & Synho Do

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-022-24721-5>, published online 07 December 2022

The original version of this Article contained an error in the spelling of the author Kyoung Doo Song which was incorrectly given as Kyungdoo Song.

Additionally, an Affiliation was omitted for Kyoung Doo Song.

The correct affiliations are listed below.

Department of Radiology, Massachusetts General Brigham and Harvard Medical School, Boston, MA, USA.

Department of Radiology, Samsung Medical Center, Sungkyunkwan University School of Medicine, 81 Irwon-Ro, Gangnam-Gu, Seoul, 06351, Republic of Korea.

The original Article has been corrected.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2023