



# HHS Public Access

Author manuscript

*Neuron*. Author manuscript; available in PMC 2023 June 01.

Published in final edited form as:

*Neuron*. 2023 May 03; 111(9): 1517. doi:10.1016/j.neuron.2023.04.003.

## Dually innervated dendritic spines develop in the absence of excitatory activity and resist plasticity through tonic inhibitory crosstalk

Mason S. Kleinjan,  
William C. Buchta,  
Roberto Ogelman,  
In-Wook Hwang,  
Masaaki Kuwajima,  
Dusten D. Hubbard,  
Dean J. Kareemo,  
Olga Prikhodko,  
Samantha L. Olah,  
Luis E. Gomez Wulschner,  
Wickliffe C. Abraham,  
Santos J. Franco,  
Kristen M. Harris,  
Won Chan Oh<sup>\*</sup>, Matthew J. Kennedy<sup>\*</sup>


---

In the originally published version of the paper, the scale bar in Figure 1G was erroneously labeled as 500 nm when it was, in fact, 377 nm. The corrected figure with 500 nm scale bar is published here, and the paper has been updated online. This change does not affect any conclusions of the manuscript. The authors apologize for the error.

---

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

<sup>\*</sup>Correspondence: wonchan.oh@cuanschutz.edu (W.C.O.), matthew.kennedy@cuanschutz.edu (M.J.K.).



**Figure 1G.**  
DiSs are present in all layers of hippocampus (corrected)

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript