

BMJ Open Involving adolescents in the design, implementation, evaluation and dissemination of health research: an umbrella review protocol

Azza Warraitch ^{1,2}, Delali Bruce,^{1,3} Maria Lee,^{1,2} Paul Curran,² Qusai Khraisha,^{1,2} Kristin Hadfield^{1,2}

To cite: Warraitch A, Bruce D, Lee M, *et al.* Involving adolescents in the design, implementation, evaluation and dissemination of health research: an umbrella review protocol. *BMJ Open* 2023;**13**:e069695. doi:10.1136/bmjopen-2022-069695

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2022-069695>).

Received 29 October 2022
Accepted 16 May 2023



© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Trinity Centre for Global Health, Trinity College Dublin, Dublin, Ireland

²School of Psychology, Trinity College Dublin, Dublin, Ireland

³School of Engineering, Stanford University, Stanford, California, USA

Correspondence to

Azza Warraitch; warraita@tcd.ie

ABSTRACT

Introduction A lack of awareness on how to engage adolescents in research has been reported as one of the barriers to meaningful youth involvement in health research. Currently, available guidelines on youth involvement are limited in terms of the scope (e.g., focused on limited health research areas), content (e.g., include broad principles) and context (e.g., most guidelines are from high-income countries) for which the guidelines are applicable. To address this, we will develop a set of comprehensive guidelines based on consolidated evidence on youth involvement in health research. To inform these guidelines, we are first conducting an umbrella review to (1) summarise and synthesise findings from reviews on involving adolescents in health research, (2) consolidate the challenges experienced in youth involvement and the recommendations to mitigate these challenges, (3) identify best practices and (4) identify gaps and methodological weaknesses in the extant literature on involving adolescents in health research.

Methods and analysis We will include review articles exploring adolescents' involvement in studies aiming to improve their physical or mental health. Databases to be searched include Cochrane Database of Systematic Reviews, Medical Literature Analysis and Retrieval System Online (MEDLINE), Scopus, Embase, PsycINFO, PsycArticles, Cumulative Index to Nursing and Allied Health Literature (CINAHL), Epistemonikos and Health Systems Evidence. A grey literature search will be conducted in Web of Science, ProQuest, Google Scholar and PROSPERO, supplemented by a handsearch of the reference lists of eligible reviews, relevant journals, websites of related organisations and input from experts. Data will be analysed using narrative synthesis.

Ethics and dissemination Ethical approval is not required as we are not collecting participant data as part of this review. The findings of this umbrella review will be disseminated through peer-reviewed publications, participatory workshops and academic conferences.

PROSPERO registration number CRD42021287467.

INTRODUCTION

Adolescents aged 10–24 years comprise 24% of the world's population.¹ In the past two decades, there has been a global shift in

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ This umbrella review consolidates evidence from a highly varied range of reviews on youth involvement in health research, using a rigorous methodology and a comprehensive search strategy.
- ⇒ This umbrella review will be conducted with active involvement from adolescents throughout to improve the relevance, quality and dissemination of the findings.
- ⇒ Only reviews published in English will be included.

attention towards the promotion of adolescent health.^{2–3} The recent prioritisation of adolescent health in global strategies^{4–5} is underpinned by a number of factors. First, adolescents experience a considerable proportion of the global population's disease burden, attributed to different communicable and non-communicable diseases and injuries.^{6–7} Around 168 million disability-adjusted life-years are lost to adolescents' mental health and physical health difficulties.^{6–7} Second, establishing healthy behavioural patterns and minimising exposure to risk factors among adolescents is a strong determinant for future health trajectories and can also improve the health of the next generation.^{3–6} Third, the substantial improvements in maternal and child health outcomes, which have been achieved in recent decades through considerable global efforts, are at risk without adequate investments in adolescent health.^{3–6–8–9} Lastly, improvement in adolescent health outcomes promotes their productivity, academic success and future financial stability, and reduces the direct and indirect costs associated with disease burden, resulting in societal and economic benefits.^{3–6–10–13} For these reasons, adolescence is now widely considered a critical period in which to invest,^{3–5–9–14} as reflected in the increase in development assistance

for adolescent health, from US\$109.7million in 2003 to US\$528.5million in 2015.¹⁵

Heralded by the UN Convention on the Rights of the Child, the involvement of young people in all decisions that affect their lives, including those relating to health and well-being, is now widely acknowledged as their fundamental right.^{16 17} One method of including youth in such decisions is to engage them in the research process. Health research is an important avenue for informing the design of healthcare services and care provision to young people, as well as health policy. Meaningful involvement of youth in health research is defined as ‘research that is done ‘with’ or ‘by’ young people, ‘not ‘to’, ‘about’ or ‘for’ them’.^{18 19} Adolescents can be engaged to define and prioritise research questions, design the research process, ensure the appropriateness of the research methodology for the young population, collect and analyse data, and disseminate the research findings.^{17 19–24} There are several frameworks to describe the involvement of children and adolescents in research and health services. These include Hart’s ladder of young people’s participation framework,²⁵ Shier’s pathways to participation framework,²⁶ Treseder’s non-linear model of participation,²⁷ Wong’s TYPE Pyramid framework,²⁸ Arunkumar’s rope ladder model²⁹ and the five-dimensional framework for young people’s involvement in health research.¹⁹ The frameworks most commonly used to describe and evaluate youth involvement are those proposed by Hart²⁵ and Shier.²⁶

Hart’s ladder of young people’s participation builds on Arnstein’s ladder of citizen participation for adults.³⁰ This framework refers to eight steps in the ladder of participation: manipulation, decoration, tokenism, assigned but informed, consulted and informed, adult-initiated shared decisions with children, child-initiated and directed and child-initiated shared decisions with adults. Meaningful engagement begins at the fourth step of the ladder and ends with shared decision-making at the highest step.²⁵ Shier proposed an alternative framework that focuses on elements of meaningful involvement. Shier’s ‘pathways to participation’ model proposes five levels of involvement, where on the first level young people are listened to, on the second level they are supported to express their views, on the third level their views are taken into account, on the fourth level they are involved in decision-making processes and on the fifth level they share power and responsibility for decision-making with the researchers.²⁶ The relative simplicity of this model makes it one of the most widely used frameworks for youth involvement.^{19 31}

In recent years, there has been an increasing emphasis on the meaningful involvement of adolescents in health research, using participatory approaches.^{17 23 31–36} Three driving factors explain the context of this change around the involvement of adolescents in health research and service delivery.³¹ The first one is ‘consumer movement’,³⁷ also equated with the term ‘user involvement’, emerging in the 1970s, which focuses on the integration of patients’ views to ensure responsive and acceptable

health services.^{31 38} This approach has assumed a central position in the National Health Service health policy for adults since the late nineties^{39–41} and now encompasses the involvement of adolescents in the design and delivery of health services and research.^{22 31 42}

Second, Article 12 of the UN Convention on the Rights of the Child¹⁶ emphasised that children and adolescents have a right to contribute to decisions regarding all matters relevant to young people and that their views must be taken into account. Almost all countries have now ratified this convention to achieve health equity by sharing power over decisions about adolescents.^{6 43} This has led to a change in the perception of adolescents as social actors rather than passive recipients of care and services designed and delivered by adult professionals.^{31 35} This has also resulted in an unprecedented demand for the representation of adolescents in health-related decision-making, with multiple health and funding organisations strongly advocating for the meaningful involvement of adolescents in health research to achieve the 2030 agenda for Sustainable Development.^{3 17 19 44–46}

Third, preliminary evidence on the impact of adolescents’ contribution in health research highlights multiple benefits of youth involvement from an operational, developmental and societal perspective,^{3 6 17 19 22 31 47 48} further strengthening the cause for youth involvement. From an operational perspective, the involvement of adolescents improves research in several ways: (1) it ensures that the research questions reflect the needs and preferences of adolescents,^{17 19 21 49} (2) enhances the recruitment and retention rates of participants,^{19 50–54} (3) improves data collection,^{19 21 55–59} (4) improves data analysis by bringing unique insight of adolescents in translating the responses^{19 60 61} and (5) facilitates broader and more effective dissemination of the findings.^{6 19 57 62} Moreover, organisations that work with adolescents report an overall change in the organisation’s culture to be more inclusive.⁶³ From a developmental perspective, several positive outcomes have been reported for adolescents who contribute to research projects, including (1) learning new research skills,^{19 47 64–69} (2) increased knowledge about health topics,^{19 47 51 70–72} (3) better health outcomes^{19 47 71 73} and (4) better academic or career outcomes.^{6 19 22 64 74–76} At the societal level, the involvement of adolescents has been linked with an increased awareness of different health issues in the community.^{17 19 63 77–80}

Despite growing recognition of the fundamental rights of adolescents to contribute to research and the potential benefits of involving them in research, Sellars *et al*¹⁷ found that less than 1% of studies on child and adolescent health report involving adolescents as part of advisory groups. While involving young people in health research is on the rise, the overall number of studies that involve youth is still low.¹⁹ This underinvolvement of adolescents in health research may be attributed to the challenges or barriers experienced by researchers and adolescents contributing to research projects.¹⁷ These challenges include a lack of

awareness of the evidence on youth involvement,^{19 81} a need for extensive training to effectively engage youth in research,^{17 19 48 57 81–87} limited training resources and a lack of a comprehensive set of guidelines on engaging youth in health research,^{19 48 81 88 89} inadequate funding to support meaningful youth involvement,^{83 86 90} difficulties in recruiting and retaining adolescents,^{86 87 91} complex ethical procedures such as additional consent and assent requirements, and compliance with different safeguarding practices that vary for different contexts.^{49 57 92}

To address some of the highlighted challenges to meaningful youth involvement, we aim to develop a comprehensive set of guidelines for involving youth in health research. While there are several guidelines available on involvement of young people in health research, a recent review highlighted that these guidelines are limited in their scope, contexts and the content that they cover.¹⁹

For example, overlooked areas of youth involvement such as involvement in the early and late stages of the research process, working with young people in Low- and Middle- Income Countries, and working with those from disadvantaged groups, are some aspects that need to be emphasised in a set of comprehensive guidelines.⁸¹

While subject-specific guidelines, where they exist, may offer more targeted guidance on engaging young people in research on specific health issues, a comprehensive set of guidelines can be of use to a larger target audience of those working with youth in different types of health areas. Furthermore, as most of the principles of youth engagement are transdisciplinary (eg, informed consent, power dynamics, inclusivity), an overall set of guidelines holds the potential to be useful and relevant to a wider audience working on a range of health research areas.

This umbrella review will inform the development of these guidelines by consolidating the review-level evidence on youth involvement in health research. This umbrella review will be followed by a rapid review to consolidate the recommendations from the existing guidelines on youth engagement in health research. Further details on the guideline development process can be accessed on the Open Science Framework (OSF) page <https://osf.io/5z4em/>. There are numerous reviews on youth involvement in health research. However, these reviews focus on specific areas of health research (eg, sexual and reproductive health, mental health), certain types of youth involvement approaches (eg, peer-mediated interventions, participatory action research), specific locations (eg, the USA, India) and are heterogeneous in their methods (eg, search different databases, use different age groups) and findings. Furthermore, there is little overlap in the studies that are included in these reviews, highlighting the need to bring together all available evidence on youth involvement in different areas of health research in different contexts and to translate these findings into recommendations. Given the broad scope of the research objectives and the heterogeneity in the extant literature, an umbrella review is a more suitable choice of review than a systematic review of primary studies.⁹³

Therefore, we aim to conduct an umbrella review to (1) summarise and synthesise findings from reviews on involving adolescents in health research, (2) consolidate the challenges experienced in youth involvement and the recommendations to mitigate these challenges, (3) identify the best practices or recommendations on involving adolescents in health research and (4) identify gaps and methodological weaknesses in the extant literature.

METHODS AND ANALYSIS

This umbrella review will be conducted as per the Cochrane guidelines for overviews of reviews.⁹⁴ However, some elements—types of reviews to be included and the appraisal method, in particular—have been adapted (described below) to suit the objectives of the umbrella review. We followed the Preferred Reporting Items for Systematic Review and Meta-Analysis (PRISMA) Protocols guidelines in reporting this protocol (online supplemental file 1). We will report findings in accordance with the PRISMA statement⁹⁵ given that the PRISMA extension for overviews of reviews (Preferred Reporting Items for Overviews of Reviews) is under development and is thus not available for this umbrella review.⁹⁶ The umbrella review has been registered with the International Prospective Register of Systematic Reviews (PROSPERO CRD42021287467). The PROSPERO registration was updated to preregister some changes to the methodology described below.

Search strategy

The search strategy for this umbrella review includes keywords for: (A) population (adolescents aged 10–24 years),⁹⁷ (B) intervention or exposure (involvement of adolescents in health research), (C) condition under study (health of adolescents) and (D) review type (including narrative reviews, targeted reviews, rapid reviews, scoping reviews, literature reviews, qualitative reviews, integrated reviews, evidence maps, critical reviews, mixed methods reviews, overviews, state-of-the-art reviews, practitioner reviews, systematic reviews, as well as meta-analyses) using Boolean syntax. Authors AW and KH developed the search strategy in consultation with a research librarian (GF) at Trinity College Dublin.

A commonly reported problem in studying youth involvement is the inconsistent use of terminologies and a wide range of methodologies classified as youth involvement.^{19 48} The search strategy is attached in online supplemental file 2.

Information sources

Electronic databases

We will search Cochrane Database of Systematic Reviews, Medical Literature Analysis and Retrieval System Online (MEDLINE), Scopus, Embase, PsycINFO, PsycArticles, Cumulative Index to Nursing and Allied Health Literature (CINAHL), Epistemonikos, and Health Systems Evidence

databases for potentially eligible reviews conducted up to 30 November 2021.

Grey literature search

The grey literature search involves several components. First, a simplified search strategy—based on different combinations of fewer key search terms—will be used to search Google Scholar for additional reviews. The Google Scholar search will be restricted to the first 10 pages. Second, we will identify the top 10 ranking paediatrics, perinatology and child health journals using the Scimago Journal and Country Rank list for 2020.¹⁷ A similar simplified version of the search strategy will be used to search these journals for additional reviews that could be potentially eligible for inclusion. Third, Web of Science and ProQuest will be searched to identify additional conference abstracts, theses, reports and unpublished relevant reviews. The search strategy will be modified to suit the interface of these databases, as required. The search strategy for Web of Science is attached in online supplemental file 3. Fourth, we will search for relevant reviews registered on PROSPERO. Authors of potentially eligible reviews will be contacted to check whether the reviews are close to completion or have been completed. The authors will be requested to share the extracted data for inclusion in the umbrella review for complete or close to completion reviews. The number of contacts made and the number of authors who agreed to share the data will be recorded and reported. Fifth, websites of relevant organisations will also be searched for grey literature. This will involve compiling a list of organisations (including governmental, non-profit and funding organisations) working on adolescents' health. We will conduct a targeted search of up to 20 pages of Google, the Mental Health Innovation Network (MHIN) database, and including organisations known to the authors. The MHIN is a community of global mental health researchers, health professionals, policy-makers and other relevant stakeholders. MHIN has a database of organisations working to promote health in communities in low-income, middle-income and high-income countries. The MHIN database interface has search options for organisations based on the target population that they work with and the countries. We will use the filter for age range to identify the organisations that work with young people. After identifying the organisations, we will search for relevant documents by running a simplified search strategy, like the one used for searching Google Scholar, on the website homepages of these organisations. The first 10 pages of the results will be searched. Websites without a search option will be handsearched. We will also search Google for youth health organisations in low-income and middle-income countries and search the website of one organisation (top google result) for each country. We will use World Bank's classification of countries to define low-income and middle-income countries and DAC list of ODA recipients.⁹⁸ We will only search the website of the organisation that is the top google result for each of the 137 low-income and middle-income countries to ensure

at least one organisation from each country is included. Names of all organisational websites searched, and the titles and URL links to eligible materials will be extracted in the Excel spreadsheet for grey literature, which will be posted on the review's OSF page <https://osf.io/cx7y9/>. Sixth, we will contact 5–10 experts in youth involvement in health research. They will be regarded as an expert if (A) they oversee youth involvement in health research component at a funding organisation (e.g., Wellcome Trust, Grand Challenges Canada) or youth health organisation and/or (B) have conducted studies which involved adolescents as collaborators at different stages of the research process. We will include experts from high-income, middle-income and low-income countries. After identifying potential experts to be contacted, we will send them an email stating the aims of the umbrella review, eligibility criteria for reviews and a statement requesting that they share the references of any relevant materials they might be familiar with. Seventh, reference lists of all eligible reviews will be reviewed to identify further relevant reviews. Finally, all the eligible reviews will be entered in the connectedpapers software to identify similar papers. This comprehensive strategy aims to identify all published and unpublished reviews on this topic and get the broadest range of views possible for inclusion in the umbrella review. The grey literature search will be conducted by AW.

Data management

All references from electronic databases will be exported to Covidence. We will record the search date, the number of results for each database and each combination of the search terms for grey literature search. For the grey literature, titles and URL links to potentially relevant documents will be entered in an Excel spreadsheet.⁹⁹

Eligibility criteria

Study design

Only review articles will be eligible for inclusion in this umbrella review. Although the Cochrane Overview of reviews guidelines recommend including systematic reviews and meta-analysis, we will include review articles of all types, including narrative reviews, targeted reviews, rapid reviews, scoping reviews, literature reviews, qualitative reviews, integrated reviews, evidence maps, critical reviews, desk reviews, mixed-methods reviews, overviews, state-of-the-art reviews, practitioner reviews, systematic reviews, as well as meta-analyses.¹⁰⁰ This adaptation to the guidelines is due to the qualitative nature of the outcomes of interest and to ensure the inclusion of a wide range of literature on youth involvement. This adaptation to the guidelines is common in umbrella reviews focusing on qualitative data and outcomes.¹⁰¹

Participants

We will only include reviews that discuss youth-specific results; the age range of participants in studies included in the review can vary, but the target population of the

review must include adolescents. Adolescents are young people between the ages of 10–24 years as defined by Sawyer *et al.*⁹⁷ All reviews focusing on children and adolescents irrespective of the age range (as long as these include some studies for adolescents aged between 10 and 24 years) will be included, but primary studies where the age range of the target population is below 10 years or above 24 years will be excluded. Reviews and studies where the age range is not mentioned, rather the terms children and adolescents are listed will be included. No other restrictions will be applied based on demographic characteristics or context. Reviews that are overlapping in terms of age range will be included, however, overlap in the primary studies included in reviews will be addressed using the procedure described below in study selection section.

We are focusing on adolescents aged 10–24 for three reasons: (1) this umbrella review aims to inform the development of a set of comprehensive guidelines on involvement of adolescents aged 10–24 to address the gaps in the currently available guidelines on involvement of adolescents in health research,¹⁹ (2) based on their developmental status, the methods used to engage children might be different than the ones used to engage adolescents, therefore, the recommendations for both age groups would vary and (3) logistical considerations including the additional time and resources required to develop recommendations on engaging children younger than 10 years.

Intervention

Reviews exploring youth involvement in studies that focus on the promotion of physical and mental health or treatment of physical and mental health difficulties among adolescents will be eligible. We will include reviews focusing on overall youth engagement as long as these include at least one study on youth involvement in health research in accordance with Cochrane guidelines which advise that where a particular review's research objectives are broader than those of an umbrella review, the umbrella review should only include primary studies from that review that meet the eligibility criteria for the umbrella review.⁹⁴

Youth involvement in health research refers to a wide range of methods and strategies used to involve young people in the design, conduct, analysis and dissemination of research on adolescent health. Their involvement can range from consultation where young people are asked for advice and to share their views to inform decision-making,²² to collaboration which is characterised by 'active, ongoing partnership with young people'²² and youth-led research, which involves 'putting the locus of power, initiative and subsequent decision-making with young people'.²² This review will focus on all three levels of youth involvement in addition to all approaches to youth involvement.

Outcomes

Reviews including one or more of the following outcomes will be eligible for inclusion: (1) strategies that have been used to involve adolescents in conducting health research, (2) recommendations for involving adolescents in health research (best practices), (3) barriers to meaningful youth involvement, (4) mitigation strategies to address these barriers and (5) evidence gaps in youth involvement in health research.

Other criteria

Only reviews published in the English language will be considered for inclusion. Reviews where data extraction tables for the primary studies (applicable to systematic, rapid and scoping reviews) are inaccessible will be excluded. As per the Cochrane guidelines for overviews of reviews,⁹⁴ if a review's research objectives and scope are broader than the current umbrella review, the subset of primary studies meeting the review's eligibility criteria will be included in this umbrella review.

Selection of studies

Search results will be imported into Covidence for the removal of duplicate references. The eligibility criteria will be discussed among researchers conducting the title and abstract screening to ensure mutual understanding of the criteria. Title and abstract screening of the studies will be undertaken by two postgraduate-level psychology students and an adolescent co-researcher. They will first conduct a pilot screening of 1% of randomly selected search results. Any discrepancies will be discussed and resolved before proceeding with title and abstract screening for the rest of the articles. AW will conduct the title and abstract screening of all articles, while co-researcher (QK) and an adolescent co-researcher will conduct title and abstract screening of 25% of articles to minimise the risk of bias. Where eligibility cannot be determined based on abstract, such articles will be labelled ambiguous and reviewed in full.

AW will conduct full-text screening and extract data from all eligible articles, while QK and an adolescent co-researcher will conduct full-text screening and data extraction for 10% of articles. Reasons for exclusion will be recorded for all excluded articles at this stage. Any discrepancies or disagreements will be resolved through discussion among these three researchers and, if required, through discussion with a fourth researcher (KH). The screening and study selection process will be reported in a PRISMA flow chart.¹⁰²

Overlap in primary studies across multiple reviews can give undue weightage to studies included more than once in the synthesis of findings. It is recommended to address the risk of overlap at the inclusion, data extraction or synthesis stage.¹⁰³ We will assess the overlap in primary studies at the data extraction and synthesis stage by creating a citation matrix^{94 104} where the primary studies will be cross-linked with the reviews they are included in. The reviews will be listed in columns, and the primary

studies will be added in rows, with a tick mark added under all reviews that include a primary study. The overlap will be quantified by calculating the corrected covered area measure¹⁰⁴ that indicates the degree of overlap. The citation matrix will help us ensure that the results of primary studies included in multiple reviews are only included once.^{103 104} This citation matrix will be posted on the review's OSF page.

Data extraction

Data from the included reviews will be extracted using a data extraction form designed in Covidence. The data extraction form will be piloted by researchers extracting the data, using 1% of eligible full-text articles. Inter-rater reliability between the researchers will be assessed using the kappa statistic for the closed-ended fields of the data extraction form and risk of bias assessment. For open-ended data extraction fields, AW will compare the data extracted by all team members to assess whether a general agreement has been established on the data extraction process. Data on results will be extracted only from the included reviews. Data will be extracted on:

- ▶ Characteristics of eligible reviews including review title, names and contact details of study authors, publication type (e.g., article, conference abstract, report), review type (scoping, narrative, systematic, etc), the age range of study population in the review, the condition under study (e.g., physical health, mental health or specific disease/disorder), aim of the review, definition of youth involvement used, search strategy, databases and grey literature sources searched, search end date, method of synthesis and tool used to appraise the risk of bias for the primary studies.
- ▶ Characteristics of primary studies include their eligibility criteria, the number of primary studies included in the review, the study design of primary studies and the risk of bias results for the primary studies.
- ▶ Findings will consist of the use of different youth involvement strategies, level of youth involvement, challenges or barriers in the use of youth involvement strategies, recommendations to address these barriers, best practices in youth involvement in health research, limitations of the review and gaps identified in the literature.

Risk of bias assessment

A Measurement Tool to Assess systematic Reviews-2¹⁰⁵ will be used to assess the methodological quality of included systematic reviews. The risk of bias assessments conducted for the primary studies in the included reviews will be narratively summarised. AW will conduct the risk of bias assessment of all eligible systematic reviews, while a second reviewer will conduct the risk of bias assessment for 10% of eligible systematic reviews. Any discrepancies or disagreements will be resolved through discussion among these two researchers and, if required, through discussion with a third researcher (KH).

Narrative synthesis

A narrative synthesis will be conducted by AW and an adolescent co-researcher to analyse the data. The first step will include familiarisation with the extracted data through close reading, followed by coding the extracted data using deductive coding. Then, the codes will be structured under broader themes. Finally, these themes will be summarised in a descriptive and tabular form, centred around the research aims and objectives. AW and an adolescent co-researcher will analyse a subset of the data together until there is a general agreement on the coding and narrative building.

Patient and public involvement

Adolescents will be involved in the title and abstract screening, full-text screening, data extraction, analysis and dissemination phases of this umbrella review. These adolescents will be invited to participate through local non-profit organisations and/or academic institutions. Specifically, the adolescent co-researchers and coauthors DB, ML and PC reviewed the final protocol for the umbrella review and shared their input. An adolescent co-researcher will be recruited to conduct title and abstract screening for 25% of the articles and undertake full-text screening and data extraction for 10% of articles to ensure representation of youth in decision-making processes. Another adolescent co-researcher will contribute to the data analysis by working with AW to develop themes and write up the narrative synthesis. To increase the relevance of the findings, we will seek input from 6 to 8 members of a youth advisory group in two participatory workshops. In the first workshop, young people will be invited to share their interpretation of the results and reflections on the challenges and recommendations highlighted in the literature. In the second workshop, they will contribute by reviewing the outputs of this umbrella review and ensuring the language used is accessible and inclusive. We will also facilitate the young coresearchers and advisors to present the findings to the scientific community via video abstracts and to youth and lay audiences through dissemination methods determined by the youth themselves to ensure more effective and wider dissemination of the results. Adolescent coresearchers will also help us recruit youth advisors for the review. Previous experience of research will not be a criterion for youth coresearchers to be engaged in this project.

DISCUSSION

This review will bring together evidence on the most effective ways of involving adolescents in health research, challenges experienced in this process and mitigation strategies, which have been recommended to address or prevent these challenges. These findings will inform the development of guidelines on involving adolescents in health research. The need for a comprehensive set of guidelines and resources on involving adolescents in health research has been highlighted by youth researchers⁸¹ and studies.^{83 106–109} These

guidelines will facilitate researchers to collaborate with adolescents more effectively, leading to more meaningful involvement of adolescents in research.

This umbrella review has a few limitations. The search for eligible reviews will be restricted to the English language. In addition, while the search strategy incorporates a wide range of terms to account for the variation in terminology around youth involvement, there is a possibility that relevant reviews indexed using different terms will not be included. Moreover, umbrella reviews are based on the information presented in the review articles and are, therefore, limited by the quality of extracted data in the included reviews. There is also a possibility of missing relevant data on youth involvement in health research that has not previously been included in reviews. This review only focuses on involvement of adolescents aged 10–24 in health research therefore the findings of the review will not be generalisable to children younger than 10 years. Given the focus on adolescent involvement in health research, any relevant guidance on engaging young people based on research in other disciplines and fields may be excluded. Any deviations to the submitted protocol will be documented as amendments to the PROSPERO registration.

ETHICS AND DISSEMINATION

Only reviews will be included in this umbrella review; therefore, ethical approval is not required. The findings of this umbrella review will be disseminated through peer-reviewed publications, participatory workshops and academic conferences.

Acknowledgements We would like to acknowledge all members of the Trinity Centre for Global Health and School of Psychology—especially Drs Sadhbh Byrne, Frédérique Vallières and Elizabeth Nixon—for their valuable inputs. We would also like to thank Ms Geraldine Fitzgerald, the research librarian at the School of Medicine, Trinity College Dublin, for her feedback and input on the search strategy for this umbrella review. We are very grateful to all the youth advisors and coresearchers who contributed to this project.

Contributors AW and KH conceptualised and wrote the protocol with valuable inputs from QK, DB, ML and PC will contribute to the screening, data extraction and analysis of this review as young coresearchers. All authors have reviewed and approved the final manuscript.

Funding AW received the Ussher Fellowship from Trinity College Dublin to support her PhD research, including this umbrella review. She received a Trinity Research in Social Sciences (TRiSS) Research Fellowship to conduct participatory workshops with youth as part of this umbrella review.

Disclaimer The funders did not play any role in design of this review.

Competing interests None declared.

Patient and public involvement Patients and/or the public were involved in the design, or conduct, or reporting, or dissemination plans of this research. Refer to the Methods section for further details.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines,

terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Azza Warraitch <http://orcid.org/0000-0002-7176-4353>

REFERENCES

- 1 United Nations. Department of Economic and Social Affairs, Population Division. *World population prospects 2019: data booklet (ST/ESA/SER. A/424)*. 2019.
- 2 Dick B, Ferguson BJ. Health for the world's adolescents: a second chance in the second decade. *J Adolesc Health* 2015;56:3–6.
- 3 Patton GC, Sawyer SM, Santelli JS, *et al*. Our future: a Lancet commission on adolescent health and wellbeing. *Lancet* 2016;387:2423–78.
- 4 Kuruvilla S, Bustreo F, Kuo T, *et al*. The global strategy for women's, children's and adolescents' health (2016–2030): a roadmap based on evidence and country experience. *Bull World Health Organ* 2016;94:398–400.
- 5 Temmerman M, Khosla R, Bhutta ZA, *et al*. Towards a new global strategy for women's, children's and adolescents' health. *BMJ* 2015;351:h4414.
- 6 World Health Organization. Global accelerated action for the health of adolescents (AA-HA!): guidance to support country implementation; 2017.
- 7 WHO. Global health estimates 2015: Dalys by cause, age, sex, by country and by region, 2000–2015 Geneva. 2016. Available: http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html
- 8 Resnick MD, Catalano RF, Sawyer SM, *et al*. Seizing the opportunities of adolescent health. *Lancet* 2012;379:1564–7.
- 9 Sawyer SM, Afifi RA, Bearinger LH, *et al*. Adolescence: a foundation for future health. *Lancet* 2012;379:1630–40.
- 10 Gribble JN, Bremner J. *The challenge of attaining the demographic dividend*. Population Reference Bureau. 2012.
- 11 Deogan C, Ferguson J, Stenberg K. Resource needs for adolescent friendly health services: estimates for 74 low-and middle-income countries. *PLoS One* 2012;7:e51420.
- 12 Stenberg K, Axelson H, Sheehan P, *et al*. Advancing social and economic development by investing in women's and children's health: a new global investment framework. *Lancet* 2014;383:1333–54.
- 13 Curtain R. The case for investing in young people as part of a national poverty reduction strategy. Paper commissioned by the United Nations Population Fund, New York; 2004.
- 14 Salam RA, Das JK, Lassi ZS, *et al*. Adolescent health and wellbeing: background and methodology for review of potential interventions. *J Adolesc Health* 2016;59:S4–10.
- 15 Li Z, Li M, Patton GC, *et al*. Global development assistance for adolescent health from 2003 to 2015. *JAMA Netw Open* 2018;1:e181072.
- 16 UNICEF. Convention on the rights of the child; 1989.
- 17 Sellars E, Pavarini G, Michelson D, *et al*. Young people's advisory groups in health research: scoping review and mapping of practices. *Arch Dis Child* 2021;106:698–704.
- 18 Authority NHR. What is public involvement in research. 2020. Available: <https://www.hra.nhs.uk/planning-and-improving-research/best-practice/public-involvement/>
- 19 Wilson O, Daxenberger L, Dieudonne L, *et al*. *A rapid evidence review of young people's involvement in health research*. London: Wellcome, 2020: 3.
- 20 Oliveras C, Cluver L, Bernays S, *et al*. Nothing about us without RIGHTS—meaningful engagement of children and youth: from research prioritization to clinical trials, implementation science, and policy. *J Acquir Immune Defic Syndr* 2018;78:S27–31.
- 21 Pavarini G, Lorimer J, Manzini A, *et al*. Co-producing research with youth: the Neurox young people's advisory group model. *Health Expect* 2019;22:743–51.
- 22 Kirby P. *A guide to actively involving young people in research for researchers, research commissioners and managers*. Eastleigh, Hampshire: Involve Support Unit, 2004.

- 23 Ozer EJ, Piatt AA. Adolescent participation in research: innovation, rationale and next steps; 2017.
- 24 NIH. Involving children and young people as advisors in research. top tips and essential key issues for researchers; 2021.
- 25 Hart RA. Children's participation: from Tokenism to citizenship; 1992.
- 26 Shier H. Pathways to participation: openings, opportunities and obligations. *Child Soc* 2001;15:107–17.
- 27 Treseder P. Save the Children Fund. *Empowering children and young people: a training manual: promoting involvement in decision-making*. Save the Children Fund, 1997.
- 28 Wong NT, Zimmerman MA, Parker EA. A typology of youth participation and empowerment for child and adolescent health promotion. *Am J Community Psychol* 2010;46:100–14.
- 29 Arunkumar K, Bowman DD, Coen SE, et al. Conceptualizing youth participation in children's health research: insights from a youth-driven process for developing a youth advisory council. *Children (Base)* 2018;6:3.
- 30 Arnstein SR. A ladder of citizen participation. *J Am Inst Planners* 1969;35:216–24.
- 31 Kelly D, Gibson F. Building a culture of participation: young people's involvement in research. In: Gibson F, ed. *Cancer care for adolescents and young adults*. Oxford, UK: Blackwell Publishing, 2008: 214–28.
- 32 Clarke S. A "child's rights perspective": the "right" of children and young people to participate in health care research. *Issues Compr Pediatr Nurs* 2015;38:161–80.
- 33 Daly W. Adding their flavour to the mix": involving children and young people in care in research design. *Aust Soc Work* 2009;62:460–75.
- 34 Nygren JM, Lindberg S, Wärnestål P, et al. Involving children with cancer in health promotive research: a case study describing why, what, and how. *JMIR Res Protoc* 2017;6:e19.
- 35 Kellett M. *Children as active researchers: a new paradigm for the 21st century*. London: National Centre for Research Methods Review Papers NCRM/003, ESRC National Centre for Research Methods, 2005.
- 36 Jacquez F, Vaughn LM, Wagner E. Youth as partners, participants or passive recipients: a review of children and adolescents in community-based participatory research (CBPR). *Am J Community Psychol* 2013;51:176–89.
- 37 Telford R, Boote JD, Cooper CL. What does it mean to involve consumers successfully in NHS research? A consensus study. *Health Expect* 2004;7:209–20.
- 38 Department of Health. Strengthening accountability: involving patients and the public. Policy guidance, section 11 of the Health and Social Care Act 2001. Department of Health London; 2001.
- 39 Smith E, Ross F, Donovan S, et al. *User involvement in the design and undertaking of nursing, midwifery and health visiting research*. Nursing Research Unit, King's College London, 2005.
- 40 Hanley B, Bradburn J, Gorin S, et al. *Involving consumers in research & development in the NHS: briefing notes for researchers*. Consumers in NHS Research Support Unit Winchester, 2000.
- 41 Department of Health. *Patient and public involvement in the new NHS*. The Stationery Office London, 1999.
- 42 Department of Health. *Listening, hearing and responding Department of Health Action Plan: core principles for the involvement of children and young people*. 2002.
- 43 Human Rights Watch. 25th anniversary of the convention on the rights of the child; 2017.
- 44 PMNCH. Global consensus statement on meaningful adolescent and youth engagement; 2020. Available: <https://www.who.int/pmnch/mye-statement.pdf?ua=1>
- 45 Bulc B, Al-Wahdani B, Bustreo F, et al. Urgency for transformation: youth engagement in global health. *Lancet Glob Health* 2019;7:e839–40.
- 46 United Nations. Youth2030: the United Nations strategy on youth. 2018. Available: <https://www.un.org/youthenvoy/youth-un/>
- 47 Valdez ES, Skobic I, Valdez L, et al. Youth Participatory action research for youth substance use prevention: A systematic review. *Subst Use Misuse* 2020;55:314–28.
- 48 Rouncefield-Swales A, Harris J, Carter B, et al. Children and young people's contributions to public involvement and engagement activities in health-related research: a scoping review. *PLoS One* 2021;16:e0252774.
- 49 Denison JA, Pettifor A, Mofenson LM, et al. Youth engagement in developing an implementation science research agenda on adolescent HIV testing and care linkages in sub-Saharan Africa. *AIDS* 2017;31:S195–201.
- 50 Gaillard S, Malik S, Preston J, et al. Involving children and young people in clinical research through the forum of a European young persons' advisory group: needs and challenges. *Fundam Clin Pharmacol* 2018;32:357–62.
- 51 Kulbok PA, Meszaros PS, Bond DC, et al. Youths as partners in a community Participatory project for substance use prevention. *Fam Community Health* 2015;38:3–11.
- 52 Tsang VWL, West L, Woods C, et al. Role of patients and parents in pediatric drug development. *Ther Innov Regul Sci* 2019;53:601–8.
- 53 Comfort M, Raymond-Flesch M, Auerswald C, et al. Community-engaged research with rural Latino adolescents: design and implementation strategies to study the social determinants of health. *Gateways* 2018;11:90–108.
- 54 Vaughn LM, Wagner E, Jacquez F. A review of community-based participatory research in child health. *MCN Am J Matern Child Nurs* 2013;38:48–53.
- 55 Salerno Valdez E, Korchmaros J, Sabo S, et al. How the US-Mexico border influences adolescent substance use: youth participatory action research using photovoice. *Int J Drug Policy* 2019;73:146–55.
- 56 Jardine CG, James A. Youth researching youth: benefits, limitations and ethical considerations within a participatory research process. *Int J Circumpolar Health* 2012;71:1–9.
- 57 Bird D, Culley L, Lakhanpaul M. Why collaborate with children in health research: an analysis of the risks and benefits of collaboration with children. *Arch Dis Child Educ Pract Ed* 2013;98:42–8.
- 58 Kelly B, Friel S, McShane T, et al. "I haven't read it, I've lived it!" the benefits and challenges of peer research with young people leaving care. *Qual Soc Work* 2020;19:108–24.
- 59 Panter-Brick C, Eggerman M, Ager A, et al. Measuring the psychosocial, biological, and cognitive signatures of profound stress in humanitarian settings: impacts, challenges, and strategies in the field. *Confl Health* 2020;14:40.
- 60 Delman J. Participatory action research and young adults with psychiatric disabilities. *Psychiatr Rehabil J* 2012;35:231–4.
- 61 Chappell P, Rule P, Dlamini M, et al. Troubling power dynamics: youth with disabilities as co-researchers in sexuality research in South Africa. *Childhood* 2014;21:385–99.
- 62 Mitchell K, Durante SE, Pellatt K, et al. Naloxone and the inner city youth experience (NICYE): a community-based Participatory research study examining young people's perceptions of the BC take home naloxone program. *Harm Reduct J* 2017;14:34.
- 63 Shamrova DP, Cummings CE. Participatory action research (PAR) with children and youth: an integrative review of methodology and PAR outcomes for participants, organizations, and communities. *Child Youth Serv Rev* 2017;81:400–12.
- 64 Anyon Y, Bender K, Kennedy H, et al. A systematic review of youth participatory action research (YPAR) in the United States: methodologies, youth outcomes, and future directions. *Health Educ Behav* 2018;45:865–78.
- 65 Bailey S, Boddy K, Briscoe S, et al. Involving disabled children and young people as partners in research: a systematic review. *Child Care Health Dev* 2015;41:505–14.
- 66 Brosnan CA, Upchurch SL, Meiningner JC, et al. Student nurses participate in public health research and practice through a school-based screening program. *Public Health Nurs* 2005;22:260–6.
- 67 Cepanec D, Clarke D, Plohman J, et al. Engaging undergraduate nursing students in research: the students' experience of a summer Internship program pilot project. *J Nurs Educ* 2013;52:466–9.
- 68 Suleiman AB, Soleimanpour S, London J. Youth action for health through youth-led research. *J Community Pract* 2006;14:125–45.
- 69 Lindquist-Grantz R, Abraczinskas M. Using youth participatory action research as a health intervention in community settings. *Health Promot Pract* 2020;21:573–81.
- 70 Abma T, Lips S, Schrijver J. Sowing seeds to harvest healthier adults: the working principles and impact of Participatory health research with children in a primary school context. *Int J Environ Res Public Health* 2020;17:451.
- 71 Aceves-Martins M, Aleman-Diaz AY, Giralt M, et al. Involving young people in health promotion, research and policy-making: practical recommendations. *Int J Qual Health Care* 2019;31:147–53.
- 72 Lane HG, Porter KJ, Hecht E, et al. A participatory process to engage Appalachian youth in reducing sugar-sweetened beverage consumption. *Health Promot Pract* 2019;20:258–68.
- 73 Sherman SG, Sutcliffe C, Sirojn B, et al. Evaluation of a peer network intervention trial among young methamphetamine users in Chiang Mai, Thailand. *Soc Sci Med* 2009;68:69–79.
- 74 Mance GA, Mendelson T, Byrd III B, et al. Utilizing community-based participatory research to adapt a mental health intervention for African American emerging adults. *Prog Community Health Partnersh* 2010;4:131–40.
- 75 Stewart K-A, Brown SL, Wrensford G, et al. Creating a comprehensive approach to exposing Underrepresented pre-health

- professions students to clinical medicine and health research. *J Natl Med Assoc* 2020;112:36–43.
- 76 Sheridan R, Preston J, Stones SR, et al. 2020 Patient and public involvement in a study of multimedia clinical trial information for children, young people and families. *Res for All*;4:47–65.
 - 77 Davies A, Mwangome N, Yeri B, et al. Evolution of a programme to engage school students with health research and science in Kenya. *Wellcome Open Res* 2019;4:39.
 - 78 Dennis Jr SF, Gaulocher S, Carpiano RM, et al. Participatory photo mapping (PPM): exploring an integrated method for health and place research with young people. *Health Place* 2009;15:466–73.
 - 79 Findholt NE, Michael YL, Davis MM. Photovoice engages rural youth in childhood obesity prevention. *Public Health Nurs* 2011;28:186–92.
 - 80 Masuku B, Mkhwanazi N, Young E, et al. Beyond the lab: Ehlwoza and knowing tuberculosis. *Med Humanit* 2018;44:285–92.
 - 81 Das S, Daxenberger L, Dieudonne L, et al. *Stakeholder consultation on involving young people in health research*. London: Wellcome, 2020: 3.
 - 82 Kendal SE, Milnes L, Welsby H, et al. Prioritizing young people's emotional health support needs via participatory research. *J Psychiatr Ment Health Nurs* 2017;24:263–71.
 - 83 Wadman R, Williams AJ, Brown K, et al. Supported and valued? A survey of early career researchers' experiences and perceptions of youth and adult involvement in mental health, self-harm and suicide research. *Res Involv Engagem* 2019;5:16.
 - 84 Bradbury-Jones C, Taylor J. Engaging with children as co-researchers: challenges, counter-challenges and solutions. *Int J Soc Res Methodol* 2015;18:161–73.
 - 85 Franklin A, Sloper P. Listening and responding? Children's participation in health care within England. In: *Children's Health and Children's Rights*. Brill Nijhoff, 2006: 11–29.
 - 86 Hawke LD, Darnay K, Relihan J, et al. Enhancing researcher capacity to engage youth in research: researchers' engagement experiences, barriers and capacity development priorities. *Health Expect* 2020;23:584–92.
 - 87 McCartan C, Burns S, Schubotz D. Recruitment and capacity-building challenges in participatory research involving young people in Northern Ireland. In: *Community research for participation: from theory to method*. 2012: 283.
 - 88 Mitchell SJ, Slowther A-M, Coad J, et al. Ethics and patient and public involvement with children and young people. *Arch Dis Child Educ Pract Ed* 2019;104:195–200.
 - 89 Morton KL, Atkin AJ, Corder K, et al. Engaging stakeholders and target groups in prioritising a public health intervention: the Creating Active School Environments (CASE) online Delphi study. *BMJ Open* 2017;7:e013340.
 - 90 James RD, McGlone West K, Madrid TM. Launching native health leaders: reducing mistrust of research through student peer mentorship. *Am J Public Health* 2013;103:2215–9.
 - 91 Peek L, Tobin-Gurley J, Cox RS, et al. Engaging youth in post-disaster research: lessons learned from a creative methods approach. *Gateways* 2016;9:89–112.
 - 92 Huang X, O'Connor M, Ke L-S, et al. Ethical and methodological issues in qualitative health research involving children: a systematic review. *Nurs Ethics* 2016;23:339–56.
 - 93 Pollock M, Fernandes RM, Becker LA, et al. Chapter V: Overviews of reviews. In: *Cochrane handbook for systematic reviews of interventions version*. 2020: 6.
 - 94 Pollock M, Fernandes RM, Becker LA, et al. Chapter V: Overviews of reviews. In: *Cochrane handbook for systematic reviews of interventions version*. 2018: 6.
 - 95 Shamseer L, Moher D, Clarke M, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015: elaboration and explanation. *BMJ* 2015;350:g7647.
 - 96 Pollock M, Fernandes RM, Pieper D, et al. Preferred reporting items for Overviews of reviews (PRIOR): a protocol for development of a reporting guideline for Overviews of reviews of Healthcare interventions. *Syst Rev* 2019;8:335.
 - 97 Sawyer SM, Azzopardi PS, Wickremarathne D, et al. The age of adolescence. *Lancet Child Adolesc Health* 2018;2:223–8.
 - 98 DAC list of ODA recipients. n.d. Available: <https://www.oecd.org/dac/financing-sustainable-development/development-finance-standards/DAC-List-of-ODA-Recipients-for-reporting-2022-23-flows.pdf>
 - 99 Godin K, Stapleton J, Kirkpatrick SI, et al. Applying systematic review search methods to the grey literature: a case study examining guidelines for school-based breakfast programs in Canada. *Syst Rev* 2015;4:138.
 - 100 Grant MJ, Booth A. A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Info Libr J* 2009;26:91–108.
 - 101 Fennelly O, Cunningham C, Grogan L, et al. Successfully implementing a national electronic health record: a rapid umbrella review. *Int J Med Inform* 2020;144:104281.
 - 102 Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *PLoS Med* 2021;18:e1003583.
 - 103 Lunny C, Pieper D, Thabet P, et al. Managing overlap of primary studies results across systematic reviews: practical considerations for authors of overviews of reviews. *BMC Med Res Methodol* 2021;21:140.
 - 104 Pieper D, Antoine S-L, Mathes T, et al. Systematic review finds overlapping reviews were not mentioned in every other overview. *J Clin Epidemiol* 2014;67:368–75.
 - 105 Shea BJ, Reeves BC, Wells G, et al. AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. *BMJ* 2017;358:j4008.
 - 106 Flynn R, Walton S, Scott SD. Engaging children and families in pediatric health research: a Scoping review. *Res Involv Engagem* 2019;5:32.
 - 107 Faithfull S, Brophy L, Pennell K, et al. Barriers and enablers to meaningful youth participation in mental health research: qualitative interviews with youth mental health researchers. *J Ment Health* 2019;28:56–63.
 - 108 Postma L, Luchtenberg ML, Verhagen AAE, et al. The attitudes of healthy children and researchers towards the challenges of involving children in research: an exploratory study. *Res Involv Engagem* 2021;7:30.
 - 109 Chan W, Thurairajah P, Butcher N, et al. Guidance on development and operation of young persons' advisory groups. *Arch Dis Child* 2020;105:875–80.