Corrigendum

Quantity and species of fish consumed shape breast-milk fatty acid concentrations around Lake Victoria, Kenya

Kathryn J Fiorella, Erin M Milner, Elizabeth Bukusi and Lia CH Fernald

First published online 6 March 2018

First published online - 27 November 2017

DOI: https://doi.org/10.1017/S1368980017003147

Original text and correction:

Kathryn J Fiorella (a1) (a2), Erin M Milner (a3), Elizabeth Bukusi (a4) and Lia CH Fernald (a3)

- (a1) Atkinson Center for a Sustainable Future, Cornell University, 340J Warren Hall, Ithaca, NY 14853, USA
- (a2) Environmental Science, Policy & Management, University of California-Berkeley, Berkeley, CA, USA
- (a3) School of Public Health, University of California-Berkeley, Berkeley, CA, USA
- (a4) Centre for Microbiology Research, Kenya Medical Research Institute, Kisumu, Kenya

Correction:

Kathryn J Fiorella (a1) (a2) (a3), Erin M Milner (a4), Elizabeth Bukusi (a5) and Lia CH Fernald (a4)

- (a1) Master of Public Health Program, Population Medicine & Diagnostic Sciences, College of Veterinary Medicine, Cornell University, Shurman Hall, Ithaca, NY 14853, USA
- (a2) Atkinson Center for a Sustainable Future, Cornell University, 340J Warren Hall, Ithaca, NY 14853, USA
- (a3) Environmental Science, Policy & Management, University of California-Berkeley, Berkeley, CA, USA
- (a4) School of Public Health, University of California-Berkeley, Berkeley, CA, USA
- (a5) Centre for Microbiology Research, Kenya Medical Research Institute, Kisumu, Kenya