



Erratum to “Development and evaluation of a 3d printed training model for endoscopic third ventriculostomy in low-income countries” [Brain and Spine 3 (2023) 101736]



Pablo González-López^{a,*}, Cristina Gómez-Revuelta^a, Martin Puchol Rizo^a, Iván Verdú Martínez^a, Jaime Fernández Villa de Rey Salgado^a, Jesús Lafuente^b, Eduardo Fernández-Jover^{c,d}, Víctor Fernández-Cornejo^a, Juan Nieto-Navarro^a

^a Department of Neurosurgery, Alicante General University Hospital, Alicante Institute of Health and Biomedical Research (ISABIAL), Avda. Pintor Baeza Sn, 03010, Alicante, Spain

^b Department of Neurosurgery, Hospital Universitario del Mar, Pg. Marítim de la Barceloneta, 25, 29, 08003, Barcelona, Spain

^c Instituto de Bioingeniería, Univ. Miguel Hernández, Av. de la Universidad S/n, E-03202, Elche, Spain

^d CIBER-BBN, Spain

The publisher regrets that the author's Declaration of Informed consent was omitted from the original publication. The Declaration is stated herein, and the original article has been updated to include the statement.

Declaration of informed consent

The authors declare that all individuals appearing on Figure 3 gave their consent to appear in this manuscript.

The publisher would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.bas.2023.101736>.

* Corresponding author.

E-mail address: gonzalez_pab@gva.es (P. González-López).

<https://doi.org/10.1016/j.bas.2023.101773>

Available online xxxx

2772-5294/© 2023 The Author(s). Published by Elsevier B.V. on behalf of EUROSPINE, the Spine Society of Europe, EANS, the European Association of Neurosurgical Societies. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).