



Editorial

Vegetarians: Past, Present, and Future Regarding Their Diet Quality and Nutritional Status

Fanny Petermann-Rocha ^{1,2,*}  and Frederick K. Ho ³ 

¹ Centro de Investigación Biomédica, Facultad de Medicina, Universidad Diego Portales, Santiago 8370068, Chile

² School of Cardiovascular and Metabolic Health, University of Glasgow, Glasgow G12 8TA, UK

³ School of Health and Wellbeing, University of Glasgow, Glasgow G12 8TB, UK; frederick.ho@glasgow.ac.uk

* Correspondence: fanny.petermann@udp.cl or fanny.petermann@glasgow.ac.uk

The term “vegetarian” usually refers to individuals who exclude meat, fish, poultry and/or their derived products from their diet. However, the label is used loosely, and different types of vegetarians exist. For instance, ovo-lacto-vegetarians (commonly referred as vegetarians) exclude meat, fish and their respective subproducts from their diet but eat milk and eggs, while vegans restrict all types of animal products, including milk, eggs, or any food product tested on animals. Pescatarians (vegetarians who eat fish), ovo-, or lacto-vegetarians are also types of vegetarianism that exist among the abovementioned groups. Irrespective of these types, vegetarian diets are often considered healthier alternatives to traditional diets as they do not contain meat and meat products. However, it should be noted that health benefits are not the sole reason people choose vegetarian diets. Other reasons include moral values, eating disorders, social interactions, personal identity, religious beliefs, cultural practices, and considerations of planetary health [1,2]. Given the variations and the multitude of underlying reasons, it is clear that vegetarian diets are heterogeneous and should not be defined based on the consumption of any type of meat.

Even though vegetarianism is proving increasingly popular among different age groups and populations across the globe, the concept is not new. In fact, one of the first available manuscripts regarding this topic was published in 1952 [3]. Around this time, researchers were particularly interested in “pure vegetarians”, considering the arteriosclerosis benefits of avoiding meat, eggs, and dairy products [4]. One of the first investigated populations was monks who followed ovo-lacto vegetarian diets due to their traditions. From this first investigation, it became evident that these individuals did not have weight or height deficits; in fact, they had a normal nutritional status [5,6]. For this reason, some previous studies associated the selection of “healthy foods” with vegetarians, likely due to the knowledge or awareness of how these diets benefit human health [7]. Nonetheless, since these first studies on monks, it became clearer that even when vegetarian diets could sufficiently provide most nutrients, they were also characterised by lower intakes of vitamin B12, calcium and omega-3, as well as iron, magnesium and zinc in some cases [5,8,9]. Vitamin B12, calcium, iron and omega-3 deficits are directly attributed to the lack of food rich in these nutrients. On the other hand, mineral deficiency is associated with a higher dietary fibre intake that can reduce the absorption and bioavailability of some minerals such as zinc, calcium, and iron [10,11].

Despite the lower level in several nutrients, adopting a vegetarian diet also offers various potential health advantages, such as reductions in blood pressure levels, triglycerides, cholesterol, glucose, and inflammatory markers [12–14]. Almost three decades ago, researchers proposed that vegetarians were less likely to be obese or develop some chronic conditions such as type 2 diabetes, hypertension, or cancer than those who followed traditional diets [15]. Moreover, since the 1990s, it has been highlighted that an adequate vegetarian diet can be beneficial for older adults if it is carefully planned to avoid nutrient



Citation: Petermann-Rocha, F.; Ho, F.K. Vegetarians: Past, Present, and Future Regarding Their Diet Quality and Nutritional Status. *Nutrients* **2023**, *15*, 3587. <https://doi.org/10.3390/nu15163587>

Received: 2 August 2023

Accepted: 11 August 2023

Published: 16 August 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

deficiency [16,17]. However, these health benefits may vary according to the overall diet quality among vegetarians, which might be heterogeneous, as are their effects on nutritional status and health.

Since 2013, the role of vegetarian diets has been widely investigated in different epidemiological studies, which highlight that the risk of obesity, diabetes, cardiovascular disease, and cancer is lower in vegetarians than in non-vegetarians [18–24]. Clinical trials have shown that prescribing a vegetarian diet may reduce body weight [22,23]. Specifically, a meta-analysis highlighted that a vegetarian diet was associated with a mean weight change of 4.6 kg in a complete analysis [22]. Using data from the EPIC-Oxford study, researchers highlighted that vegetarians had lower body mass index (BMI), obesity, lower systolic blood pressure and hypertension than meat eaters. These differences were more significant in vegans than in lacto-ovo vegetarians. They also showed a lower risk of ischemic heart disease (risk ratio (RR): 0.68 [95% CI: 0.58 to 0.81]) and cancer at specific sites compared to meat eaters (for instance, RR_{stomach} : 0.37 [95% CI: 0.10 to 0.69]; RR_{bladder} : 0.62 [95% CI: 0.49 to 0.84]) [20]. A prospective UK study identified that vegetarians had a 32% (95% CI: 0.58, 0.81) lower risk of ischemic heart disease, as well as lower BMI and non-HDL concentrations [24]. Regarding lipid profiles, previous systematic reviews and meta-analyses also corroborated that, vegetarians may have lower plasma homocysteine and triacylglycerol concentrations compared with meat eaters [25,26]. The Seventh Day Adventists have also been extensively investigated since, due to their religion, they follow a vegetarian diet. Several studies have associated following this type of diet (either vegan, lacto-ovo or even semi-vegetarian) with a reduced risk of diabetes [12], all cancers combined [20], cardiovascular disease [20] and all-cause mortality [27]. Conversely, a study from the UK highlighted that pescatarians might have a lower risk of cardiovascular disease than vegetarians, likely because fish is an essential source of PUFA (mainly n-3), vitamin D and selenium, which are cardioprotective nutrients [18].

However, research findings are inconsistent, partly due to the different definitions of vegetarians [28]. On the one hand, the classic dichotomic classification of a vegetarian is an individual who does not eat meat (including chicken and fish). On the other hand, a plant-based diet is associated with several benefits [29] and is frequently synonymous with vegetarianism. Well-planned vegetarian or vegan diets can supply all nutrients required for a balanced lifestyle. However, even if people do not eat meat or its subproducts, they can still consume a large amount of unhealthy foods. For instance, in an Asian Indian cohort, Borude S. identified that vegetarian patterns are associated with a higher incidence of morbid obesity and increased the risk of undergoing bariatric surgery [30]. The author showed that Indian vegetarians are more likely to eat butter, ghee, snacks, and honey since they follow this type of diet, not due to health awareness but due to cultural traditions [30]. Moreover, Gehring et al. showed that both ovo-lacto-vegetarian and vegan diets are associated with a higher consumption of ultra-processed food. In fact, ultra-processed foods account for around 37.0% and 39.5% of the total energy intake of ovo-lacto-vegetarians and vegans, respectively [31]. Plant-based sausages or hamburgers can also contain high salt concentrations and levels of saturated fat.

Considering that the number of vegetarians has risen in the last few years, the food industry has also found a new economic opportunity. While vegetarian food was limited to specific or local stores in the past, today, several vegetarian brands and restaurants have changed their products for their target audience. One product that has gained popularity among vegetarians is cheese. According to a recent study published by Docherty and Jasper, vegetarians include cheese in many meals as a flavour enhancer in the absence of meat [32]. In this context, the healthy benefits associated with a vegetarian diet may be attributable to those who adhere to a plant-based diet, since individuals with unhealthy diet patterns also tend to have worse lifestyles overall [33].

Moreover, it is important to acknowledge the different nutritional qualities among vegetarian diets. For instance, Clarys et al. highlighted that vegans tended to have lower energy, protein, saturated fat, calcium intake, and higher dietary fibre intake than an omniv-

orous diet [34]. Hence, vegetarians may be at risk of inadequacy of vitamins and minerals that are essential to maintain an equilibrium in different body systems like bone [35,36] and blood health (anaemia [37,38]), homocysteine levels [39], sperm quality [40], mental health (associated with a higher depression risk [41]) and oral health (may have greater dental risk erosion [42]) as has been already highlighted [39,43].

Given the heightened awareness of the environmental impact of meat, it is likely that the number of vegetarians will continue to rise. However, a recent study showed that vegan diets were not necessarily associated with lower environmental footprints than ovo-lacto-vegetarian diets [44]. As summarised from the literature, adherence to a well-planned vegetarian diet with the characteristics of a plant-based diet may confer great overall health benefits. However, there remains concern regarding the limitations of vegetarian diets; they can be low in critical nutrients that play an essential role in human health. Since a vegetarian diet is not necessarily synonymous with a healthy diet, precautions must be taken when choosing a vegetarian diet, which must be carefully managed. Therefore, future studies are required for a better classification of vegetarianism, considering their consumption of other foods, such as ultra processed foods.

All of the abovementioned aspects spark the following questions: Are vegetarians a homogeneous group? How do the nutritional status and diet quality of vegetarians compare to those of omnivores? Are there variations among different types of vegetarians? Do vegetarians have better well-being compared with people who have other types of diets? We hope these and other important questions can be answered in this Special Issue, which includes manuscripts focusing on nutrition, diet quality, dietary patterns, and/or well-being in observational and experimental studies carried out for all age groups. Ultimately, we hope the content will be useful for clinical practitioners and inspire further innovative research.

Author Contributions: Conceptualisation: F.P.-R.; writing—original draft preparation: F.P.-R.; writing—review and editing: F.K.H. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Rosenfeld, D.L. The psychology of vegetarianism: Recent advances and future directions. *Appetite* **2018**, *131*, 125–138. [[CrossRef](#)]
2. Rosenfeld, D.L.; Burrow, A.L. Vegetarian on purpose: Understanding the motivations of plant-based dieters. *Appetite* **2017**, *116*, 456–463. [[CrossRef](#)] [[PubMed](#)]
3. Olshausen, W. Is the vegetarian diet natural? *Hippocrates* **1952**, *23*, 19–21. [[PubMed](#)]
4. Lee, K.T.; Kim, D.N.; Han, Y.S.; Goodale, F. Geographic Studies of Arteriosclerosis. *Arch. Environ. Health Int. J.* **1962**, *4*, 4–10. [[CrossRef](#)]
5. Harland, B.F.; Peterson, M. Nutritional status of lacto-ovo vegetarian Trappist monks. *J. Am. Diet. Assoc.* **1978**, *72*, 259–264. [[CrossRef](#)]
6. Rosell, M.; Appleby, P.; Key, T. Height, age at menarche, body weight and body mass index in life-long vegetarians. *Public Health Nutr.* **2005**, *8*, 870–875. [[CrossRef](#)]
7. Shickle, D.; Lewis, P.A.; Charny, M.; Farrow, S. Differences in health, knowledge and attitudes between vegetarians and meat eaters in a random population sample. *J. R. Soc. Med.* **1989**, *82*, 18–20. [[CrossRef](#)]
8. Craig, W.J. Health effects of vegan diets. *Am. J. Clin. Nutr.* **2009**, *89*, 1627s–1633s. [[CrossRef](#)]
9. Krajcovicová-Kudláčková, M.; Bucková, K.; Klimes, I.; Seboková, E. Iodine deficiency in vegetarians and vegans. *Ann. Nutr. Metab.* **2003**, *47*, 183–185. [[CrossRef](#)]
10. Foster, M.; Karra, M.; Picone, T.; Chu, A.; Hancock, D.P.; Petocz, P.; Samman, S. Dietary fiber intake increases the risk of zinc deficiency in healthy and diabetic women. *Biol. Trace Elem. Res.* **2012**, *149*, 135–142. [[CrossRef](#)]
11. Coudray, C.; Demigné, C.; Rayssiguier, Y. Effects of dietary fibers on magnesium absorption in animals and humans. *J. Nutr.* **2003**, *133*, 1–4. [[CrossRef](#)]
12. Tonstad, S.; Stewart, K.; Oda, K.; Batech, M.; Herring, R.P.; Fraser, G.E. Vegetarian diets and incidence of diabetes in the Adventist Health Study-2. *Nutr. Metab. Cardiovasc. Dis.* **2013**, *23*, 292–299. [[CrossRef](#)] [[PubMed](#)]
13. Key, T.J.; Appleby, P.N.; Spencer, E.A.; Travis, R.C.; Roddam, A.W.; Allen, N.E. Mortality in British vegetarians: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC-Oxford). *Am. J. Clin. Nutr.* **2009**, *89*, 1613s–1619s. [[CrossRef](#)]

14. Sanjoaquin, M.A.; Appleby, P.N.; Thorogood, M.; Mann, J.I.; Key, T.J. Nutrition, lifestyle and colorectal cancer incidence: A prospective investigation of 10998 vegetarians and non-vegetarians in the United Kingdom. *Br. J. Cancer* **2004**, *90*, 118–121. [[CrossRef](#)]
15. Dwyer, J.T. Health aspects of vegetarian diets. *Am. J. Clin. Nutr.* **1988**, *48*, 712–738. [[CrossRef](#)]
16. Löwik, M.R.; Schrijver, J.; Odink, J.; van den Berg, H.; Wedel, M. Long-term effects of a vegetarian diet on the nutritional status of elderly people (Dutch Nutrition Surveillance System). *J. Am. Coll. Nutr.* **1990**, *9*, 600–609. [[CrossRef](#)] [[PubMed](#)]
17. Brants, H.A.; Löwik, M.R.; Westenbrink, S.; Hulshof, K.F.; Kistemaker, C. Adequacy of a vegetarian diet at old age (Dutch Nutrition Surveillance System). *J. Am. Coll. Nutr.* **1990**, *9*, 292–302. [[CrossRef](#)] [[PubMed](#)]
18. Petermann-Rocha, F.; Parra-Soto, S.; Gray, S.; Anderson, J.; Welsh, P.; Gill, J.; Sattar, N.; Ho, F.K.; Celis-Morales, C.; Pell, J.P. Vegetarians, fish, poultry, and meat-eaters: Who has higher risk of cardiovascular disease incidence and mortality? A prospective study from UK Biobank. *Eur. Heart J.* **2021**, *42*, 1136–1143. [[CrossRef](#)] [[PubMed](#)]
19. Appleby, P.N.; Key, T.J. The long-term health of vegetarians and vegans. *Proc. Nutr. Soc.* **2016**, *75*, 287–293. [[CrossRef](#)]
20. Orlich, M.J.; Chiu, T.H.T.; Dhillion, P.K.; Key, T.J.; Fraser, G.E.; Shridhar, K.; Agrawal, S.; Kinra, S. Vegetarian Epidemiology: Review and Discussion of Findings from Geographically Diverse Cohorts. *Adv. Nutr.* **2019**, *10*, S284–S295. [[CrossRef](#)]
21. Oussalah, A.; Levy, J.; Berthezène, C.; Alpers, D.H.; Guéant, J.L. Health outcomes associated with vegetarian diets: An umbrella review of systematic reviews and meta-analyses. *Clin. Nutr.* **2020**, *39*, 3283–3307. [[CrossRef](#)]
22. Barnard, N.D.; Levin, S.M.; Yokoyama, Y. A systematic review and meta-analysis of changes in body weight in clinical trials of vegetarian diets. *J. Acad. Nutr. Diet.* **2015**, *115*, 954–969. [[CrossRef](#)]
23. Huang, R.-Y.; Huang, C.-C.; Hu, F.B.; Chavarro, J.E. Vegetarian Diets and Weight Reduction: A Meta-Analysis of Randomized Controlled Trials. *J. Gen. Intern. Med.* **2016**, *31*, 109–116. [[CrossRef](#)]
24. Crowe, F.L.; Appleby, P.N.; Travis, R.C.; Key, T.J. Risk of hospitalisation or death from ischemic heart disease among British vegetarians and nonvegetarians: Results from the EPIC-Oxford cohort study. *Am. J. Clin. Nutr.* **2013**, *97*, 597–603. [[CrossRef](#)]
25. Zhang, Z.; Ma, G.; Chen, S.; Li, Z.; Xia, E.; Sun, Y.; Yang, F.; Zheng, L.; Feng, X. Comparison of plasma triacylglycerol levels in vegetarians and omnivores: A meta-analysis. *Nutrition* **2013**, *29*, 426–430. [[CrossRef](#)]
26. Obersby, D.; Chappell, D.C.; Dunnett, A.; Tsiami, A.A. Plasma total homocysteine status of vegetarians compared with omnivores: A systematic review and meta-analysis. *Br. J. Nutr.* **2013**, *109*, 785–794. [[CrossRef](#)]
27. Orlich, M.J.; Singh, P.N.; Sabaté, J.; Jaceldo-Siegl, K.; Fan, J.; Knutsen, S.; Beeson, W.L.; Fraser, G.E. Vegetarian dietary patterns and mortality in Adventist Health Study 2. *JAMA Intern. Med.* **2013**, *173*, 1230–1238. [[CrossRef](#)]
28. Lu, J.W.; Yu, L.H.; Tu, Y.K.; Cheng, H.Y.; Chen, L.Y.; Loh, C.H.; Chen, T.L. Risk of Incident Stroke among Vegetarians Compared to Nonvegetarians: A Systematic Review and Meta-Analysis of Prospective Cohort Studies. *Nutrients* **2021**, *13*, 3019. [[CrossRef](#)]
29. Kahleova, H.; Levin, S.; Barnard, N.D. Vegetarian Dietary Patterns and Cardiovascular Disease. *Prog. Cardiovasc. Dis.* **2018**, *61*, 54–61. [[CrossRef](#)]
30. Borude, S. Which Is a Good Diet-Veg or Non-veg? Faith-Based Vegetarianism for Protection From Obesity—a Myth or Actuality? *Obes. Surg.* **2019**, *29*, 1276–1280. [[CrossRef](#)]
31. Gehring, J.; Touvier, M.; Baudry, J.; Julia, C.; Buscail, C.; Srouf, B.; Hercberg, S.; Péneau, S.; Kesse-Guyot, E.; Allès, B. Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. *J. Nutr.* **2021**, *151*, 120–131. [[CrossRef](#)] [[PubMed](#)]
32. Docherty, D.; Jasper, C. The cheese paradox: How do vegetarians justify consuming non-meat animal products? *Appetite* **2023**, *188*, 106976. [[CrossRef](#)] [[PubMed](#)]
33. Petermann-Rocha, F.; Celis-Morales, C.; Pell, J.P.; Ho, F.K. Do all vegetarians have a lower cardiovascular risk? A prospective study. *Clin. Nutr.* **2023**, *42*, 269–276. [[CrossRef](#)] [[PubMed](#)]
34. Clarys, P.; Deliëns, T.; Huybrechts, I.; Deriemaeker, P.; Vanaelst, B.; De Keyser, W.; Hebbelinck, M.; Mullie, P. Comparison of nutritional quality of the vegan, vegetarian, semi-vegetarian, pesco-vegetarian and omnivorous diet. *Nutrients* **2014**, *6*, 1318–1332. [[CrossRef](#)]
35. Iguacel, I.; Miguel-Berges, M.L.; Gómez-Bruton, A.; Moreno, L.A.; Julián, C. Veganism, vegetarianism, bone mineral density, and fracture risk: A systematic review and meta-analysis. *Nutr. Rev.* **2019**, *77*, 1–18. [[CrossRef](#)]
36. Tucker, K.L. Vegetarian diets and bone status. *Am. J. Clin. Nutr.* **2014**, *100* (Suppl. S1), 329s–335s. [[CrossRef](#)]
37. Eveleigh, E.R.; Coneyworth, L.; Welham, S.J.M. Systematic review and meta-analysis of iodine nutrition in modern vegan and vegetarian diets. *Br. J. Nutr.* **2023**, 1–15. [[CrossRef](#)]
38. Chai, Z.F.; Gan, W.Y.; Chin, Y.S.; Ching, Y.K.; Appukutty, M. Factors associated with anemia among female adult vegetarians in Malaysia. *Nutr. Res. Pract.* **2019**, *13*, 23–31. [[CrossRef](#)]
39. Elorinne, A.L.; Alfthan, G.; Erlund, I.; Kivimäki, H.; Paju, A.; Salminen, I.; Turpeinen, U.; Voutilainen, S.; Laakso, J. Food and Nutrient Intake and Nutritional Status of Finnish Vegans and Non-Vegetarians. *PLoS ONE* **2016**, *11*, e0148235. [[CrossRef](#)]
40. Orzylowska, E.M.; Jacobson, J.D.; Bareh, G.M.; Ko, E.Y.; Corselli, J.U.; Chan, P.J. Food intake diet and sperm characteristics in a blue zone: A Loma Linda Study. *Eur. J. Obstet. Gynecol. Reprod. Biol.* **2016**, *203*, 112–115. [[CrossRef](#)]
41. Iguacel, I.; Huybrechts, I.; Moreno, L.A.; Michels, N. Vegetarianism and veganism compared with mental health and cognitive outcomes: A systematic review and meta-analysis. *Nutr. Rev.* **2021**, *79*, 361–381. [[CrossRef](#)] [[PubMed](#)]
42. Smits, K.P.J.; Listl, S.; Jevdjevic, M. Vegetarian diet and its possible influence on dental health: A systematic literature review. *Community Dent. Oral Epidemiol.* **2020**, *48*, 7–13. [[CrossRef](#)]

43. Farmer, B. Nutritional adequacy of plant-based diets for weight management: Observations from the NHANES. *Am. J. Clin. Nutr.* **2014**, *100* (Suppl. S1), 365s–368s. [[CrossRef](#)] [[PubMed](#)]
44. Rosi, A.; Mena, P.; Pellegrini, N.; Turrone, S.; Neviani, E.; Ferrocino, I.; Di Cagno, R.; Ruini, L.; Ciati, R.; Angelino, D.; et al. Environmental impact of omnivorous, ovo-lacto-vegetarian, and vegan diet. *Sci. Rep.* **2017**, *7*, 6105. [[CrossRef](#)] [[PubMed](#)]

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.