



Publisher Correction: Cryo-EM structure of a RAS/RAF recruitment complex

Correction to: *Nature Communications*
<https://doi.org/10.1038/s41467-023-40299-6>,
published online 29 July 2023

<https://doi.org/10.1038/s41467-023-41365-9>

Published online: 07 September 2023

 Check for updates

Eunyoung Park, Shaun Rawson , Anna Schmoker , Byeong-Won Kim ,
Sehee Oh, Kangkang Song, Hyesung Jeon  & Michael J. Eck 

The original version of this Article contained errors in Table 1. The correct version of the final row of the 2nd column states ' 127.3 ± 77.2 ' instead of the original, incorrect ' ± 77.2 '. The correct version of the final column of the 2nd row states ' 21.2 (ref. 24) 356 (ref. 17)' instead of the original, incorrect ' 21.2 (ref. 24, 356 (ref. 17)'; the correct version of the final column of the 3rd row states ' 190.5 (ref. 24) 152 (ref. 17)' instead of the original, incorrect ' 190.5 (ref. 24, 152 (ref. 17)'. This has been corrected in both the PDF and HTML versions of the Article.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2023