

Neth Heart J (2023) 31:412
<https://doi.org/10.1007/s12471-023-01808-w>



Publisher Correction to: Changing haemodynamic status of patients referred for transcatheter aortic valve intervention during the COVID-19 pandemic

Joris F. Ooms · Thijmen W. Hokken · Rik Adrichem · Dilay Gunes · Marjo de Ronde-Tillmans · Isabella Kardys · Jeannette Goudzwaard · Francesco Mattace-Raso · Rutger-Jan Nuis · Joost Daemen · Nicolas M. Van Mieghem

Published online: 4 September 2023
 © The Author(s) 2023




Fig. 2 Transition time and length of hospital stay in pre-COVID versus COVID era groups. Bars represent interquartile range with left and right margins corresponding to the 25th and 75th percentile, respectively. The black line within each bar

signifies the group median. Transition time is defined as time between heart team decision and transcatheter aortic valve implantation

Correction to: Neth Heart J 2023

<https://doi.org/10.1007/s12471-023-01795-y>

Figure 2 was inadvertently missing from this article; the figure should have appeared as shown below. The

caption to Fig. 2 was inadvertently published below the infographic.

The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

The online version of the original article can be found under <https://doi.org/10.1007/s12471-023-01795-y>

J. F. Ooms · T. W. Hokken · R. Adrichem · D. Gunes · M. de Ronde-Tillmans · I. Kardys · R.-J. Nuis · J. Daemen · N. M. Van Mieghem (✉)

Department of Interventional Cardiology, Thoraxcenter, Erasmus University Medical Centre, Rotterdam, The Netherlands
 n.vanmieghem@erasmusmc.nl

J. Goudzwaard · F. Mattace-Raso
 Department of Internal Medicine, Section of Geriatrics, Erasmus University Medical Centre, Rotterdam, The Netherlands

