

| Erratum

Erratum for Humphries et al., “CLSI Methods Development and Standardization Working Group Best Practices for Evaluation of Antimicrobial Susceptibility Tests”

Romney M. Humphries, Jane Ambler, Stephanie L. Mitchell, Mariana Castanheira, Tanis Dingle, Janet A. Hindler, Laura Koeth, Katherine Sei, on behalf of the CLSI Methods Development and Standardization Working Group of the Subcommittee on Antimicrobial Susceptibility Testing

Volume 56, no. 4, e01934-17, 2018, <https://doi.org/10.1128/jcm.01934-17>. In Tables S2 and S3 in the supplemental material, the mE and VME heads were transposed. The correct tables are given in the revised supplemental file in this erratum.

AUTHOR ORCID^s

Romney M. Humphries  <http://orcid.org/0000-0002-6568-156X>

ADDITIONAL FILES

The following material is available [online](#).

Supplemental Material

Revised Supplemental Material (JCM00739-23-S0001.pdf). Tables S1 to S4.

Address correspondence to Romney M. Humphries, romney.humphries@vumc.org.

The authors declare no conflict of interest.

See the original article at <https://doi.org/10.1128/JCM01934-17>.

Published 21 September 2023

Copyright © 2023 American Society for Microbiology. [All Rights Reserved](#).