CORRECTION

Open Access

Correction: Potential use of optical coherence tomography in oral potentially malignant disorders: in-vivo case series study

Alessio Gambino[1*], Eugenio Martina[1], Vera Panzarella[2], Tiziana Ruggiero[1], Giorgia El Haddad[1], Roberto Broccoletti[1] and Paolo G. Arduino[1]

Correction: BMC Oral Health (2023) 23:540
https://doi.org/10.1186/s12903-023-03263-w

In this article [1], the wrong figure appeared as Fig. 6; the correct Fig. 6 should have appeared as shown below. Also, the TRN was included in the article in error and has been removed from the original article.

The original article has been corrected.

---

*Correspondence:
Alessio Gambino
alessio.gambino@unito.it
[1]Department of Surgical Sciences, CIR Dental School, University of Turin, Via Nizzan. 230, 10123 Turin, Italy
[2]Department of Surgical, Oncological and Oral Sciences, University of Palermo, Palermo, Italy

Gambino *et al. BMC Oral Health*   (2023) 23:839

Page 2 of 2

Fig. 6 **a** Healthy OCT scan of tongue border surface. **b** White lesion OCT scan of tongue border surface. **c** Clinical image of white lesion compatible with leukoplakia of tongue border surface

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

References

1. Gambino A, Martina E, Panzarella V, et al. Potential use of optical coherence tomography in oral potentially malignant disorders: in-vivo case series study. BMC Oral Health 2023;23:540. https://doi.org/10.1186/s12903-023-03263-w.