

- 15 Tolosa E, Montserrat L, Bayes A. Blink reflex studies in focal dystonias: enhanced excitability of brainstem interneurons in cranial dystonia and spasmodic torticollis. *Mov Disord* 1988;3:61-9.
- 16 Berardelli A, Rothwell JC, Day BL, Marsden CD. Pathophysiology of blepharospasm and oromandibular dystonia. *Brain* 1985;108:593-608.
- 17 Pauletti G, Berardelli A, Crucu G, Agostino R, Manfredi M. Blink reflex and the masseter inhibitory reflex in patients with dystonia. *Mov Disord* 1993;8:495-500.
- 18 Cohen LG, Hallett M, Warden M, Dambrosia J. Excitability of blink reflexes in patients with blepharospasm after successful treatment with botulinum toxin. *Ann Neurol* 1987;22:172.
- 19 Aramideh M, Ongerboer de Visser BW, Devriese PP, Bour LJ, Speelman JD. Electromyographic features of levator palpebrae superioris and orbicularis oculi muscles in blepharospasm. *Brain* 1994;117:27-38.
- 20 Aramideh M, Ongerboer de Visser BW, Koelman JHTM, Bour LJ, Devriese PP, Speelman JD. Clinical and electromyographic features of levator palpebrae superioris muscle dysfunction in involuntary eyelid closure. *Mov Disord* 1994;9:395-402.
- 21 Lepore FE, Duvoisin RC. Apraxia of eyelid opening: an involuntary levator inhibition. *Neurology* 1985;35:423-7.
- 22 Lepore FE. So-called apraxias of lid movement. *Adv Neurol* 1988;49:85-90.
- 23 Goldstein JE, Cogan DG. Apraxia of lid opening. *Arch Ophthalmol* 1965;73:155-9.
- 24 Shahani B. Effects of sleep on human reflexes with a double component. *J Neurol Neurosurg Psychiatry* 1968;31: 574-9.
- 25 Sunohara N, Tomi H, Satoyoshi E, Tachibana S. Glabella tap sign. Is it due to a lack of R2-habituation? *J Neurol Sci* 1985;70:257-67.
- 26 Basso MA, Strecker RE, Evinger C. Midbrain 6-hydroxydopamine lesions modulate blink reflex excitability. *Exp Brain Res* 1993;94:88-96.
- 27 Darian-Smith I. Presynaptic component in the afferent inhibition observed within trigeminal brain-stem nuclei of the cat. *J Neurophysiol* 1965;28:695-709.
- 28 Stewart DH Jr, Scibetta CJ, King RB. Presynaptic inhibition in the trigeminal relay nuclei. *J Neurophysiol* 1967;30:135-53.
- 29 Willer JC, Boult P, Bratzlavsky M. Electrophysiological evidence for crossed oligosynaptic trigemino-facial connections in normal man. *J Neurol Neurosurg Psychiatry* 1984;47:87-90.
- 30 Kimura J, Wilkinson JT, Damasio H, Adams HR, Shivapour E, Yamada T. Blink reflex in patients with hemispheric cerebrovascular accident (CVA). Blink reflex in CVA. *J Neurol Sci* 1985;67:15-28.
- 31 Berardelli A, Accornero N, Crucu G, Fabiano F, Guerrisi V, Manfredi M. The orbicularis oculi response after hemispherical damage. *J Neurol Neurosurg Psychiatry* 1983;46:837-43.
- 32 Evinger C, Basso MA, Manning KA, Sibony PA, Pellegrini JJ, Horn AKE. A role for the basal ganglia in nicotinic modulation of the blink reflex. *Exp Brain Res* 1993;92:507-15.
- 33 Agostino R, Berardelli A, Crucu G, Stocchi F, Manfredi M. The corneal and blink reflexes in Parkinson's disease with on-off fluctuations. *Mov Disord* 1987;4:227-35.
- 34 Esteban A, Gimenez-Roldan S. Blink reflex in Huntington's chorea and Parkinson's disease. *Acta Neurol Scand* 1975;52:145-57.
- 35 Agostino R, Berardelli A, Crucu G, Pauletti G, Stocchi F, Manfredi M. Correlation between facial involuntary movements and abnormalities of blink and corneal reflexes in Huntington's chorea. *Mov Disord* 1988;3:281-9.
- 36 Bollen E, Arts RJHM, Roos RAC, Van Der Velde EA, Buruma OJS. Brainstem reflexes and brainstem auditory evoked responses in Huntington's chorea. *J Neurol Neurosurg Psychiatry* 1986;49:313-5.
- 37 Valls-Sole J, Tolosa ES, Ribera G. Neurophysiological observations on the effect of botulinum toxin treatment in patients with dystonic blepharospasm. *J Neurol Neurosurg Psychiatry* 1991;54:310-3.
- 38 Monrad-Krohn GH. On facial dissociation. *Acta Psychiatrica et Neurologica* 1939;14:557-66.
- 39 Monrad-Krohn GH. On the dissociation of voluntary and emotional innervation in facial paresis of central origin. *Brain* 1924;47:22-35.
- 40 Siegel JM, Tomaszewski KS, Wheeler RL. Behavioral organization of reticular formation: studies in the unrestrained cat. II. Cells related to facial movements. *J Neurophysiol* 1983;3:717-23.
- 41 Siegel JM, Nienuis R, Wheeler RL, McGinty DJ, Harper RM. Discharge pattern of reticular formation unit pairs in walking and REM sleep. *Exp Neurol* 1981;74:875-91.
- 42 Aramideh M, Bour LJ, Koelman JHTM, Speelman JD, Ongerboer de Visser BW. Abnormal eye movements in blepharospasm and involuntary levator palpebrae inhibition: clinical and pathophysiological considerations. *Brain* 1994;117:1457-74.

Cervicogenic headache: an early description

Despite the controversies surrounding the clinical sources and pathological basis for cervicogenic headache, this term was used by, and often is attributed to Otto Sjaastad,^{1,2} although Barré and Riff had earlier described headache and vertigo, related to cervical arthritis, ascribed to stimulation of the vertebral nerve.³ However, an impressive, but little known description is found in the fourth of 18 lectures given between 1860 and 1862 on *Rest and Pain*, in John Hilton's classical text⁴:

"Suppose a person to complain of pain upon the scalp, is it not very essential to know whether that pain is expressed by the fifth nerve or by the great or small occipital? Thus pain in the anterior and lateral part of the head, which are supplied by the fifth nerve, would suggest that the cause must be some-

where in the area of distribution of the other portions of the fifth nerve. So if the pain be expressed, the cause must assuredly be connected with the great or small occipital nerve, and in all probability depends on disease of the spine between the first and second cervical vertebrae."

J M S PEARCE
305 Beverley Road,
Anlaby, Hull H10 7BG, UK

- 1 Sjaastad O. Headache and the influence of stress. A personal view. *Ann Clin Res* 1987;19:122-8.
- 2 Sjaastad O. Cervicogenic headache: the controversial headache. *Clin Neurol Neurosurg* 1992;94(suppl):S147-9.
- 3 Barré JA, Riff P. Le vertige qui fait entendre de Lermoyez: étude des fonctions vestibulaires à propos d'un cas typique; rôle possible de l'irritation du nerf vertébral par arthrite cervicale. *Revue Oto-neuro-ophthalmology* 1926; 4:498-501.
- 4 Hilton J. *Rest and pain*. Walls EW, Phillips EE, eds. London: Bell, 1950:77.