



Correction: The Usefulness of AirSeal™ Intelligent Flow System in Gas Insufflation Total Endoscopic Thyroidectomy

Hiroshi Katoh¹ · Yoshifumi Ikeda² · Yoshiyuki Saito³ · Mitsuo Yokota¹ · Mariko Kikuchi¹ · Norihiko Sengoku¹ · Kaoru Fujisaki¹ · Takafumi Sangai¹

Accepted: 12 July 2023 / Published online: 28 July 2023
© The Authors 2023

Correction to:

Indian J Otolaryngol Head Neck Surg 75(1):115–120
<https://doi.org/10.1007/s12070-022-03257-0>

The article “The Usefulness of AirSeal™ Intelligent Flow System in Gas Insufflation Total Endoscopic Thyroidectomy”, written by Hiroshi Katoh, Yoshifumi Ikeda, Yoshiyuki Saito, Mitsuo Yokota, Mariko Kikuchi, Norihiko Sengoku, Kaoru Fujisaki and Takafumi Sangai., was originally published Online First without Open Access. After publication in volume 75, issue 1, page 115–120 the author decided to opt for Open Choice and to make the article an Open Access publication. Therefore, the copyright of the article has been changed to © The Author(s) 2023 and the article is forthwith distributed under the terms of the Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons

licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0>.

Original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s12070-022-03257-0>.

✉ Hiroshi Katoh
hiroshik@med.kitasato-u.ac.jp

¹ Department of Breast and Endocrine Surgery, Kitasato University Hospital, 1-15-1 Kitasato, Minami-ku, Sagami-hara, Kanagawa 252-0374, Japan

² Department of Surgery, International University of Health and Welfare, Atami Hospital, Atami, Japan

³ Department of Surgery, Keio University School of Medicine, Tokyo, Japan