

## CORRECTION

# Correction: Understanding the Role of Growth Factors in Modulating Stem Cell Tenogenesis


Ana I. Gonçalves, Márcia T. Rodrigues, Sang-Jin Lee, Anthony Atala, James J. Yoo, Rui L. Reis, Manuela E. Gomes

Errors were made during the preparation of Fig 2 which resulted in the erroneous duplication of the following panels:

- hAFSC 14 days EGF (incorrect panel) and hAFSC 14 days TGF- $\beta$  (correct panel)
- hAFSC 21 days medium B (incorrect panel) and hAFSC 21 days TGF- $\beta$  (correct panel)
- hASC 21 days TGF- $\beta$  (correct panel) and hASC 28 days medium A (incorrect panel)

With this correction, the authors provide a corrected version of Fig 2 as well as the original underlying representative images for all panels (S1 File below). The authors stated that most of the underlying data for this article was deleted in accordance with institutional policy. However, parts of the data for Fig 1, Fig 3, S1 Fig, and S2 Fig were retained on personal backup storage and are available on reasonable request. The authors apologize for the errors in the published article.

In reviewing this matter, the *PLOS ONE* Editors noted a potential conflict of interest between the authors and the original Academic Editor who handled the peer review of this article. Consequently, this article was subject to post-publication re-review by an independent member of the *PLOS ONE* Editorial Board, who verified the article and its findings. The *PLOS ONE* Editors apologize that this conflict was not identified prior to the article's publication.




## OPEN ACCESS

**Citation:** Gonçalves AI, Rodrigues MT, Lee S-J, Atala A, Yoo JJ, Reis RL, et al. (2024) Correction: Understanding the Role of Growth Factors in Modulating Stem Cell Tenogenesis. *PLoS ONE* 19(5): e0303106. <https://doi.org/10.1371/journal.pone.0303106>

**Published:** May 1, 2024

**Copyright:** © 2024 Gonçalves et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



**Fig 2. Tenascin C immunolocalization in hAFSCs and hASCs cultured up to 28 days in different supplemented media.** DAPI (blue) and phalloidin-conjugate (red) stain cell nucleus and cytoskeleton, respectively. Tenascin C is stained in green and represents a tendon ECM protein. Scale bar represents 100 μm. Magnification: 200 x.

<https://doi.org/10.1371/journal.pone.0303106.g001>

## Supporting information

S1 File. [Fig 2](#) original underlying images.  
(ZIP)

## Reference

1. Gonçalves AI, Rodrigues MT, Lee S- J, Atala A, Yoo JJ, Reis RL, et al. (2013) Understanding the Role of Growth Factors in Modulating Stem Cell Tenogenesis. PLoS ONE 8(12): e83734. <https://doi.org/10.1371/journal.pone.0083734> PMID: 24386267