

Correction



Correction: Hale et al. Differential Expression Profiling Reveals Stress-Induced Cell Fate Divergence in Soybean Microspores. *Plants* 2020, *9*, 1510

Brett Hale ^{1,2,*}, Callie Phipps ², Naina Rao ², Asela Wijeratne ^{1,2} and Gregory C. Phillips ^{2,3,4}

- ¹ College of Science and Mathematics, Arkansas State University, Jonesboro, AR 72467-1080, USA; awijeratne@astate.edu
- ² Arkansas Biosciences Institute, Arkansas State University, Jonesboro, AR 72467-0639, USA; callie.phipps@smail.astate.edu (C.P.); naina.rao@outlook.com (N.R.); gphillips@astate.edu (G.C.P.)
- ³ College of Agriculture, Arkansas State University, Jonesboro, AR 72467-1080, USA
- ⁴ Agricultural Experiment Station, University of Arkansas System Division of Agriculture, Jonesboro, AR 72467-2340, USA
- * Correspondence: brett.hale@smail.astate.edu

In the original publication [1], there was a mistake in Figure 1 as published. Panels d and e were not soybean, but rather a second plant species that was being studied simultaneously. The corrected Figure 1 appears below.




Figure 1. In vitro development of temperature-stressed soybean microspores. (**a**–**c**) Microgametogenesis, denoted by cell enlargement and the presence of starch granules; (**d**–**f**) microspore embryogenesis in soybean. (**d**) Embryogenic microspore with evident cytoskeletal fibers fragmenting the cytoplasm; (**e**) rapidly dividing pro-embryo; (**f**) microspore-derived embryo with established polarity; (**g**,**h**) pollen mitosis 1 (**g**) and 2 (**h**) observed in noninduced microspores; (**i**–**k**) cytological markers associated with an embryogenic culture. (**i**) Symmetrical division during pollen mitosis 1 observed via DAPI staining; (**j**,**k**) secretion of intrinsic molecules from nonisodiametric cells into the induction medium, forming a matrix. VC = vegetative cell; GC = generative cell; SC = sperm cell; Sym = symmetrical mitotic division; Asym = asymmetrical mitotic division. (**a**–**c**) bars = 15 µm; (**d**) 5 µm; (**e**) 100 µm; (**f**) 1 mm; (**g**,**h**) 10 µm; (**i**,**j**) 15 µm; (**k**) 100 µm.



Citation: Hale, B.; Phipps, C.; Rao, N.; Wijeratne, A.; Phillips, G.C. Correction: Hale et al. Differential Expression Profiling Reveals Stress-Induced Cell Fate Divergence in Soybean Microspores. *Plants* 2020, *9*, 1510. *Plants* **2024**, *13*, 1881. https://doi.org/10.3390/ plants13131881

Received: 13 June 2024 Accepted: 19 June 2024 Published: 8 July 2024



Copyright: © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

Reference

1. Hale, B.; Phipps, C.; Rao, N.; Wijeratne, A.; Phillips, G.C. Differential expression profiling reveals stress-induced cell fate divergence in soybean microspores. *Plants* **2020**, *9*, 1510. [CrossRef] [PubMed]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.