Cureus Part of Springer Nature

Open Access Original Article

Review began 07/02/2024 Review ended 07/08/2024 Published 07/12/2024

© Copyright 2024

Kidd et al. This is an open access article distributed under the terms of the Creative Commons Attribution License CC-BY 4.0., which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

An Analysis of Trainee Salaries Offered in Nurse Practitioner and Physician Assistant/Associate Postgraduate Residency and Fellowship Programs in the United States

Vasco Deon Kidd¹, Jessica L. Horstmann², Shayanna Felder³, Kerry Bamrick³

1. Orthopedic Surgery, University of California Irvine School of Medicine, Irvine, USA 2. Community Health, Native American Community Clinic, Minneapolis, USA 3. Accreditation, Consortium for Advanced Practice Providers, Newport Beach, USA

Corresponding author: Vasco Deon Kidd, deon60@yahoo.com

Abstract

Background

Although there has been steady growth in the number of postgraduate nurse practitioner (NP) and physician assistant/associate (PA) residency and fellowship programs in the United States, little is known about annual salaries paid to trainees across a national sample of postgraduate programs and specialties. We describe postgraduate program NP and PA trainee salaries and the relationship to specific variables.

Methodology

An electronic survey was distributed via email to 336 postgraduate NP, PA, and joint NP/PA residency/fellowship programs between November 2023 and December 2023. Frequency tables (for categorical variables) and descriptive statistics (for continuous variables) were used to summarize the data. Chi-square tests of independence were used to determine the relationship between trainee salary and program type, geographical location, and clinical setting.

Results

There was a statistically significant association between trainee salary for primary care and clinical profession ($\chi^2(6) = 13.993$, p = 0.022). Over half of NP respondents (52.1%) reported that their trainees had an annual salary between \$76000 and \$86000. The majority of PA respondents (57.1%) reported that their trainees had an annual salary below \$75000. Respondents who were non-clinical professionals (50.0%) reported that their trainees had an annual salary of over \$86000. The single physician respondent also reported that their trainees 'had an annual salary of over \$86000. It appears that PA respondents were more likely to report lower trainee salaries than respondents who were NPs and non-clinical professionals. Additionally, respondents associated with primary care joint NP/PA cohorts were more likely to report higher trainee salaries than participants having NP-only cohorts. Lastly, there was a statistically significantly positive relationship between trainee salary and the number of postgraduate advanced practice provider (APP) trainees in psychiatric mental health ($\tau_b = 0.451$, p = 0.006).

Conclusion

To the best of our knowledge, this national study is the first of its kind to examine and summarize APP postgraduate trainee annual salaries across multiple specialties. Additional studies are needed to clarify the relationships between trainee salaries and other variables.

Categories: Family/General Practice, Epidemiology/Public Health, Medical Education **Keywords:** postgraduate np pa training, trainee stipend, trainee salaries, nurse practitioner, advanced practice registered nurse, physician associate, physician assistant, advanced practice providers, residency and internship, fellowship training

Introduction

Advanced practice provider (APP) postgraduate training programs, also known as fellowships and residencies, encompass nurse practitioners (NPs) and physician assistants/associates (PAs). Typically spanning 12 to 24 months in duration, these programs differ from traditional entry-level APP roles in that trainees complete a formalized training program comprised of didactic sessions, quality improvement initiatives, specialty rotations, and scholarly projects [1,2]. Postgraduate programs are either single-track or multi-specialty track and are structured as NP, PA, or joint NP/PA programs [3]. Moreover, while multiple optional accrediting pathways exist for postgraduate programs, the majority remain unaccredited [3,4]. Although the benefits of employing NPs and PAs in healthcare are well elucidated in the literature, there

How to cite this article

Kidd V, Horstmann J L, Felder S, et al. (July 12, 2024) An Analysis of Trainee Salaries Offered in Nurse Practitioner and Physician Assistant/Associate Postgraduate Residency and Fellowship Programs in the United States. Cureus 16(7): e64434. DOI 10.7759/cureus.64434

remains insufficient data regarding APP postgraduate training impacts on patient outcomes and efficiency of care [5-10].

The primary financing mechanism for APP postgraduate training programs is internal institutional revenue or, in some cases, a highly competitive, time-limited grant [10,11]. In addition, annual APP trainee salaries vary across postgraduate programs and there is no consistent guidance or publicly available data to help program directors navigate this complex landscape independently. The question of fair and competitive annual salary poses a significant challenge for postgraduate training programs which must balance competitive recruitment initiatives with improving program solvency and return on investment.

There are numerous factors that may impact postgraduate APP trainee salaries such as geography, as market rates vary by geographical cost of living index by state. Other factors include program composition, specialty or subspecialty focus, and clinical settings (academic medical centers, federally qualified health centers (FQHCs), hospital/multi-hospital settings, the Veteran's Affairs (VA) system, etc.). An evaluation of these factors related to APP trainee salaries has not been previously described in the literature.

In view of the multiple factors impacting annual trainee salaries, there is a need for foundational data to address research gaps and help inform decision-making on promulgating fair and equitable trainee salaries. The aims of our research were to summarize APP trainee salary data by program type, geographical location, clinical setting, and specialty track, and to explore any associations between annual trainee salary data and these four variables.

Materials And Methods

An electronic survey consisting of 27 items was developed by the research team. Before dissemination, the anonymous survey was piloted on a sample of postgraduate program attendees in July 2023 at the annual Consortium for Advanced Practice Providers conference in Washington, DC. Based on the feedback of the pilot group, the survey was finalized in October 2023. An email invitation with a link to a voluntary, anonymous, and online survey (Qualtrics Inc., Provo, UT, USA) was distributed to 336 active postgraduate programs. Specifically, we targeted program directors for the survey. For the purposes of this study, each individual specialty training track was considered a program, even if the training track was embedded within a larger program [3]. The email introduction to the survey contained all the necessary elements of written consent, and submission of the survey indicated the respondents' consent to participate. Confidentiality was maintained throughout the study. The study period was from November 20, 2023, through December 31, 2023. Multiple email reminders were sent out during the study period to improve participant engagement. This study received approval from the Institutional Review Board (IRB) of Community Health Center, Inc. (approval number: 1207).

Analysis methods

Data were imported into and analyzed using Statistical Package for the Social Sciences (IBM SPSS Statistics for Windows, IBM Corp., Version 23.0, Armonk, NY). Frequency tables (for categorical variables) and descriptive statistics (for continuous variables) were used to summarize the data. Chi-square tests of independence were used to determine the relationship between trainee salary and program type, geographical location, and clinical setting. The chi-square test of independence is a statistical hypothesis test used to determine whether two categorical variables are related [12]. When the expected value of a cell in the contingency table was less than 5, the p-value of the chi-square test was computed by the Monte Carlo method [13,14]. Kendall's tau-b correlation coefficients were used to determine if there was an association between trainee salary and the number of postgraduate APP trainees [15]. Kendall's tau-b is a nonparametric measure of the strength and direction of association that exists between two variables measured on an ordinal scale [16]. The analysis for the association between trainee salary and other variables was only performed for two specialties (Primary Care and Psychiatric Mental Health) after taking the restriction of sample size into consideration. According to Bujang and Baharum (2016), a sample size of at least 19 was needed to be able to detect a correlation coefficient of 0.6 (a medium effect size based on Cohen (1992) with an alpha of 0.05 and a power of 80%) [17,18]. For any tests, a p-value less than 0.05 indicated statistical significance.

Results

The overall response rate was 45% (151/336). Two respondents were excluded from data analysis because they skipped the majority of the survey questions. Table 1 shows the demographics of the respondents. Approximately two-thirds of the respondents (64.9%) were NPs. The majority of respondents were located in New York 10.5% (16/151), California 7.2% (11/151), and Washington 7.2% (11/151). When grouping the states into regions, about one-third of respondents (31.8%) were from the Northeast region. Academic Medical Center (34.4%), FQHC (27.8%), and U.S. Department of VA (17.3%) were the primary sponsoring organizations of the APP postgraduate training programs. Respondents indicated that nearly half of the postgraduate APP trainee cohorts (47.7%) were NPs.

Cureus Part of Springer Nature

| Participant Demographics | N (%) |
|--|-----------|
| Clinical profession | |
| Nurse Practitioner (NP) | 98 (64.9) |
| Physician Assistant/Associate (PA) | 41 (27.2) |
| Physician | 5 (3.3) |
| N/A: Non-clinical | 7 (4.6) |
| Region | |
| Midwest | 33 (21.9) |
| West | 39 (25.8) |
| Southeast | 17 (11.3) |
| Southwest | 14 (9.3) |
| Northeast | 48 (31.8) |
| Sponsoring organization of the APP postgraduate training program | |
| Academic Medical Center | 52 (34.4) |
| Federally Qualified Health Center (FQHC) | 42 (27.8) |
| U.S. Department of Veterans Affairs | 26 (17.2) |
| FQHC Look-a-like | 2 (1.3) |
| Hospital | 9 (6.0) |
| Multi-Hospital System | 9 (6.0) |
| Private Practice | 4 (2.6) |
| Other | 7 (4.6) |
| Composition of the postgraduate APP trainee cohort | |
| NP only | 72 (47.7) |
| PA only | 19 (12.6) |
| Joint NP/PA | 60 (39.7) |

TABLE 1: Demographics

The data has been represented as sample size (N) and percentage (%).

APP: advanced practice provider

Regarding the number of postgraduate trainees, 145 respondents disclosed information for 43 out of 59 specialty tracks. The average number of postgraduate APP trainees ranged from 1.00 to 6.00 (Table 2). It should be noted that specialty tracks with only one respondent were not represented in Table 2 to improve the visual representation of the data by specialty track.



| Specialty | Ν | м | SD | Min | Max |
|--|----|------|------|-----|-----|
| Acute Care | 10 | 4.50 | 2.84 | 1 | 10 |
| Adult-Gerontology/Internal Medicine | 7 | 4.43 | 3.51 | 1 | 11 |
| Cardiology | 4 | 1.50 | 0.58 | 1 | 2 |
| Cardiothoracic Surgery | 5 | 1.60 | 0.89 | 1 | 3 |
| Critical Care (Adult, Pediatrics, Surgery) | 12 | 2.50 | 1.24 | 1 | 5 |
| Emergency Medicine | 14 | 3.64 | 3.34 | 1 | 11 |
| General Surgery | 6 | 4.67 | 3.56 | 2 | 11 |
| Geriatric Medicine | 4 | 5.00 | 4.08 | 2 | 11 |
| Hematology and Oncology | 3 | 1.67 | 0.58 | 1 | 2 |
| Hospital Medicine/Hospitalist | 6 | 3.33 | 2.34 | 1 | 6 |
| Neonatal | 2 | 2.50 | 0.71 | 2 | 3 |
| Neonatal Critical Care | 3 | 1.67 | 0.58 | 1 | 2 |
| Neonatal Intensive Care | 4 | 1.74 | 0.96 | 1 | 3 |
| Neurology | 8 | 1.38 | 0.52 | 1 | 2 |
| Neurosurgery | 3 | 1.00 | 0 | NA | NA |
| Oncology | 4 | 4.25 | 4.57 | 1 | 11 |
| Organ Transplant | 3 | 1.00 | 0 | NA | NA |
| Orthopedics | 5 | 1.60 | 1.34 | 1 | 4 |
| Palliative | 4 | 1.25 | 0.50 | 1 | 2 |
| Pediatrics | 6 | 2.50 | 1.76 | 1 | 6 |
| Pediatrics Acute Care | 3 | 5.00 | 3.61 | 1 | 8 |
| Primary Care | 62 | 4.40 | 2.64 | 1 | 11 |
| Psychiatric Mental Health | 30 | 2.70 | 2.07 | 1 | 11 |
| Rural Family Medicine | 6 | 5.17 | 2.79 | 1 | 8 |
| Substance Abuse | 2 | 4.00 | 2.83 | 2 | 6 |
| Trauma Surgery | 2 | 2.00 | 0 | NA | NA |
| Transplant Surgery | 2 | 1.00 | 0 | NA | NA |
| Urgent Care | 4 | 4.25 | 1.71 | 2 | 6 |
| Urology | 4 | 1.25 | 0.50 | 1 | 2 |
| Women's Health | 2 | 3.50 | 3.54 | 1 | 6 |

TABLE 2: Descriptive statistics of the number of postgraduate APP trainees per specialty track

The data has been represented as N: sample size, M: mean, SD: standard deviation, min: minimum, max: maximum, NA: not available.

APP: advanced practice provider

In terms of reporting postgraduate APP trainee annual salaries, respondents of the Southwest region (21.4%) seemed to be less likely to disclose trainee annual salary information than others (5.9-18.2%). In addition, respondents with the joint NP/PA cohorts (21.7%) seemed also less likely to disclose trainee salary information than others (9.7-10.5%). Table 3 provides a breakdown of respondents who either disclosed or did not disclose annual trainee salary data.

Cureus Part of SPRINGER NATURE

| Characteristics | Information Reveale | d |
|--|---------------------|-------------|
| | Yes (N = 129) | No (N = 22) |
| Clinical profession | | |
| Nurse Practitioner (NP), N = 98 | 85 (86.7) | 13 (13.3) |
| Physician Assistant/Associate (PA), N = 41 | 36 (87.8) | 5 (12.2) |
| Physician, N = 5 | 2 (40.0) | 3 (60.0) |
| N/A: Non-clinical, N = 7 | 6 (85.7) | 1 (14.3) |
| Region | | |
| Midwest, N = 33 | 27 (81.8) | 6 (18.2) |
| West, N = 39 | 35 (89.7) | 4 (10.3) |
| Southeast, N = 17 | 16 (94.1) | 1 (5.9) |
| Southwest, N = 14 | 11 (78.6) | 3 (21.4) |
| Northeast, N = 48 | 40 (83.3) | 8 (16.7) |
| Sponsoring organization of the APP postgraduate training program | | |
| Academic Medical Center, N = 52 | 42 (80.8) | 10 (19.2) |
| Federally Qualified Health Center (FQHC), N = 42 | 37 (88.1) | 5 (11.9) |
| U.S. Department of Veterans Affairs, N = 26 | 24 (92.3) | 2 (7.7) |
| FQHC Look-a-like, N = 2 | 2 (100) | 0 |
| Hospital, N = 9 | 9 (100) | 0 |
| Multi-Hospital System, N = 9 | 7 (77.8) | 2 (22.2) |
| Private Practice, N = 4 | 3 (75.0) | 1 (25.0) |
| Other, N = 7 | 5 (71.4) | 2 (28.6) |
| Composition of the postgraduate APP trainee cohort | | |
| NP only, N = 72 | 65 (90.3) | 7 (9.7) |
| PA only, N = 19 | 17 (89.5) | 2 (10.5) |
| Joint NP/PA, N = 60 | 47 (78.3) | 13 (21.7) |

TABLE 3: Report of trainee salaries

The data has been represented as sample (N) and percentage (%).

APP: advanced practice provider

Of the 59 specialties, 22 specialties had no data for trainee salary. For the 37 specialty tracks with the data for trainee salary, the salary information was summarized into seven categories (below \$65000, \$65000-\$75000, \$76000-\$85000, \$86000-\$95000, \$96000-\$105000, \$106000-\$125000, and over \$126000) as outlined in Table 4. The number of respondents that revealed the information for trainee salary ranged from 1 to 62 per specialty track. In regard to primary care (the specialty track with the most respondents), nearly half of the trainees (43.5%) had salaries within the range of \$76000 and \$85000.

| Specialty | N | Below \$65000 | \$65000- \$75000 | \$76000- \$85000 | \$86000- \$95000 | \$96000- \$105000 | \$106000- \$125000 | Over \$126000 |
|--------------------------|---|------------------|---------------------|---------------------|---------------------|----------------------|-----------------------|------------------|
| Acute Care | 9 | 1 (11.1) | 1 (11.1) | 4 (44.4) | 3 (33.3) | 0 | 0 | 0 |
| Administration Specialty | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 (100) |

| Adult-Gerontology/Internal Medicine | 7 | 0 | 0 | 3 (42.9) | 3 (42.9) | 0 | 1 (14.3) | 0 |
|---|----|----------|-----------|-----------|-----------|----------|----------|---------|
| Cardiology | 4 | 1 (25.0) | 1 (25.0) | 2 (50.0) | 0 | 0 | 0 | 0 |
| Cardiothoracic Surgery | 3 | 0 | 1 (33.3) | 2 (66.7) | 0 | 0 | 0 | 0 |
| Cardiothoracic Transplant | 1 | 0 | 1 (100) | 0 | 0 | 0 | 0 | 0 |
| Critical Care (Adult, Pediatrics, Surgery) | 10 | 2 (20.0) | 2 (20.0) | 3 (30.0) | 2 (20.0) | 1 (10.0) | 0 | 0 |
| Emergency Medicine | 12 | 5 (41.7) | 4 (33.3) | 1 (8.3) | 1 (8.3) | 0 | 1 (8.3) | 0 |
| General Surgery | 5 | 3 (60.0) | 2 (40.0) | 0 | 0 | 0 | 0 | 0 |
| Geriatric Medicine | 4 | 0 | 0 | 1 (25.0) | 3 (75.0) | 0 | 0 | 0 |
| Hematology and Oncology | 3 | 0 | 1 (33.3) | 2 (66.7) | 0 | 0 | 0 | 0 |
| Hospital Medicine/Hospitalist | 4 | 0 | 4 (100) | 0 | 0 | 0 | 0 | 0 |
| LGBTQ+ Health | 1 | 0 | 0 | 1 (100) | 0 | 0 | 0 | 0 |
| Neonatal Critical Care | 2 | 0 | 0 | 0 | 0 | 0 | 2 (100) | 0 |
| Neonatal Intensive Care | 2 | 0 | 1 (50.0) | 1 (50.0) | 0 | 0 | 0 | 0 |
| Nephrology | 1 | 0 | 1 (100) | 0 | 0 | 0 | 0 | 0 |
| Neurology | 5 | 1 (20.0) | 2 (40.0) | 2 (40.0) | 0 | 0 | 0 | 0 |
| Neurosurgery | 1 | 0 | 1 (100) | 0 | 0 | 0 | 0 | 0 |
| Obstetrics and Gynaecology (OBGYN) | 1 | 0 | 1 (100) | 0 | 0 | 0 | 0 | 0 |
| Oncology | 2 | 0 | 0 | 1 (50.0) | 0 | 1 (50.0) | 0 | 0 |
| Organ Transplant | 2 | 2 (100) | 0 | 0 | 0 | 0 | 0 | 0 |
| Orthopedics | 3 | 0 | 3 (100) | 0 | 0 | 0 | 0 | 0 |
| Palliative | 2 | 0 | 2 (100) | 0 | 0 | 0 | 0 | 0 |
| Pediatric Comprehensive Cardiac Care | 1 | 0 | 0 | 1 (100) | 0 | 0 | 0 | 0 |
| Pediatric Emergency Medicine | 1 | 0 | 0 | 1 (100) | 0 | 0 | 0 | 0 |
| Pediatric Urgent Care | 1 | 0 | 0 | 0 | 1 (100) | 0 | 0 | 0 |
| Pediatrics | 6 | 1 (16.7) | 1 (16.7) | 1 (16.7) | 2 (33.3) | 1 (16.7) | 0 | 0 |
| Pediatrics Acute Care | 3 | 0 | 0 | 0 | 1 (33.3) | 2 (66.7) | 0 | 0 |
| Primary Care | 62 | 0 | 10 (16.1) | 27 (43.5) | 18 (29.0) | 5 (8.1) | 1 (1.6) | 1 (1.6) |
| Psychiatric Mental Health | 26 | 1 (3.8) | 4 (15.4) | 11 (42.3) | 5 (19.2) | 3 (11.5) | 2 (7.7) | 0 |
| Rural Family Medicine | 5 | 0 | 1 (20.0) | 2 (40.0) | 1 (20.0) | 1 (20.0) | 0 | 0 |
| Substance Abuse | 2 | 0 | 0 | 0 | 1 (50.0) | 1 (50.0) | 0 | 0 |
| Trauma Surgery | 2 | 1 (50.0) | 1 (50.0) | 0 | 0 | 0 | 0 | 0 |
| Transplant Surgery | 2 | 1 (50.0) | 1 (50.0) | 0 | 0 | 0 | 0 | 0 |
| Urgent Care | 4 | 1 (25.0) | 1 (25.0) | 0 | 1 (25.0) | 1 (25.0) | 0 | 0 |
| Urology | 4 | 0 | 1 (25.0) | 1 (25.0) | 0 | 0 | 2 (50.0) | 0 |
| Women's Health | 2 | 0 | 0 | 0 | 1 (50.0) | 1 (50.0) | 0 | 0 |

TABLE 4: Cross-tabulation of trainee salary by specialty track

Cureus

The data has been represented as sample (N) and percentage (%).

Table 5 shows the cross-tabulation of trainee salary for Primary Care and demographics and the results of chi-square tests. There was a statistically significant association between trainee salary for Primary Care and clinical profession ($\chi 2(6) = 13.993$, p = 0.022). Moreover, there was a statistically significant association between trainee salary for Primary Care and postgraduate APP trainee cohort ($\chi 2(2) = 7.802$, p = 0.016). However, there was no statistically significant association between trainee salary for Primary Care and region ($\chi 2(8) = 4.248$, p = 0.859) and sponsoring organization of the APP postgraduate training program ($\chi 2(8) = 11.655$, p = 0.139).

| Category | Primary Care (I | Primary Care (N = 62) | | | | |
|--|-----------------|-----------------------|--------------|----------------|----|--------|
| | Below \$75000 | \$76000-\$85000 | Over \$86000 | X ² | df | р |
| Clinical profession | | | | | | |
| Nurse Practitioner (NP), N = 48 | 5 (10.4) | 25 (52.1) | 18 (37.5) | 13.993 | 6 | 0.022* |
| Physician Assistant/Associate (PA), N = 7 | 4 (57.1) | 0 | 3 (42.9) | - | - | - |
| Physician, N = 1 | 0 | 0 | 1 (100) | - | - | - |
| N/A: Non-clinical, N = 6 | 1 (16.7) | 2 (33.3) | 3 (50.0) | - | - | - |
| Region | | | | | | |
| Midwest, N = 13 | 3 (23.1) | 7 (53.8) | 3 (23.1) | 4.248 | 8 | 0.859 |
| West, N = 22 | 2 (9.1) | 8 (36.4) | 12 (54.5) | - | - | - |
| Southeast, N = 5 | 1 (20.0) | 2 (40.0) | 2 (40.0) | - | - | - |
| Southwest, N = 4 | 1 (25.0) | 2 (50.0) | 1 (25.0) | - | - | - |
| Northeast, N = 18 | 3 (16.7) | 8 (44.4) | 7 (38.9) | - | - | - |
| Sponsoring organization of the APP postgraduate training program | | | | | | |
| Academic Medical Center, N = 4 | 1 (25.0) | 2 (50.0) | 1 (25.0) | 11.655 | 8 | 0.139 |
| Federally Qualified Health Center (FQHC), N = 36 | 7 (19.4) | 13 (36.1) | 16 (44.4) | - | - | - |
| U.S. Department of Veterans Affairs, N = 13 | 1 (7.7) | 10 (76.9) | 2 (15.4) | - | - | - |
| Hospital/Multi-Hospital System, N = 4 | 1 (25.0) | 0 | 3 (75.0) | - | - | - |
| Other, N = 5 | 0 | 2 (40.0) | 3 (60.0) | - | - | - |
| Composition of the postgraduate APP trainee cohort | | | | | | |
| NP only, N = 44 | 5 (11.4) | 24 (54.5) | 15 (34.1) | 7.802 | 2 | 0.016* |
| PA only | 0 | 0 | 0 | - | - | - |
| Joint NP/PA, N = 18 | 5 (27.8) | 3 (16.7) | 10 (55.6) | - | - | - |

TABLE 5: Trainee salary for Primary Care by demographics

The data has been represented as N: sample size, (%) percentage, Df: degrees of freedom, χ2: chi-squared, P: p-value.

* indicates statistical significance at the 0.05 level.

APP: advanced practice provider

Table 6 shows the cross-tabulation of trainee salary for Psychiatric Mental Health and demographics and the results of chi-square tests. There was no statistically significant association between trainee salary for Psychiatric Mental Health and clinical profession ($\chi 2(6) = 6.371$, p = 0.408), region ($\chi 2(8) = 8.107$, p = 0.494) sponsoring organization of the APP postgraduate training program ($\chi 2(8) = 7.086$, p = 0.614), and

postgraduate APP trainee cohort ($\chi 2(2) = 0.438$, p = 1.000).

| | _ | | | | | |
|--|----------------|------------------------------------|--------------|----------------|----|-------|
| Category | Psychiatric Me | Psychiatric Mental Health (N = 26) | | | | |
| | Below \$75000 | \$76000-\$85000 | Over \$86000 | X ² | df | р |
| Clinical profession | | | | | | |
| Nurse Practitioner (NP), N = 22 | 4 (18.2) | 10 (45.5) | 8 (36.4) | 6.371 | 6 | 0.408 |
| Physician Assistant/Associate (PA), N = 1 | 1 (100) | 0 | 0 | - | - | - |
| Physician, N = 1 | 0 | 0 | 1 (100) | - | - | |
| N/A: Non-clinical, N = 2 | 0 | 1 (50.0) | 1 (50.0) | - | - | - |
| Region | | | | | | |
| Midwest, N = 6 | 2 (33.3) | 3 (50.0) | 1 (16.7) | 8.107 | 8 | 0.494 |
| West, N = 5 | 0 | 3 (60.0) | 2 (40.0) | - | - | - |
| Southeast, N = 3 | 0 | 2 (66.7) | 1 (33.3) | - | - | - |
| Southwest, N = 4 | 2 (50.0) | 0 | 2 (50.0) | - | - | - |
| Northeast, N = 8 | 1 (12.5) | 3 (37.5) | 4 (50.0) | - | - | - |
| Sponsoring organization of the APP postgraduate training program | | | | | | |
| Academic Medical Center, N = 4 | 1 (25.0) | 2 (50.0) | 1 (25.0) | 7.086 | 8 | 0.614 |
| Federally Qualified Health Center (FQHC), N = 7 | 1 (14.3) | 2 (28.6) | 4 (57.1) | - | - | - |
| U.S. Department of Veterans Affairs, N = 11 | 2 (18.2) | 6 (54.5) | 3 (27.3) | - | - | - |
| Hospital/Multi-Hospital System, N = 2 | 1 (50.0) | 1 (50.0) | 0 | - | - | - |
| Other, N = 2 | 0 | 0 | 2 (100) | - | - | - |
| Composition of the postgraduate APP trainee cohort | | | | | | |
| NP only, N = 23 | 4 (17.4) | 10 (43.5) | 9 (39.1) | 0.438 | 2 | 1.000 |
| PA only | 0 | 0 | 0 | - | - | - |
| Joint NP/PA, N = 3 | 1 (33.3) | 1 (33.3) | 1 (33.3) | - | - | - |

TABLE 6: Trainee salary for Psychiatric Mental Health by demographics

The data has been represented as N: sample size, Df: degrees of freedom, $\chi 2$: chi-squared, P: p-value, p-value is considered significant (p<0.05, p<0.001).

APP: advanced practice provider

Table 7 shows the results of Kendall's tau-b correlation coefficients for trainee salary and number of postgraduate APP trainees. There was a statistically significantly positive relationship between trainee salary and the number of postgraduate APP trainees in Psychiatric Mental Health (τ b = 0.451, p = 0.006). However, there was no statistically significant positive relationship between trainee salary and the number of postgraduate APP trainees in Psychiatric Mental Health (τ b = 0.451, p = 0.006). However, there was no statistically significant positive relationship between trainee salary and the number of postgraduate APP trainees in Primary Care (τ b = 0.165, p = 0.113).



| Specialty | N | т _b | р |
|---------------------------|----|----------------|--------|
| Primary Care | 61 | 0.165 | 0.113 |
| Psychiatric Mental Health | 26 | 0.451 | 0.006* |

TABLE 7: Kendall's tau-b for trainee salary and number of postgraduate APP trainees

N: sample size: rb: Kendall's tau-b: p: p-value. * indicates statistical significance at the 0.05 level.

Discussion

To the best of our knowledge, this is the first cross-sectional survey that exclusively examines and summarizes trainee salary data from various APP postgraduate specialty training programs. In addition, we investigated whether there was an association between trainee salary by specialty track and the other four variables (i.e., program type, geographical location, clinical setting, and number of postgraduate APP trainees). Data from 37 specialty tracks were summarized but only two specialty tracks (Psychiatric Mental Health and Primary Care) were included in the association analysis due to sample size; it is important to note that slightly less than 30% of respondents were associated with FQHCs or lookalikes. These are safety net providers that deliver prevention and provide healthcare services through primary care clinics to underserved communities [19].

In terms of the number of trainees, our results indicate that the minimum number of postgraduate APP trainees per specialty track was one and the maximum number of postgraduate APP trainees per specialty track was 11. Regarding trainee salaries, most postgraduate programs in our study offer an annual salary between \$65,000 and \$5,000, which is lower than a career full-time NP or PA. In addition, there was a statistically significant association between trainee salary for Primary Care and clinical profession ($\chi 2(6) = 13.993$, p = 0.022). Respondents who were NPs (52.1%) reported that their trainees had an annual salary between \$76000 and \$86000. The majority of PA respondents (57.1%) reported that their trainees had an annual salary below \$75000. Respondents who were non-clinical professionals (50.0%) reported that their trainees had an annual salary of over \$86000. The single physician respondent also reported that their trainees had an annual salary of over \$86000. It appears that respondents who were PAs were more likely to report lower trainee salaries than respondents who were NPs and non-clinical professionals.

Additionally, there was a statistically significant association between trainee salary for Primary Care and postgraduate APP trainee cohort ($\chi 2(2) = 7.802$, p = 0.016). Respondents having NP-only cohorts (54.5%) reported that their trainees had an annual salary within the range of \$76000 and \$85000. Respondents having joint NP/PA cohorts (55.6%) reported that their trainees had an annual salary of over \$86000. It appears that participants having joint NP/PA cohorts. No data for participants with PA-only cohorts were available for Primary Care. Not surprising, as PA residency/fellowship postgraduate programs are more concentrated in medical and surgical specialties/subspecialties than primary care.

Lastly, the study results indicated that for Psychiatric Mental Health, organizations with more postgraduate APP trainees tended to offer higher trainee salaries. There was no association between trainee salaries and geographic region in this study. Understanding how trainee salaries are determined and whether they are aligned with regional costs of living would be helpful to APP postgraduate programs [20,21]. Unfortunately, without more information, our observations regarding the data sample are limited.

Therefore, these rare findings underscore the critical need for a more detailed analysis of trainee salaries including fringe benefits across various specialty training programs. Areas of future research should include whether postgraduate APP trainee salaries are determined by any of the following factors: adjusted cost of living, supply and demand, projected minimum level of productivity, collective bargaining agreement, specialty or subspecialty type, and/or through a compensation survey. Another area of investigation is whether postgraduate APP trainees in rural underserved areas earn more or less than those in major metropolitan areas. Whether APP postgraduate trainee salaries vary by gender is another area of interest. Finally, it is important to understand whether APP trainee financial compensation influences the choice of a specific specialty or subspecialty. Prior research has found that medical residents are attracted to specialties that offer annual vacations, higher earnings, shorter residency programs, and predictable work schedules but a similar study has not been conducted on postgraduate APP trainees [22].

Limitations

Not dissimilar to other studies, our findings were limited solely to trainee salaries from a small sample size, and therefore, our results may not be generalizable [23]. Also, the low response rate of 45% may have led to non-response bias. In addition, PA postgraduate programs were underrepresented in the study and their

perspective may have influenced the study results. Another limitation is that some respondents disclosed trainee salaries and the number of trainees for some but not all specialty tracks. This led to some incomplete responses. Further, multi-specialty track program trainee salaries may vary depending on the specialty track, a large study that examines multi-specialty track trainee salaries is warranted. Lastly, we did not define primary care in the survey which may have caused confusion due to overlap with other similar specialty tracks. Given these limitations, the study's findings should be interpreted with caution.

Conclusions

In conclusion, this novel study sheds some light on postgraduate APP annual salaries including calculated associations between Primary Care and Psychiatric Mental Health. However, more research is warranted to understand the role of other variables on postgraduate trainee salaries and benefit compensation to better inform program directors and policymakers. Lastly, an attempt should be made to investigate postgraduate trainees' perceptions regarding their salaries and fringe benefits.

Appendices

| Numbers | Study Questionnaire |
|---------|---|
| 1 | Please indicate your clinical profession. |
| 2 | In what state is your organization's APP postgraduate training program located? |
| 3 | Please describe the sponsoring organization of your APP Postgraduate Training Program. |
| 4 | If the setting of your organization's APP Postgraduate Training Program was not listed in the previous question, please indicate the setting below. |
| 5 | What is the composition of your Postgraduate APP Trainee Cohort? |
| 6 | How many postgraduate APP trainees are in each program track cohort? |
| 7 | If the cohort size is 11+, please indicate the program track cohort size and specialty. |
| 8 | Please indicate the specialty track of your postgraduate APP trainees and salary range using the options below (59 specialty tracks listed). |

TABLE 8: Study questionnaire

Analysis and summary of 8 out of 29 survey questions (29.6%).

Additional Information

Author Contributions

All authors have reviewed the final version to be published and agreed to be accountable for all aspects of the work.

Concept and design: Vasco Deon Kidd, Jessica L. Horstmann, Kerry Bamrick, Shayanna Felder

Acquisition, analysis, or interpretation of data: Vasco Deon Kidd, Jessica L. Horstmann, Kerry Bamrick, Shayanna Felder

Drafting of the manuscript: Vasco Deon Kidd

Critical review of the manuscript for important intellectual content: Vasco Deon Kidd, Jessica L. Horstmann, Kerry Bamrick, Shayanna Felder

Supervision: Vasco Deon Kidd

Disclosures

Human subjects: Consent was obtained or waived by all participants in this study. Community Health Center, Inc., Institutional Review Board issued approval #1207. Animal subjects: All authors have confirmed that this study did not involve animal subjects or tissue. Conflicts of interest: In compliance with the ICMJE uniform disclosure form, all authors declare the following: Payment/services info: All authors have declared that no financial support was received from any organization for the submitted work. Financial relationships: All authors have declared that they have no financial relationships at present or within the



previous three years with any organizations that might have an interest in the submitted work. **Other relationships:** All authors have declared that there are no other relationships or activities that could appear to have influenced the submitted work.

Acknowledgements

We thank Dr. Yuhua Su, PhD, for her assistance with data analysis.

References

- Kidd VD, Vanderlinden S, Hooker RS: A National Survey of postgraduate physician assistant fellowship and residency programs. BMC Med Educ. 2021, 21:212. 10.1186/s12909-021-02613-y
- Kesten KS, El-Banna MM, Blakely J: Educational characteristics and content of postgraduate nurse practitioner residency/fellowship programs. J Am Assoc Nurse Pract. 2019, 33:126-32. 10.1097/JXX.00000000000341
- Kidd VD, Horstmann JL, Felder S, Bamrick K: National survey on support for nurse practitioner and physician assistant/associate postgraduate fellowship/residency programs and director compensation. Cureus. 2024, 16:e57919. 10.7759/cureus.57919
- Kidd VD: Exploring motivations and barriers to accreditation adoption among physician assistant and nurse practitioner emergency medicine and orthopedic surgery residency and fellowship programs. Cureus. 2023, 15:e36490. 10.7759/cureus.36490
- Morgan PA, Smith VA, Berkowitz TS, et al.: Impact of physicians, nurse practitioners, and physician assistants on utilization and costs for complex patients. Health Aff (Millwood). 2019, 38:1028-36. 10.1377/hlthaff.2019.00014
- Kurtzman ET, Barnow BS: A comparison of nurse practitioners, physician assistants, and primary care physicians' patterns of practice and quality of care in health centers. Med Care. 2017, 55:615-22. 10.1097/MLR.00000000000689
- Kidd VD, Amin A, Bhatia N, et al.: Optimal use of advanced practice providers at an academic medical center: a first-year retrospective review. Cureus. 2023, 15:e34475. 10.7759/cureus.34475
- Goodwin M, Fingerhood M, Slade E, Davidson P: Development of an innovative curriculum-to-career transition program for nurse practitioners in primary care. Nurs Outlook. 2021, 69:425-34.
- Barnes H, Richards MR, Martsolf GR, Nikpay SS, McHugh MD: Association between physician practice Medicaid acceptance and employing nurse practitioners and physician assistants: a longitudinal analysis. Health Care Manage Rev. 2022, 47:21-7. 10.1097/HMR.00000000000291
- Kaplan L, Pollack SW, Skillman SM, Patterson DG: Is being there enough? Postgraduate nurse practitioner residencies in rural primary care. J Rural Health. 2023, 39:529-34. 10.1111/jrh.12729
- Hart AM, Seagriff N, Flinter M: Sustained impact of a postgraduate residency training program on nurse practitioners' careers. J Prim Care Community Health. 2022, 13:21501319221136938. 10.1177/21501319221136938
- 12. Field A: Discovering Statistics Using IBM SPSS Statistics: And Sex and Drugs and Rock "N" Roll, 4th Edition . Sage, Los Angeles; 2013.
- 13. Agresti A: Categorical Data Analysis. John Wiley & Sons, Inc., Hoboken, NJ; 2002.
- 14. Mehta CR, Patel N: IBM SPSS Exact Tests. IBM Corp., Armonk, NY; 2011.
- 15. Kendall M, Gibbons J: Rank Correlation Methods. 5th Edition . Oxford University Press, London; 1990.
- 16. Daniel WW: Applied Nonparametric Statistics. PWS-Kent, Boston; 1990.
- 17. Bujang MA, Baharum N: Sample size guideline for correlation analysis . World J Soc Sci Res. 3:37-46.
- 18. Cohen J: A power primer. Psychol Bull. 1992, 112:155-9. 10.1037//0033-2909.112.1.155
- 19. Federally qualified health centers and rural health clinics. Accessed: June 21, 2024:
 - https://www.dhcs.ca.gov/services/medi-cal/Pages/FQHC_RHC.aspx.
- Ngatuvai M, Yeager M, Newsome K, Khan A, Concepcion J, Kornblith L, Elkbuli A: Analysis of surgical residents' salaries and associated funding during eight residency training cycles: toward improving future residents' benefits and compensation. J Surg Res. 2023, 281:70-81. 10.1016/j.jss.2022.08.011
- 21. Liles C, Tang AR, Petrovic M, Dambrino RJ 4th, Thompson RC, Chambless LB: Resident salary compared to living wages at United States training institutions. Ann Surg. 2024, 10.1097/SLA.00000000006335
- Thornton J, Esposto F: How important are economic factors in choice of medical specialty? . Health Econ. 2003, 12:67-73, 10.1002/hec.682
- 23. Pasha AS, Al Shabeeb R: Do differences in internal medicine resident salaries correlate with variation in regional cost of living?. J Gen Intern Med. 2020, 35:2508-9. 10.1007/s11606-019-05471-z