

CORRECTION

Open Access



Correction: Diagnostic performance of plasma pTau₂₁₇, pTau₁₈₁, Aβ₁₋₄₂ and Aβ₁₋₄₀ in the LUMIPULSE automated platform for the detection of Alzheimer disease

Javier Arranz^{1,2,3}, Nuole Zhu^{1,3,4}, Sara Rubio-Guerra^{1,3}, Íñigo Rodríguez-Baz^{1,2}, Rosa Ferrer⁵, María Carmona-Iragui^{1,2,4}, Isabel Barroeta^{1,2,4}, Ignacio Illán-Gala^{1,4}, Miguel Santos-Santos^{1,4}, Juan Fortea^{1,2,4}, Alberto Lleó^{1,4}, Mireia Tondo^{5,6*} and Daniel Alcolea^{1,4*}

Correction: *Alz Res Therapy* 16, 139 (2024)
<https://doi.org/10.1186/s13195-024-01513-9>.

Following publication of the original article [1], the authors corrected the Funding section to mention “project PI22/00611”.

The original article [1] has been corrected.

Published online: 27 July 2024

References

1. Arranz J, Zhu N, Rubio-Guerra S, et al. Diagnostic performance of plasma pTau₂₁₇, pTau₁₈₁, Aβ₁₋₄₂ and Aβ₁₋₄₀ in the LUMIPULSE automated platform for the detection of Alzheimer disease. *Alz Res Therapy*. 2024;16:139. <https://doi.org/10.1186/s13195-024-01513-9>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1186/s13195-024-01513-9>.

*Correspondence:

Mireia Tondo
mtondo@santpau.cat
Daniel Alcolea
dalcolea@santpau.cat

¹Sant Pau Memory Unit, Department of Neurology, IR SANT PAU, Hospital de La Santa Creu i Sant Pau, C/Sant Quintí 89, 08041 Barcelona, Spain

²Department of Neurology, Unidad Alzheimer-Down, IR SANT PAU, Hospital de La Santa Creu i Sant Pau; Barcelona Down Medical Center, Fundació Catalana Síndrome de Down, Barcelona, Spain

³Universitat Autònoma de Barcelona, Barcelona, Spain

⁴Centro de Investigación Biomédica en Red en Enfermedades Neurodegenerativas, CIBERNED, Madrid, Spain

⁵Servei de Bioquímica i Biología Molecular, IR SANT PAU, Hospital de La Santa Creu i Sant Pau, Universitat Autònoma de Barcelona, C/Sant Quintí 89, 08041 Barcelona, Spain

⁶Centro de Investigación Biomédica en Red en Diabetes y Enfermedades Metabólicas, CIBERDEM, Madrid, Spain



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.