

CORRIGENDUM



Corrigendum to ‘A phase II trial of paclitaxel plus biweekly cetuximab for patients with recurrent or metastatic head and neck cancer previously treated with both platinum-based chemotherapy and anti-PD-1 antibody’

[ESMO Open volume 9 issue 6 (2024) 103476]

T. Koyama¹, N. Kiyota^{1,2*}, S. Boku³, Y. Imamura¹, N. Shibata³, H. Satake³, K. Tanaka⁴, H. Hayashi⁴, T. Onoe⁵, Y. Asada⁶, T. Yamazaki⁷, T. Nose¹, S. Ohata¹, Y. Nagatani¹, S. Kimbara¹, Y. Funakoshi¹, M. Teshima⁸, H. Shinomiya⁸ & H. Minami^{1,2}

¹Department of Medical Oncology and Hematology, Kobe University Hospital, Kobe; ²Cancer Center, Kobe University Hospital, Kobe; ³Cancer Treatment Center, Kansai Medical University Hospital, Hirakata; ⁴Department of Medical Oncology, Kindai University Faculty of Medicine, Osaka-Sayama; ⁵Department of Medical Oncology, Hyogo Cancer Center, Akashi; ⁶Department of Head and Neck Surgery, Miyagi Cancer Center, Natori; ⁷Department of Head and Neck Oncology, Miyagi Cancer Center, Natori; ⁸Department of Otolaryngology-Head and Neck Surgery, Kobe University Graduate School of Medicine, Kobe, Japan

The authors regret to advise that the data for the number of patients who experienced paronychia (G1/2 shown in Table 3 is incorrect. The number of patients who experienced paronychia (G1/2) was 12, therefore 34% (12/35) is correct.

Paronychia	12 (34%)	1 (2%)	0
------------	----------	--------	---

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.esmoop.2024.103476>

*Corresponding author: N. Kiyota

E-mail: nkiyota@med.kobe-u.ac.jp (N. Kiyota).

2059-7029/© 2024 The Author(s). Published by Elsevier Ltd on behalf of European Society for Medical Oncology. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).