Corrigendum to "[Thymoquinone and **Costunolide Induce Apoptosis of Both Proliferative and Doxorubicin-Induced-**Senescent Colon and Breast Cancer Cells]"

Integrative Cancer Therapies Volume 23: I © The Author(s) 2024 Article reuse guidelines: sagepub.com/journals-permissions DOI: 10.1177/15347354241290048 journals.sagepub.com/home/ict



El-Far AH, Godugu K, Noreldin AE, et al. Thymoquinone and Costunolide Induce Apoptosis of Both Proliferative and Doxorubicin-Induced-Senescent Colon and Breast Cancer Cells. Integrative Cancer Therapies. 2021;20. doi:10.1177/153 47354211035450

The authors of this article reported that the images "c, HCT116+COS" and "g, MCF7+COS" in Figure 7 were incorrect in the published version.

The article has been updated with the correct figure.



Creative Commons Non Commercial CC BY-NC: This article is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 License (https://creativecommons.org/licenses/by-nc/4.0/) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed as specified on the SAGE and Open Access pages (https://us.sagepub.com/en-us/nam/open-access-at-sage).