

PUBLISHER CORRECTION

Open Access



Correction to: Mental health profiles of 15-year-old adolescents in the Nordic Countries from 2002 to 2022: person-oriented analyses

Charli Eriksson^{1*} and Håkan Stattin²

Correction to: *BMC Public Health* 24, 2358 (2024)
<https://doi.org/10.1186/s12889-024-19822-x>

In the original publication of this article an error was introduced during the publication process which affected the superscript numbers of the first column in Table 2. The incorrect and correct Table 2 are shown in this correction article, the original article has been updated. The publisher apologizes for the inconvenience caused to the authors & readers.

Incorrect Table 2

Table 2 Trends in perceived low overall health, low life satisfaction and psychosomatic complaints for the five countries

	Perceived low overall health	Low life satisfaction	Psycho-somatic complaints
2002	-0.01 ^a	-0.01 ^b	-0.27 ^e
2006	-0.01 ^b	-0.08 ^c	-0.14 ^d
2010	-0.00 ^b	-0.06 ^c	-0.13 ^d
2014	-0.01 ^a	0.02 ^b	-0.00 ^c
2018	-0.00 ^a	0.01 ^b	0.23 ^b
2022	0.02 ^a	0.13 ^a	0.32 ^a

The measures are standardized

Different superscripts ^{a b c} represent significant differences ($p < .05$) between the four cluster groups employing Student Neuman Keul's post-hoc test

Perceived low overall health: $F(5, 48875) = 0.74, p = .592, \eta^2 = 0.00$ Low life satisfaction: $F(5, 48395) = 50.50, p < .001, \eta^2 = 0.01$

Psychosomatic complaints: $F(5, 48810) = 390.33, p < .001, \eta^2 = 0.04$

The online version of the original article can be found at <https://doi.org/10.1186/s12889-024-19822-x>.

*Correspondence:

Charli Eriksson
charli.eriksson@ki.se

¹Department of Learning, Informatics, Management and Ethics, Karolinska Institute, Stockholm SE-17177, Sweden

²Department of Psychology, Uppsala University, Box 1225, Uppsala 75142, Sweden



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Correct Table 2**Table 2** Trends in perceived low overall health, low life satisfaction and psychosomatic complaints for the five countries

	Perceived low overall health	Low life satisfaction	Psycho-somatic complaints
2002	-0.01 ^a	-0.01 ^b	-0.27 ^e
2006	-0.01 ^a	-0.08 ^c	-0.14 ^d
2010	-0.00 ^a	-0.06 ^c	-0.13 ^d
2014	-0.01 ^a	0.02 ^b	-0.00 ^c
2018	-0.00 ^a	0.01 ^b	0.23 ^b
2022	0.02 ^a	0.13 ^a	0.32 ^a

The measures are standardized

Different superscripts ^{a b c} represent significant differences ($p < .05$) between the four cluster groups employing Student Neuman Keul's post-hoc test

Perceived low overall health: $F(5, 48875) = 0.74, p = .592, \eta^2 = 0.00$
 Low life satisfaction: $F(5, 48395) = 50.50, p < .001, \eta^2 = 0.01$

Psychosomatic complaints: $F(5, 48810) = 390.33, p < .001, \eta^2 = 0.04$

Published online: 07 October 2024

Publisher's note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.