

Published in final edited form as:

Cell Host Microbe. 2024 October 09; 32(10): 1868–1869. doi:10.1016/j.chom.2024.09.012.

Clinical sequelae of gut microbiome development and disruption in hospitalized preterm infants

Robert Thänert, Drew J. Schwartz,

Eric C. Keen,

Carla Hall-Moore,

Bin Wang,

Nurmohammad Shaikh,

Jie Ning,

L. Colleen Rouggly-Nickless,

Anna Thänert,

Aura Ferreiro,

Skye R.S. Fishbein,

Janice E. Sullivan,

Paula Radmacher,

Marilyn Escobedo,

Barbara B. Warner*, Phillip I. Tarr*, Gautam Dantas*

(Cell Host & Microbe *32*, ————; October 9, 2024)

In Figure 1D of the originally published article, diamonds indicating the number of preterm infants with metagenomically detected species for *S. caprae* and *E. faecalis* were incorrect. The article has been updated online and the correct version appears in print. The authors regret the error.

This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/).

^{*}Correspondence: warnerbb@wustl.edu (B.B.W.), tarr@wustl.edu (P.I.T.), dantas@wustl.edu (G.D.).

Thänert et al. Page 2




Figure 1D. Earliest preterm gut microbiota colonization in the NICU (corrected)

Thänert et al. Page 3




Figure 1D. Earliest preterm gut microbiota colonization in the NICU (original)