

Erratum: Strategies to Overcome Erroneous Outcomes in Reverse Transcription-Polymerase Chain Reaction (RT-PCR) Testing: Insights From the COVID-19 Pandemic

Article published 11/03/2024

Article corrected 11/21/2024

SM Shafiul Alam Sajal¹, Dewan Zubaer Islam², Shahad Saif Khandker³, Elizabeth Solórzano-Ortiz⁴, Manal Fardoun⁵, Md Firoz Ahmed², Mohd. Raees Jamiruddin⁶, Nafisa Azmuda², Miral Mehta⁷, Santosh Kumar⁸, Mainul Haque⁹, Nihad Adnan²

1. Department of Biochemistry and Molecular Biology, Jahangirnagar University, Dhaka, BGD 2. Department of Microbiology, Jahangirnagar University, Dhaka, BGD 3. Department of Microbiology, Gonoshasthaya Samaj Vittik Medical College, Dhaka, BGD 4. Department of Chemical, Biological, Biomedical and Biophysical Research, Mariano Gálvez University, Guatemala City, GTM 5. Department of Pharmacology and Toxicology, Faculty of Medicine, American University of Beirut, Beirut, LBN 6. Department of Pharmacy, Bangladesh Rural Advancement Committee (BRAC) University, Dhaka, BGD 7. Department of Pedodontics and Preventive Dentistry, Karnavati School of Dentistry, Karnavati University, Gandhinagar, IND 8. Department of Periodontology and Implantology, Karnavati School of Dentistry, Karnavati University, Gandhinagar, IND 9. Department of Pharmacology and Therapeutics, National Defence University of Malaysia, Kuala Lumpur, MYS

Corresponding author: Mainul Haque, runurono@gmail.com

Corresponding author: Mainul Haque

1. Department of Biochemistry and Molecular Biology, Jahangirnagar University, Dhaka, BGD 2. Department of Microbiology, Jahangirnagar University, Dhaka, BGD 3. Department of Microbiology, Gonoshasthaya Samaj Vittik Medical College, Dhaka, BGD 4. Department of Chemical, Biological, Biomedical and Biophysical Research, Mariano Gálvez University, Guatemala City, GTM 5. Department of Pharmacology and Toxicology, Faculty of Medicine, American University of Beirut, Beirut, LBN 6. Department of Pharmacy, Bangladesh Rural Advancement Committee (BRAC) University, Dhaka, BGD 7. Department of Pedodontics and Preventive Dentistry, Karnavati School of Dentistry, Karnavati University, Gandhinagar, IND 8. Department of Periodontology and Implantology, Karnavati School of Dentistry, Karnavati University, Gandhinagar, IND 9. Department of Pharmacology and Therapeutics, National Defence University of Malaysia, Kuala Lumpur, MYS

How to cite this erratum

Sajal S, Islam D, Khandker S, et al. (November 21, 2024) Correction: Strategies to Overcome Erroneous Outcomes in Reverse Transcription-Polymerase Chain Reaction (RT-PCR) Testing: Insights From the COVID-19 Pandemic. *Cureus* 16(11): c199. doi:10.7759/cureus.c199

Correction Notice

This article has been corrected as follows to replace reference 69 with the correct information.

Original reference:

Do COVID-19 Tests Still Work After They Expire? Here's How to Tell. (2023). Accessed: October 12, 2024: <https://www.cbsnews.com/news/covid-test-expiration-dates-fda-extension-accurate/>.

New reference:

Facente SN, Dowling T, Vittinghoff E, Sykes DL, Colfax GN: False positive rate of rapid oral fluid HIV tests increases as kits near expiration date. *PLoS One*. 2009, 4(12):e8217. [10.1371/journal.pone.0008217](https://doi.org/10.1371/journal.pone.0008217).