# Burden of disease attributable to high body mass index: an analysis of data from the Global Burden of Disease Study 2021



Xiao-Dong Zhou, a,bk Qin-Fen Chen, b,bk Wah Yang, Mauricio Zuluaga, Giovanni Targher, Giristopher D. Byrne, Luca Valenti, h,i Fei Luo, Christos S. Katsouras, Omar Thaher, Anoop Misra, Karim Ataya, Rodolfo J. Oviedo, Alice Pik-Shan Kong, Ali

<sup>a</sup>Department of Cardiovascular Medicine, The Heart Center, The First Affiliated Hospital of Wenzhou Medical University, Wenzhou, China

<sup>b</sup>Medical Care Center, The First Affiliated Hospital of Wenzhou Medical University, Wenzhou, China

<sup>c</sup>Department of Metabolic and Bariatric Surgery, The First Affiliated Hospital of Jinan University, Guangzhou, China

<sup>d</sup>Departament of Surgery, Universidad del Valle, Cali, Valle del Cauca, Colombia, United States

<sup>e</sup>Department of Medicine, University of Verona, Verona, Italy

<sup>f</sup>Metabolic Diseases Research Unit, IRCCS Sacro Cuore-Don Calabria Hospital, Negrar di Valpolicella, Italy

<sup>9</sup>Southampton National Institute for Health and Care Research Biomedical Research Centre, University Hospital Southampton, and University of Southampton, Southampton General Hospital, Southampton, UK

<sup>h</sup>Department of Pathophysiology and Transplantation, Università degli Studi di Milano, Milan, Italy

Precision Medicine, Biological Resource Center Unit, Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan, Italy

<sup>j</sup>Department of Cardiovascular Medicine, The Second Xiangya Hospital, Central South University, Changsha, China

<sup>k</sup>First Department of Cardiology, University Hospital of Ioannina and Faculty of Medicine, School of Health Sciences, University of Ioannina, Ioannina, 45110, Greece

Department of Surgery, Marien Hospital Herne, University Hospitals of the Ruhr University of Bochum, Herne, NRW, Germany

<sup>m</sup>Fortis-CDOC Center of Excellence for Diabetes, Metabolic Diseases, and Endocrinology, National Diabetes Obesity and Cholesterol Foundation and Diabetes Foundation, New Delhi, India

<sup>n</sup>Department of Bariatric Surgery, University of Montreal, Montreal, Quebec, Canada

<sup>o</sup>Nacogdoches Center for Metabolic & Weight Loss Surgery, Nacogdoches Medical Center, Nacogdoches, TX, United States

PDepartment of Medicine and Therapeutics, The Chinese University of Hong Kong, Hong Kong SAR, China

<sup>q</sup>Hong Kong Institute of Diabetes and Obesity, The Chinese University of Hong Kong, Hong Kong SAR, China

<sup>r</sup>Liver Disease Research Center, Department of Medicine, College of Medicine, King Saud University, Riyadh, Saudi Arabia

<sup>5</sup>Department of Internal Medicine, Ospedale Civile di Baggiovara (-2023), Azienda Ospedaliero-Universitaria di Modena, Modena, Italy

<sup>t</sup>Department of Gastroenterology & Hepatology, Changi General Hospital, Singapore

<sup>u</sup>Liver Unit, Division of Gastroenterology & Hepatology, University of Alberta, Edmonton, Canada

<sup>v</sup>Division of Surgery, Tel Aviv Sourasky Medical Center Affiliated to Tel Aviv University, Tel Aviv, Israel

Weight Management Unit, Royal NMC Hospital, Khalifa City, Abu Dhabi, United Arab Emirates

\*Metabolic and Bariatric, Fatima8h hospital, Tehran, Iran

yDepartment of Surgery, USFQ (Universidad San Francisco), Quito, Pichincha, Ecuador

<sup>z</sup>Department of Surgery, Ashford and St Peter's Hospital, Chertsey, Surrey, United Kingdom

<sup>aa</sup>Department Surgical Diseases, Tashkent Medical Academy, Tashkent, Almazar, Uzbekistan

<sup>ab</sup>Department of Metabolic and Bariatric Surgery, Acibadem Atakent University Hospital, Istanbul, Turkey

<sup>ac</sup>Department of Metabolic and Bariatric Surgery, Hospital Lusiadas Amadora, Amadora, Lisbon, Portugal

<sup>ad</sup>Universidad San Ignacio de Loyola, Lima, Peru

<sup>ae</sup>OBEMET Center for Obesity and Metabolic Health, Lima, Peru

<sup>af</sup>Nutrition and Health Innovation Research Institute, School of Medical and Health Sciences, Edith Cowan University, Western Australia, Australia

DOI of original article: https://doi.org/10.1016/j.eclinm.2024.102848

\*Corresponding author. MAFLD Research Center, Department of Hepatology, The First Affiliated Hospital of Wenzhou Medical University, Wenzhou China.

E-mail address: zhengmh@wmu.edu.cn (M.-H. Zheng).

© 2024 The Author(s). Published by Elsevier Ltd. All rights are reserved, including those for text and data mining, Al training, and similar technologies.

bkCo-first authors.

## Corrigendum

- <sup>ag</sup>Pengiran Anak Puteri Rashidah Sa'adatul Bolkiah Institute of Health Sciences, Universiti Brunei Darussalam, Bandar Seri Begawan, Brunei-Muara, Brunei
- <sup>ah</sup>Surgical Disease and Bariatric Surgery, Astana Medical University, Astana, Aqmola, Kazakhstan
- <sup>ai</sup>Department of Metabolic and Bariatric Surgery, Iranian Hospital Dubai, Dubai, United Arab Emirates
- <sup>aj</sup>Department of Upper Gastrointestinal Surgery, Royal Infirmary Edinburgh, Edinburgh, United Kingdom
- <sup>ak</sup>Department of Gastroenterology, Hepatology and Endemic Medicine, Faculty of Medicine, Minia University, Minia, Egypt
- <sup>al</sup>Department of Medicine, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, USA
- <sup>am</sup>Department of Endocrinology and Metabolism, Nanfang Hospital, Southern Medical University, Guangzhou, China
- <sup>an</sup>Liver Research Unit, Medica Sur Clinic & Foundation, Mexico City, Mexico
- <sup>ao</sup>Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Buenos Aires, Argentina
- <sup>ap</sup>Faculty of Health Science, Maimónides University, Buenos Aires, Argentina
- <sup>aq</sup>Clinical and Molecular Hepatology, Translational Health Research Center (CENITRES), Maimónides University, Buenos Aires, Argentina
- <sup>ar</sup>Gastroenterology and Hepatology Unit, Department of Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur, Malaysia
- <sup>as</sup>Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand
- <sup>at</sup>Department of Hepatology, Sir Charles Gairdner Hospital, Perth, Australia
- <sup>au</sup>Medical School, The University of Western Australia, Perth, Australia
- <sup>av</sup>Department of Medicine, Makerere University of College of Health Sciences, Kampala, Uganda
- <sup>aw</sup>Department of Hepatology, RCSI School of Medicine and Medical Sciences, Dublin/Beaumont Hospital, Dublin, Ireland
- <sup>ax</sup>Department of Medicine, University of Sri Jayewardenepura, Nugegoda, Sri Lanka
- <sup>ay</sup>Division of Gastroenterology and Hepatology, Department of Internal Medicine, American University of Beirut Medical Center, Beirut, Lebanon
- <sup>az</sup>Department of Medicine, College of Medicine and Health Sciences, Sultan Qaboos University, Muscat, Oman
- <sup>ba</sup>Department of Medicine, Aga Khan University, Nairobi, Kenya
- bbDepartament of Metabolic and Bariatric Surgery, Tu Opcion Bariatrica/Swiss Hospital, Monterrey, Mexico
- <sup>bc</sup>Department of Surgery, Chinese General Hospital and Medical Center, Manila, Philippines
- <sup>bd</sup>Department of Metabolic, Bariatric and Endocrine Surgery, Fuenlabrada University Hospital, Madrid, Spain
- be Surgical Gastroenterology, Bariatric and Robotic Surgery, Indraprastha Apollo Hospital, New Delhi, India
- <sup>bf</sup>Departament of Esophagogastric and Bariatric Surgery, Hospital del Mar de Barcelona, Barcelona, Spain
- <sup>bg</sup>Department of General Surgery, Alexandria University Faculty of Medicine, Alexandria, Egypt
- bh MAFLD Research Center, Department of Hepatology, The First Affiliated Hospital of Wenzhou Medical University, Wenzhou, China
- <sup>bi</sup>Key Laboratory of Diagnosis and Treatment for the Development of Chronic Liver Disease in Zhejiang Province, Wenzhou, China
- <sup>bj</sup>Section of Endocrinology, Boston VA Healthcare System, Harvard Medical School, Boston, MA, USA

### Correction to Figure 4 Caption

In the original paper, the caption for Figure 4A mistakenly labels "DALYs" (Disability-Adjusted Life Years) when it should read "deaths." This error was due to a typographical oversight. The corrected title is as follows: Figure 4: (A) Age-standardized death rates attributable to high BMI in 2021; (B) Age-standardized DALY rates attributable to high BMI in 2021.

#### Correction to Table 1

In the original paper, Table 1 contains misaligned age-standardized death values for causes of death compared to the Global Burden of Disease (GBD) study. This error was caused by a shift in data rows, resulting in incorrect automatic entries where values intended for Age-standardized DALYs (e.g., 0.36) were mistakenly populated in the Age-standardized death column. Consequently, values such as 0.36, 1.36, 2.36, 3.36, and so forth were incorrectly filled into the age-standardized death data. A corrected version of Table 1 is attached for reference, with all values realigned to accurately reflect the original GBD data.

#### Impact on Data Interpretation

These corrections ensure accurate representation of the data but do not change the overall conclusions of the paper.

eClinicalMedicine 2024;78: 102958 Published Online xxx https://doi.org/10. 1016/j.eclinm.2024. 102958

	1990		2021		Relative change in
	No. death cases (95% UI)	Age-standardized death rates per 100,000 (95% UI)	No. death cases (95% UI)	Age-standardized death rates per 100,000 (95% UI)	age-standardized death rate, 1990-202 (95% CI)
Global	1,459,533 (723,043–2,287,052)	40.90 (19.87-64.16)	3,709,063 (1,847,840-5,658,334)	44.23 (22.01–67.64)	0.08 (0.01-0.15)
Sex					
Female	828,147 (407,103-1,302,480)	41.57 (20.18-65.25)	2,013,089 (979,000-3,076,045)	43.26 (21.08-66.05)	0.04 (-0.03 to 0.12)
Male	631,386 (315,453-988,214)	39.03 (19.35-60.80)	1,695,974 (861,972-2,635,343)	44.90 (23.01-70.17)	0.15 (0.06-0.23)
SDI					
Low SDI	70,040 (42,195–110,220)	32.89 (20.11-51.01)	204,362 (114,078–318,520)	43.22 (24.93-66.40)	0.31 (0.14-0.50)
Low-middle SDI	177,919 (100,108-281,095)	31.91 (18.22-49.61)	671,617 (349,426-1,011,204)	49.59 (26.29-74.99)	0.55 (0.35-0.74)
Middle SDI	306,277 (185,062-452,734)	33.78 (20.37-50.30)	1,126,388 (581,131-1,700,642)	44.80 (23.60-67.57)	0.33 (0.10-0.46)
High-middle SDI	430,095 (194,645-685,431)	48.62 (22.28-77.66)	904,396 (417,515-1,428,690)	46.71 (21.70-73.63)	-0.04 (-0.12 to 0.05
High SDI	472,370 (199,898-767,235)	43.07 (18.21-69.90)	797,416 (368,146-1,253,107)	35.13 (16.59-54.47)	-0.18 (-0.24 to -0.0
Causes					
Cardiovascular diseases	863,066 (477,898-1,316,551)	24.43 (13.63-37.3)	1,904,239 (1,072,732-2,864,242)	22.77 (12.87-34.24)	-0.07 (-0.14 to 0.02
Chronic respiratory diseases	38,041 (16,523-59,933)	1.00 (0.43-1.58)	62,363 (26,317-100,543)	0.74 (0.31-1.19)	-0.26 (-0.35 to -0.1
Diabetes and kidney diseases	330,122 (170,826-489,762)	9.01 (4.53-13.57)	1,142,121 (602,169–1,666,047)	13.51 (7.14-19.81)	0.50 (0.39-0.64)
Digestive diseases	21,103 (4725–35,436)	0.63 (0.14-1.06)	46,716 (10,268–79,844)	0.58 (0.13-0.98)	-0.09 (-0.19 to 0.12
Neoplasms	137,353 (57,450-225,297)	3.66 (1.51-6.03)	356,738 (146,116–581,012)	4.18 (1.71-6.8)	0.14 (0.07-0.20)
Neurological disorders	31,577 (-1617 to 142,814)	1.22 (-0.07 to 5.43)	139,439 (-21,838 to 580,290)	1.79 (-0.27 to 7.44)	0.47 (-0.47 to 2.67
Respiratory infections and tuberculosis	38,272 (8106–107,542)	0.94 (0.20–2.62)	57,447 (12,864-150,517)	0.67 (0.15–1.75)	-0.29 (-0.40 to -0.0
Regions					
Southeast Asia, East Asia, and Oceania	209,280 (133,212–314,962)	21.31 (13.51-31.76)	843,126 (434,145-1,321,468)	32.18 (16.72–50.06)	0.51 (0.03-0.87)
Central Europe, Eastern Europe, and Central Asia	313,169 (127,541–516,522)	70.50 (28.19–116.6)	482,197 (206,766–766,422)	73.46 (31.57–116.87)	0.04 (-0.06 to 0.18
High-income	495,925 (211,655-800,301)	41.52 (17.71-67.04)	815,587 (370,336-1,288,209)	33.19 (15.69-51.55)	-0.20 (-0.25 to -0.0
Latin America and Caribbean	121,529 (62,408-183,615)	58.07 (30.04-87.81)	390,581 (200,873-593,116)	63.83 (32.60-97.11)	0.10 (0.01-0.19)
North Africa and Middle East	139,628 (80,646-204,715)	94.42 (54.85-138.13)	444,512 (248,383-651,458)	111.09 (62.99–165.05)	0.18 (0.05-0.30)
South Asia	91,954 (46,062-155,163)	16.58 (8.74-27.79)	448,678 (214,705-698,248)	31.70 (15.44-49.7)	0.91 (0.56-1.33)
Sub-Saharan Africa	88,048 (53,414-136,421)	45.76 (27.18–70.37)	284,382 (160,256-427,513)	67.34 (38.78–102.13)	0.47 (0.29-0.66)
World Bank Regions	825,830 (405,994-1,298,931)	24.19 (11.59-37.98)	3,701,337 (1,843,736–5,646,169)	44.19 (21.98-67.58)	0.83 (0.72-0.97)
WHO region	1,448,757 (717,769-2,270,841)	40.84 (19.84-64.08)	3,684,012 (1,835,234–5,618,806)	44.25 (22.01–67.65)	0.08 (0.01-0.15)
European Union	300,328 (130,095-482,020)	50.23 (21.68-80.72)	419,910 (198,142-672,566)	37.28 (17.88-59.34)	-0.26 (-0.32 to -0.1
League of Arab States	93,700 (54,474–138,019)	101.80 (58.54-149.61)	314,703 (177,705–467,749)	130.76 (75.14–195.39)	0.28 (0.11-0.45)
Commonwealth	221,787 (107,464–356,741)	28.87 (14.05–46.35)	741,090 (356,775–1,136,519)	38.31 (18.41-59.14)	0.33 (0.20-0.48)
OECD Countries	608,719 (263,354–978,455)	45.88 (19.90-73.72)	1,077,196 (511,582–1,688,391)	39.26 (19.08–60.51)	-0.14 (-0.20 to -0.0
G20	1,045,845 (498,668–1,651,416)	38.33 (17.91–60.41)	2,508,139 (1,216,695–3,877,430)	38.98 (18.96–60.30)	0.02 (-0.05 to 0.09
African Union	151,517 (90,193–228,330)	60.15 (35.72–89.11)	491,144 (275,282-731,417)	86.48 (49.45–129.8)	0.44 (0.26–0.60)
Four World Regions	1,453,713 (720,260–2,278,004)	40.82 (19.84–64.04)	3,698,546 (1,842,234-5,642,121)	44.19 (21.98–67.58)	0.08 (0.01-0.15)
World Bank Income Levels	1,456,672 (721,695-2,282,563)	40.86 (19.86–64.11)	3,704,134 (1,845,217-5,650,715)	44.21 (21.99–67.61)	0.08 (0.01-0.15)
Nordic Region	14,360 (5312-23,981)	37.09 (13.88–61.66)	16,769 (7097-27,654)	25.05 (10.77-41.28)	-0.32 (-0.39 to -0.1
Organization of Islamic Cooperation	244,516 (137,488–372,008)	52.41 (29.85-78.55)	806,667 (439,001–1,198,877)	71.57 (39.42–107.21)	0.37 (0.24-0.49)
Association of Southeast Asian Nations	53,733 (32,894-83,980)	21.96 (13.48–33.99)	222,760 (118,705–342,708)	35.86 (19.44-55.15)	0.63 (0.37-0.88)
Gulf Cooperation Council	7520 (3992–11,670)	105.29 (56.86–163.13)	35,910 (20,177–51,894)	137.46 (76.71–201.14)	0.31 (0.07-0.63)
Sahel Region	28,578 (16,831-44,670)	48.03 (28.28–74.92)	80,107 (44,088–123,263)	62.89 (34.89–96.41)	0.31 (0.10-0.56)
			00 107 144 000-173 7031		

Table 1: Deaths and age-standardized death rates of high BMI in 1990 and 2021 and the temporal trend of age-standardized death rates from 1990 to 2021.

www.thelancet.com Vol 78 December, 2024