

## CORRECTION

# Correction: Biofilm microbiome in extracorporeal membrane oxygenator catheters

Yeuni Yu, Yun Hak Kim, Woo Hyun Cho, Bong Soo Son, Hye Ju Yeo

There are errors in the author affiliations. The correct affiliations are as follows:

Yeuni Yu<sup>1</sup>, Yun Hak Kim<sup>2</sup>, Woo Hyun Cho<sup>3</sup>, Bong Soo Son<sup>4</sup>, Hye Ju Yeo<sup>3,5</sup>

1 Interdisciplinary Program of Genomic Science, Pusan National University, Yagisan, Republic of Korea, 2 Department of Anatomy and Department of Biomedical Informatics, School of Medicine, Pusan National University, Yangsan, Republic of Korea, 3 Division of Pulmonary, Allergy, and Critical Care Medicine, Department of Internal Medicine, Pusan National University Yangsan Hospital, Pusan National University School of Medicine, Yagisan, Republic of Korea, 4 Department of Thoracic and Cardiovascular Surgery, Pusan National University Yangsan Hospital, Pusan National University School of Medicine, Yangsan, Republic of Korea, 5 Research Institute for Convergence of Biomedical Science and Technology, Pusan National University Yangsan Hospital, Pusan National University School of Medicine, Yagisan, Republic of Korea.

## Reference

1. Yu Y, Kim YH, Cho WH, Son BS, Yeo HJ (2021) Biofilm microbiome in extracorporeal membrane oxygenator catheters. PLOS ONE 16(9): e0257449. <https://doi.org/10.1371/journal.pone.0257449> PMID: 34529734



## OPEN ACCESS

**Citation:** Yu Y, Kim YH, Cho WH, Son BS, Yeo HJ (2024) Correction: Biofilm microbiome in extracorporeal membrane oxygenator catheters. PLoS ONE 19(12): e0315755. <https://doi.org/10.1371/journal.pone.0315755>

**Published:** December 10, 2024

**Copyright:** © 2024 Yu et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.