



OPEN

# Author Correction: Ultrasound based radiomics model for assessment of placental function in pregnancies with preeclampsia

Published online: 16 December 2024

Hongshuang Sun, Jing Jiao, Yicong Wang, Chen Zhu, Shaochun Wang, Yuanyuan Wang, Bo Ban, Yi Guo & Yunyun Ren

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-024-72046-2>, published online 10 September 2024

The Funding section in the original version of this Article was omitted. The Funding section now reads:

“Funding was provided by the Shanghai Municipal Health Commission Scientific Research Project Program (No. 202240083), the Natural Science Foundation of Shandong Province (No. ZR2024QH216), the Medical and Health Science and Technology Project of Shandong Province (No. 202309020311) and the Postdoctoral Research Project from Affiliated Hospital of Jining Medical University (No. JYFY362641).”

The original Article has been corrected.

**Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

© The Author(s) 2024