Learning in practice

Early practical experience and the social responsiveness of clinical education: systematic review

Sonia Littlewood, Valmae Ypinazar, Stephen A Margolis, Albert Scherpbier, John Spencer, Tim Dornan

Abstract

Objectives To find how early experience in clinical and community settings ("early experience") affects medical education, and identify strengths and limitations of the available evidence.

Design A systematic review rating, by consensus, the strength and importance of outcomes reported in the decade 1992-2001.

Data sources Bibliographical databases and journals were searched for publications on the topic, reviewed under the auspices of the recently formed Best Evidence Medical Education (BEME) collaboration. **Selection of studies** All empirical studies (verifiable, observational data) were included, whatever their design, method, or language of publication. **Results** Early experience was most commonly provided in community settings, aiming to recruit primary care practitioners for underserved populations. It increased the popularity of primary care residencies, albeit among self selected students. It fostered self awareness and empathic attitudes towards ill people, boosted students' confidence, motivated them, gave them satisfaction, and helped them develop a professional identity. By helping develop interpersonal skills, it made entering clerkships a less stressful experience. Early experience helped students learn about professional roles and responsibilities, healthcare systems, and health needs of a population. It made biomedical, behavioural, and social sciences more relevant and easier to learn. It motivated and rewarded teachers and patients and enriched curriculums. In some countries, junior students provided preventive health care directly to underserved populations.

Conclusion Early experience helps medical students learn, helps them develop appropriate attitudes towards their studies and future practice, and orientates medical curriculums towards society's needs. Experimental evidence of its benefit is unlikely to be forthcoming and yet more medical schools are likely to provide it. Effort could usefully be concentrated on evaluating the methods and outcomes of early experience provided within non-experimental research designs, and using that evaluation to improve the quality of curriculums.

Introduction

The norm for the past century has been for medical students to learn theory for two to three years before seeing it applied in practice. Encouraged by professional bodies such as the UK General Medical Council, many medical schools are "vertically integrating" various types of practical experience into the early years,1-3 yet exponents of vertical integration have not clearly argued the case for it, let alone presented evidence in its favour. We developed a theory, grounded in consensus, that early practical experience ("early experience") could orient medical curriculums towards the social context of practice, and strengthen students' affective and cognitive learning.4 We have now extended this research by systematically reviewing publications on the topic⁵ under the auspices of the recently formed Best Evidence Medical Education (BEME) collaboration.6 summarises the review and interprets its main findings in relation to contemporary trends in medical education.

Methods

Methods are reported in full elsewhere.⁵ We have not completed the QUOROM statement since this is not a systematic review of clinical trials. The topic review group (all of whose members are authors) was recruited to be international, experienced in innovative clinical education, representative of community and hospital perspectives, familiar with horizontal and vertical integration, and conversant with evidence based practice. A medical student was a lead member.

Review question, definitions, and inclusion criteria

The review question was: "How can experience in clinical and community settings contribute to early medical education?" Early was defined as "what would traditionally have been regarded as the preclinical phase; usually the first two years" and experience as "authentic (real as opposed to simulated) human contact in a social or clinical context that enhances learning of health, illness and/or disease, and the role of the health professional." All empirical studies (verifiable, observational data) were included, whatever their design, method, or language of publication. Although

Hope Hospital (University of Manchester School of Medicine), Manchester M6 8HD

Sonia Littlewood medical student Tim Dornan consultant physician

University of Queensland School of Medicine, PO Box 4143, Rockhampton, Queensland 4700, Australia Valmae Ypinazar research fellow Stephen A Margolis head of region, Rural Clinical Division CQ

University of Maastricht, PO Box 616, 6200 MD, Maastricht, Netherlands Albert Scherpbier director of Institute of Medical Education

University of Newcastle, Newcastle upon Tyne NE2 4HH, UK John Spencer chair of medical education in primary health care

Correspondence to: T Dornan tim.dornan@ manchester.ac.uk

BMJ 2005;331:387-91

The full report is available on www. bemecollaboration. org

Box 1: Sources of references

Bibliographical databases screened electronically

British Education Index (BEI)

Education Resources Information Center (ERIC)

Medline

CINAHL

Embase

PsychINFO

TimeLIT

EBM reviews

SIGLE

Cochrane databases

Journals hand screened

Academic Medicine

Advances in Health Sciences Education

Journal of Educational Psychology

Medical Education

Medical Teacher

Teaching and Learning in Medicine

the search was directed towards medical education, evidence from other health professions was not excluded if it could be applied to medicine.

Search strategy and reference handling

The review covered the decade 1992-2001. After a scoping search, the research group ran a main search across seven major bibliographical databases (box 1), searched three other databases by keywords, hand-searched six journals, and screened the reference lists of all informative articles. We used EndNote bibliographical software (Thomson, Philadelphia, USA) to handle the citations, of which there were 6981 after elimination of duplicates.

Article selection, coding of outcomes, and synthesis of results

All articles presenting empirical evidence on the effect of experience on early education in the health professions, according to the definitions above, went to two members of a coding pair, who independently identified all outcomes and coded them for their strength (on the 1-5 scale described in box 2) and educational importance (using Kirkpatrick's hierarchy for educational outcomes,7 which is also included in box 2). The researchers resolved disagreements by consensus and entered the outcomes and their metadata into a database. The review yielded 277 educational outcomes from 73 studies. This report is based on the 116 of those outcomes from 38 studies, which the review group judged admissible as evidence because their strength was rated 3 or higher and their Kirkpatrick level was 2a or higher. The group divided the studies into positive outcomes (evidence of benefit), negative outcomes (no benefit or harm) and adverse outcomes, and coded them as coming from a descriptive or comparative study. The theory previously developed by consensus4 provided an interpretive structure. One author then re-read the original papers and wrote this narrative; the other five authors did a critique of it.

Results

Nature, strength, and importance of the evidence

Sixty nine per cent of studies were from North America, 23% from Europe, and 8% from other parts of the world. Ninety three per cent were in medicine and the remainder in pharmacy (6%) or nursing (1%). Seventy two per cent of interventions were in primary care, family medicine, or community settings; and 28% in hospital, hospice, or medical school. Sixty nine per cent were clinical placements, ranging from a single half day session to half day clinical visits through both preclinical years; 8% were skills training events; 7% were placements in "lay" community settings; 7% were attachments to a single patient or family; and 9% were combinations. The number of learners ranged from six to 1081. Most evidence was from descriptive studies (72% descriptive v 28% comparative) with evidence of positive publication bias (91% of outcomes positive), more so in descriptive studies (99% of outcomes positive) than comparative studies (70% of outcomes positive).

Effect on career choice

Recruitment of doctors to underserved, rural communities is a major public health issue in the United States, whose publications dominated the evidence base. We found strong evidence from comparative studies with long follow-up that students who had early experience were more likely than controls to choose residencies in primary care, ⁸⁻¹² and show positive attitudes towards rural practice. ¹³⁻¹⁶ However, the students in those studies often chose to have early experience and may have had more positive attitudes from the outset. Moreover, their early experience was in rural communities, usually as part of a recruitment drive. ¹⁷

Effect on students' learning

Early experience influenced students in several ways.

Attitudes

Attitudes are notoriously hard to quantify, and it is hard to compare without quantifying, so only 16% of attitudinal outcomes were from comparative studies. However, descriptive methods are well suited to exploring students' complex emotional reactions and the factors that trigger them. Early experience motivated students in numerous ways. $^{16-21}$ It reminded them of their vocation to be a doctor. It showed the practical relevance of the theory they were studying and made it easier to learn. It motivated them by giving welcome respite from the discipline of preclinical studies and exposing them to patients they could empathise with and doctors they could strive to emulate. It also made students more confident to meet and interview patients. 13 15 19-25 Students who chose to have early experience were more satisfied with their studies²⁶ because it gave them insight into the social and psychological problems of "real people."23 It helped build self awareness, including the ability to recognise and respond to feelings of uncertainty and inadequacy.¹⁸ Early experience helped students develop empathic responses to ill patients.18 27 Some of the evidence concerned students' socialisation to their role as a clinical learner and future health professional. Two comparative studies found no association between early experience and the outcomes examined,22 26 although six descriptive studies found positive effects, 14 15 17 19 2

including becoming more mature, acclimatising to professional settings, and identifying with doctor role models. Looking back on their education, graduates felt that early experience had reduced the stress they experienced when they first met patients during clerkships.²⁷

Understanding of subject matter

These findings were almost all positive and from descriptive studies, reporting qualitative changes in intellectual perspectives and patterns of thought. Early experience made students more confident in their knowledge, taught them things "that could not be learned from books," ¹⁴ ²⁰ ²⁴ ²⁵ ²⁷ brought diseases to life, and made medical science more comprehensible. $^{\tiny 13\ 17\ 20\ 29}$ It provided a framework to explain clinical practice, showed students how professionals viewed their interactions with patients, and helped develop "clinical ways of thinking." It also taught students how people live, how their living conditions affect their health, and how important it is that health services are readily accessible to them. 14 30 31 It helped them appreciate the impact of illness18 28 30 and strengthened their knowledge of healthcare delivery systems, 14 16 32 health professional roles and responsibilities, and the importance of good interprofessional communication and multidisciplinary working.18 19 30 31 It helped students learn biomedical sciences,19 behavioural and social sciences, and the ethical dimension of patient care.18 25

Clinical skills

Again, much of the research explored the quality rather than quantity of educational benefit, though nearly half the outcomes came from comparative studies. Early experience improved students' ability to relate to patients and communicate empathy.²⁰ ²² It helped them understand the doctor-patient relationship and the importance of listening to patients, carers, and other professionals.¹⁹ ³⁰ Students valued exploring social and psychological determinants of health and disease through contact with real patients²³ and were able to deliver preventive healthcare.³³ They appreciated learning to take diagnostic histories¹³ ²² ²³ ²⁸ ³⁴-³⁶ and performing simple physical examinations.¹³ ²⁴ ³⁵-³⁷ Equipped with those skills, they felt better able to approach patients.²⁷

Study skills

Qualitative analysis of learning logs showed early experience to uncover differences in students' ability to learn reflectively.³⁸

Performance in examinations

It was concluded from several comparative studies that early experience improved performance in examinations, but the data were often sketchy, the study methods weak, the effect sizes small, and the benefits inconsistent. ¹⁵ ²⁰ ³⁹⁻⁴² Experience in hospital had comparable effects to experience in community. ⁴³

Effects on teachers, organisations, populations, and patients

Descriptive studies reported that students were not the only beneficiaries of early experience, which could motivate and reward teachers⁴⁴ and patients in hospital,⁴⁵ increase the breadth of placements that organisations provided,¹³ and bring health care to underserved populations.³⁷

Discussion

As part of a complex curriculum intervention, 46 early experience helped recruit residents to rural primary care in the US. Many countries need urgently to recruit health professionals to deliver primary care to underserved populations. The nature of the research, however, makes it unsafe to conclude that the benefit is restricted to rural practice, or even primary care. The students who opted for rural primary care had opted to have early experience, which was often provided within rural primary care. Early experience in an urban setting or secondary or tertiary career might have led to very different career choices. It is reasonable to conclude, however, that early experience has a strong formative influence that can be used to foster a socially responsive career orientation. In line with our previous consensus survey, biomedical science had only a small place in the rationale for early experience.4 One of us has argued elsewhere that "the new medical education" is not forsaking biomedical science but putting it in a broader, social context.⁴⁷ We view the move to offer early experience as a sign of that paradigm shift because it adds professional socialisation, the development of appropriate attitudes, interpersonal skills and study skills, and familiarity with the healthcare system, to the benefits of a grounding in basic science. In making the curriculum more socially responsive, it aligns medical education with contemporary concepts

Box 2: Best Evidence Medical Education (BEME) coding scheme for strength and importance of evidence as applied to this review

Strength

It would be possible to have a strong study with low impact, and vice versa. Strength equates with critical appraisal and is a statement of your confidence that the results of the study are credible. Having considered the study design, the way the study was performed, and the data analysis, we rated the outcome:

- 1 No clear conclusions can be drawn; not strong
- 2 Results ambiguous; there seems to be a trend
- 3 Conclusions can probably be based on the results
- 4 Results are clear and very likely to be true
- 5 Results are unequivocal

Importance

Level 1: Participation—covers learners' views on the learning experience, its organisation, presentation, content, teaching methods, and aspects of the instructional organisation, materials, and quality of instruction

Level 2a: Modification of attitudes or perceptions—outcomes here relate to changes in the reciprocal attitudes or perceptions between participant groups towards intervention or simulation

Level 2b: Modification of knowledge and skills—for knowledge, this relates to the acquisition of concepts, procedures, and principles; for skills this relates to the acquisition of thinking and problem solving, psychomotor and social skills

Level 3: Behavioural change—documents the transfer of learning to the workplace or willingness of learners to apply new knowledge and skills

Level 4a: Change in organisational practice—wider changes in the organisation or delivery of care, attributable to an educational programme

Level 4b: Benefits to patient or clients—any improvement in the health and wellbeing of patients and clients as a direct result of an educational programme

Note: The term importance is used to describe the Kirkpatrick hierarchy of educational evidence is the authors', not the BEME collaboration's.

What is already known on this subject

Integrating various types of practical experience into the early years of clinical education is becoming increasingly common

This practice is strongly advocated by the UK General Medical Council, but theoretical arguments and empirical support for it are fragmentary

What this study adds

A systematic review of research evidence published in 1992-2001 provides an inventory of educational outcomes that can be enhanced by early experience

Evidence shows early experience has a strong formative influence that can be used to foster a socially responsive career orientation.

The review gives pointers for future research effort

of professionalism, which emphasise doctors' accountability to the society they serve. 48

Strengths and limitations of the study

This review is one of the early products of the BEME collaboration, which seeks to bring medical education into the "evidence era." Educational interventions are often complex and educational outcomes can be hard to measure, so education systematic review has to accommodate different research methodologies. Nowhere is Einstein's epithet that "not everything that can be counted counts, and not everything that counts can be counted" truer than of educational outcomes. The evidence reviewed here includes comparative and descriptive studies, and qualitative and quantitative methods, weak and strong. Some of the studies that yielded the most robust causal inferences were qualitative and non-comparative. The review group has striven to present this very varied evidence base in a way that will help curriculum planners draw their own conclusions. The strength of this review is in the rigour of its methods, which evaluated complex evidence by consensus between a heterogeneous, multinational group of reviewers. They entered the review with open minds and communicated solely through the internet, keeping decision making relatively objective. The limitations are the lack of rigour in many of the studies reviewed and the inherent subjectivity of exploratory research. A predominance of underpowered and poorly designed studies, coupled with positive publication bias, would tend to exaggerate the effect of early experience. However, qualitative analysis of the benefits of a complex intervention should only bias the opinions of uncritical readers, while informing critical ones. Any readers wishing to review the evidence for themselves can trace each conclusion back to its primary source from a summary table in the detailed report.⁵

These findings do not prove, but are consistent with, the theory reported in our previous publication that early experience could strengthen and deepen cognitively, broaden affectively, contextualise, and integrate medical education.4 They also support the view that avoiding an abrupt transition into the clinical environment would give students an easier passage through medical education.

Acknowledgements: We thank Liz Asbridge, Lucy Coxon, Rhona Dalton, Kate Dornan, Alex Haig, Gwyn Hodgson, Debbie Leadbetter, Pat Lilley, Pat McArdle, and Dan Powley for their help. Diana Wood, Jill Morrison, and Iain Chalmers made helpful comments on the manuscript.

Contributors: SL did the literature search, validated the methods, selected the articles, piloted the analysis and second-coded half the articles in the final analysis. TD conceived of the study, supervised SL's medical student project, convened the topic review group, validated the methods, second-coded half the articles, analysed the results, wrote the paper, and revised it after peer review. VY, SAM, AS, and JS helped validate the article selection, first coded papers, and participated actively throughout the conduct, analysis and writing of the study. TD is its guarantor.

Funding: None, except that minor expenses were met from TD's endowment funds.

Competing interests: None declared.

Ethical approval: Because it did not involve human subjects, the study was not submitted to ethical scrutiny.

- 1 General Medical Council. Tomorrow's doctors. 2nd ed. London: GMC,
- Harden RM. Integrated teaching—what do we mean? A proposed taxonomy. *Med Educ* 1998;32:216-7.
- Dahle LÓ, Brynhildsen J, Berbohm Fallsberg M, Rundquist I, Hammar M. Pros and cons of vertical integration between clinical medicine and basic science within a problem-based undergraduate medical curriculum: examples and experiences from Linkoping, Sweden. *Med Teach* 2002;24:280-5. Dornan T, Bundy C. What can experience add to early medical education? Consensus survey. *BMJ* 2004;329:834-7.
- Dornan T L, Margolis SA, Ypinazar V, Scherpbier A, Spencer J. How can experience in clinical and community settings contribute to early medical education? www.bemecollaboration.org/topics.htm (accessed 19 Jul 2005).
- Albanese M, Norcini J. Systematic reviews: what are they and why should we care? *Adv Health Sci Educ Theory Pract* 2002;7:147-51.
- Kirkpatrick DL. Evaluation of training. In: Craig R, Bittel L, eds. *Training and development handbook*. New York: McGraw-Hill, 1967:87-112.
- Lynch DC, Teplin SE, Willis SE, Pathman DE, Larsen LC, Steiner BD, et al. Interim evaluation of the rural health scholars program. Teach Learn Med 2001;13:36-42.
- Grayson MS, Klein MP, Franke KB. Impact of a first-year primary care experience on residency choice. J Gen Intern Med 2001;16:860-3.

 10 Levy BT, Hartz A, Merchant ML, Schroeder BT. Quality of a family medi-
- cine preceptorship is significantly associated with matching into family practice. Fam $Med\,2001;33:683-90.$
- 11 Mengel MB, Davis AB. Required first-year generalist clinical experience courses and their relationship to career choice: the critical effect of family medicine involvement. Fam Med 1995;27:652-7.

 12 Dobie SA, Carline JD, Laskowski MB. An early preceptorship and medi-
- cal students' beliefs, values, and career choices. Adv Health Sci Educ Theory Pract 1996:2:35-47.
- Quinby PM, Papp KK. Adopt-a-student, early mentoring in family medicine. Med Teach 1995;17:47-53.
- 14 Vaz R, Gona O. Undergraduate education in rural primary health care: evaluation of a first-year field attachment. *Med Educ* 1992;26:27-34.

 15 Barley G, O'Brien-Gonzales A, Hughes E. What did we learn about the
- impact on students' clinical education? Acad Med 2001;76(4 suppl):
- 16 Riley K, Myers W, Gordon MJ, Laskowski M, Kriebel S, Dobie S. A collaborative approach to a primary care preclinical preceptorship for underserved settings. *Acad Med* 1991;66:776. 17 Mann MP. A light at the end of the tunnel: the impact of early clinical
- experiences on medical students. Presented at the annual meeting of the American Educational Research Association, New Orleans, LA, 4-8 April,
- 18 Kent GC. Medical student's reactions to a nursing attachment scheme.
- 19 Hampshire A. Providing early clinical experience in primary care. Med Educ 1998;32:495-501.
- Rooks L, Watson RT, Harris JO. A primary care preceptorship for first-year medical students coordinated by an area health education center program: a six-year review. *Acad Med* 2001;76:489-92.
 Steele D, Susman J, McCurdy F, O'Dell D, Paulman P, Stott J. The Interdis-
- ciplinary Generalist Project at the University of Nebraska Medical Center.
 Acad Med 2001;76(4 suppl):s121-6.
 Novack DH, Dube C, Goldstein MG. Teaching medical interviewing. A basic course on interviewing and the physician-patient relationship. Arch.
- Intern Med 1992;152:1814-20.
- 23 Orbell S, Abraham C. Behavioural sciences and the real world: Report of a community interview scheme for medical students. *Med Edua* 1993;27:218-29.
- 24 Fernald DH, Staudenmaier AC, Tressler CJ, Main DS, O'Brien-Gonzales A, Barley GE. Student perspectives on primary care preceptorships: Enhancing the medical student preceptorship learning environment. Teach Learn Med 2001;13:13-20.
- 25 Alford C, Miles T, Palmer A, Espino D. An introduction to geriatrics for first-year medical students. J Am Geriatrics Soc 2001;49:782-

- 26 Johnson AK, Scott CS. Relationship between early clinical exposure and first-year students' attitudes toward medical education. *Acad Med* 1998;73:430-2.
- 27 Friedberg M, Glick S. Graduates' perspective of early clinical exposure. Educ Health 1997;10:205-11.
- 28 Frank D. An integrated curriculum for teaching preparatory clinical skills at a traditional medical school. *Teach Learn Med* 1996;8:4-9.
 29 Chisholm MA, McCall CY, Francisco GEJ, Poirier S. Student Exposure to
- Actual Patients in the Classroom. *Am J Pharm Educ* 1997;61:364-70.

 Cooper HC, Gibbs TJ, Brown L. Community-orientated medical education: extending the boundaries. *Med Teach* 2001;23:295-9.
- 31 Waddell RF, Davidson RA. The role of the community in educating medical students: Initial impressions from a new program. *Educ Health* 2000:13:69-76
- 32 Bucci KK, Maddox RW, Holmes TJ, Broadhead WE, Tse C-KJ. Implementation and evaluation of a shadow program for PharmD students. Am J Pharm Educ 1993;57:44-9.
- 33 Nieman LZ, Foxhall LE, Groff J, Cheng L. Applying practical preventive skills in a preclinical preceptorship. *Acad Med* 2001;76:478-83.
 34 Madray H, Pfeiffer CA, Ardolino A. Teaching patient wellness to first-year
- 34 Mattay I, Fellici CA, Ardonio A. Feating patent weinces of inserted medical students: the impact on future ability to perform the history of present illness. *Med Educ* 2000;34:404-8.
 35 Allen SS, Bland CJ, Harris IB, Anderson D, Poland G, Satran L, et al. Structured clinical teaching strategy. *Med Teach* 1991;13:177-84.
- 36 Rogers JC, Dains JE. Can first year students master clinical skills. Acad Med 2001;76:1065-6.
- 37 Linder BM, Saha A, Heseltine GF. Teaching clinical skills to new medical students: the Oman experience. *Med Educ* 1992;26:282-4.
- 38 Niemi PM. Medical students' professional identity: self-reflection during the preclinical years. Med Educ 1997;31:408-15.

- 39 Elnicki DM, Halbritter KA, Antonelli MA, Linger B. Educational and career outcomes of a medicine preceptorship for first-year students. J Gen Intern Med 1999;14:341-6.
- 40 Rogers JC, Swee DE, Ullian JA. Teaching medical decision making and students' clinical problem solving skills. *Med Teach* 1991;13:157-64.
- 41 Pamies RJ, Herold AH, Roetzheim RG, Woodard LJ, Micceri T. Does early clinical exposure enhance performance during third-year clerkship? J Nat Med Assoc 1994;86:594-6.
- 42 Carney P, Baron ME, Grayson MS, Klein M, Cochran N, Eliassen MS, et al. The impact of early clinical training in medical education: A multi institutional assessment. Acad Med 1999;74(1 suppl):s59-s67.
- 43 Satran L, Harris IB, Allen S, Anderson DC, Poland GA, Miller WL. Hospital-based versus community-based clinical education: Comparing performances and course evaluations by students in their second-year pediatrics rotation. Acad Med 1993:68:380-2.
- 44 Freeman J, Cash C, Yonke A, Roe B, Foley R. A longitudinal primary care program in an urban public medical school: Three years of experience. Acad Med 1995;70(11 suppl):S64-S68.

 45 Thomas EJ, Hafler JP, Woo B. The patient's experience of being
- interviewed by first-year medical students. *Med Teach* 1999;21:311-4. 46 Murray E. Challenges in educational research. *Med Educ* 2002;36:110-2.
- 47 Dornan T. Osler, Flexner, apprenticeship, and "the new medical education." J R Soc Med 2005; 98: 91-5
- 48 Irvine D. The performance of doctors: new professionalism. Lancet 1999:353:1174-7
- 49 Medical Professionalism Project. Medical professionalism in the new millennium: a physicians' charter. Lancet 2002;359:520.

(Accepted 27 May 2005)

Commentary: The challenges of systematic reviews of educational research

Jill Morrison

Littlewood et al present the results of a systematic review of the evidence in the medical education literature about how early experience contributes to the basic education of health professionals.¹ Increasingly, emphasis is being given to basing decisions about teaching practice on evidence because the alternative is the PHOG approach: prejudices, hunches, opinions and guesses.² The review was carried out under the auspices of the Best Evidence Medical Education (BEME, www.bemecollaboration.org) collaboration, which aims to promote best evidence medical education through dissemination of information, producing systematic reviews and the creation of an evidence based culture. It attempts to synthesise the available evidence in a format that can be used by curriculum planners and others involved in medical education to enable them to make decisions about how to provide the best learning opportunities for students.

What are the readers of the BMJ to make of this review? Its readers are accustomed to a rather different kind of systematic review that predominantly evaluates the results of a number of randomised controlled trials. As Littlewood et al say that early experience is part of a complex curriculum intervention.1 It, therefore, does not lend itself to evaluation using simple experimental designs such as randomised controlled trials. BEME recognises that systematic reviews should not be restricted to randomised controlled trials, which may have high validity from the perspective of research methods but are expensive to undertake and may not be the most appropriate type of study to answer the questions raised.8

Norman and Schmidt go further and say that educational trials are ill founded, ill advised, and a waste of time and resources.4 They argue that there is no such thing as a blinded intervention or a pure outcome or a uniform intervention in educational trials.

What is needed is for "multiple lenses to look at data from different perspectives," but Harden and Lilley have described the challenge of identifying and evaluating the evidence as formidable.2 The evidence may not be available; the research method, the outcomes investigated, or the replication of the evidence may not be optimal; and the applicability of the conclusions to the individual teacher in their particular setting may not be appropriate. Of course, this is true of much clinical evidence. We don't know the answers to many clinical questions because the evidence is not available or not convincing and often research carried out on a population of highly selected patients cannot be generalised to an individual patient.

The BEME collaboration endorses the principle that medical educators should implement the practice of methods and approaches to education based on the best available evidence. Littlewood et al have identified and evaluated the evidence about early experience for us. They freely discuss the limitations of the review but point to the rigour of its methods. The evidence in this review is as good as it gets for medical educators but, as Harden points out, it is still up to the individual teacher to evaluate the evidence and to arrive at the best approximation of the truth for his or her teaching practice.2

Competing interests: None declared.

- Littlewood S, Ypinazar V, Margolis SA, Scherpbier A, Spencer J, Dornan T. Early practical experience and the social responsiveness of clinical education: systematic review. *BMJ* 2005;331:387-91.
- Harden RM, Lilley PM. Best evidence medical education: the simple truth. *Med Teacher* 2000;22:117-9.

 Best Evidence Medical Education (BEME): report of meeting—3-5
- December 1999, London, UK. Med Teacher 2000;22:242-5. Norman GR, Schmidt HG. Effectiveness of problem-based learning cur-
- ricula: theory, practice and paper darts. Med Educ 2000;34:721-8

University of Glasgow, General Practice and Primary Care Glasgow G12 9LX Jill Morrison professor of general

jmm4y@clinmed. gla.ac.uk