Tonometry and tonography in the diagnosis of chronic simple glaucoma

D. CAMERON, E. T. FINLAY, AND C. R. S. JACKSON

From the Eye Department, Royal Infirmary, Edinburgh

Tonometry has long been considered a satisfactory and accurate aid to the diagnosis of chronic simple glaucoma and, since the publication of a paper by Grant (1950), tonography has been acclaimed as a useful additional refinement. The results of tonography have been expressed either alone as an indicator of facility of aqueous outflow (C) or combined with a measure of intraocular pressure (Po) and expressed as Po/C, the coefficient of outflow.

Many of the observers who have confirmed Grant's findings have failed to state clearly their criteria for the diagnosis of chronic simple glaucoma. For example, Tuovinen (1961) implied that the diagnosis was, in part, based on tonometry and tonography, so that his argument about the effectiveness of the tests depends on the prior assumption that the tests are effective.

We will show that confidence in the results of tonometry and tonography is misplaced, especially in those reports in the literature, for example Paterson (1966), where these measurements taken at certain levels are accepted as diagnostic of chronic simple glaucoma.

Previous studies of tonography should have warned us against this practice. Gloster (1966) found that in 108 normal eyes all exceeded 0.12 in C value, and only 4 per cent. had values lower than 0.15. His experience in thirty glaucomatous eyes showed that the tests were less discriminating. C values were higher than 0.12 in 73 per cent. and higher than 0.15 in 54 per cent.

In our study we have made tonometric and tonographic observations and calculated the coefficient of outflow in four groups of eyes: non-glaucomatous, 'suspicious', untreated glaucoma, and treated glaucoma.

Criteria for diagnosis

CHRONIC SIMPLE GLAUCOMA

- (1) Cupping of the optic disc
- and (2) Visual field loss of a glaucomatous type
- and (3) An open anterior chamber angle

We should regard an eye as 'suspicious' if it showed:

- (1) Cupping of the optic disc
- or (2) Visual field loss of a glaucomatous type
- or (3) The fellow eye was glaucomatous

In no case has our diagnosis depended on a numerical value of tension or outflow. We have relied on clinical methods, including ophthalmoscopy, gonioscopy, and detailed examination of the visual fields. This latter test was carried out at 2 metres distance, normally with a 2 mm. white object or with the smallest target which permitted the patient to give accurate and reproducible replies.

The number of eyes examined was 855, in 451 individuals.

Results

Table I shows that the means of all our observations fall neatly into place.

No. of eyes	Ро	C value	Po/C
617	17·7 ± 0·17	0·28 ± ·005	83·2 ± 2·5
95	20.7 ± 0.56	0·20 ± ·011	153·4 ± 13·2
49	23·2 ± 1·07	0·18 ± ·016	165·4 ± 21·9
95	21·8 ± 1·27	0·19 ± 0·23	163·2 ± 17·5
	No. of eyes 617 95 49 95	$ \frac{No. of}{eyes} \qquad Po \\ \frac{617}{95} \qquad \frac{17.7 \pm 0.17}{20.7 \pm 0.56} \\ \frac{49}{23.2 \pm 1.07} \\ 95 \qquad 21.8 \pm 1.27 $	No. of eyes Po C value 617 17.7 ± 0.17 $0.28 \pm .005$ 95 20.7 ± 0.56 $0.20 \pm .011$ 49 23.2 ± 1.07 $0.18 \pm .016$ 95 21.8 ± 1.27 0.19 ± 0.23

Table I Means of Po, C value, and Po/C in four groups of eyes

The results in the four groups of eyes show a relationship to each other that we should expect from the propositions that glaucomatous eyes have higher intraocular tensions and lower outflow facilities and coefficients of outflow than do normal eyes.

The eyes in our 'suspicious' group are intermediate between the non-glaucomatous eyes and the glaucomatous eyes, and the glaucomatous eyes under treatment show a tendency towards normality.

All this is well known. Some of the differences are not very great and of course refer only to the large groups of eyes which were examined. The danger of arguing from the means of these groups to individuals will be seen from the results.

Table II shows a summary of the measures of intraocular pressure at two levels of P_o which have been traditionally used to discriminate between non-glaucomatous and glaucomatous eyes. It will be seen that although there are large and statistically significant differences between these two groups of eyes, neither level discriminates so sharply that, from Po value alone, could an eye be allotted to one group or another. In the case of the glaucomatous eyes the distinguishing power is so poor that all the eyes would have to be examined by ophthalmological means.

Table II Distribution of intraocular pressure (Po) in four groups of eyes, above two threshold levels

	No. of eyes	Po		
Group		>21	>24	
Nonglaucomatous	617	134 (21.7 per cent.)	52 (8·4 per cent.)	
'Suspicious'	95	45 (47·4 per cent.)	32 (33·7 per cent.)	
Glaucoma Untreated	49	30 (61.2 per cent.)	19 (38·8 per cent.)	
Treated	95	59 (62·1 per cent.)	42 (44·2 per cent.)	

Table III shows a summary of measures of outflow facility at three levels which have commonly been considered to be significant. A C value of less than 0.12 is very unlikely to be found in a normal eye, but it is not very likely to be found in a glaucomatous eye either. Again, in spite of the differences between the means of the groups, C value does not distinguish clearly between individual glaucomatous and normal eyes.

C nalue No. of Group eyes < • 15 < .20 < .12 Nonglaucomatous 64 (10.4 per cent.) 166 (26.9 per cent.) 617 34 (5.5 per cent.) 'Suspicious' 95 19 (20.0 per cent.) 31 (32.6 per cent.) 50 (52.6 per cent.) Glaucoma Untreated 6 (12.2 per cent.) 19 (38.8 per cent.) 35 (71·4 per cent.) 49 Treated 46 (48.4 per cent.) 61 (64.2 per cent.) 25 (26·3 per cent.) 95

Table III Facility of outflow (C) in four groups of eyes, below three threshold levels

Table IV shows a summary of coefficients of outflow at two different levels. This index gives us no great power to discriminate glaucoma from non-glaucoma than do the other two.

Table IV Coefficient of outflow (Po/C) in four groups of eyes, above two threshold levels

No. of	Po/C		
eyes	> 100	> 150	
617	173 (28·0 per cent.)	69 (11·2 per cent.)	
95	54 (56·8 per cent.)	35 (36·8 per cent.)	
49	37 (75.5 per cent.)	20 (40·1 per cent.)	
95	62 (65·2 per cent.)	50 (52·6 per cent.)	
	No. of eyes 617 95 49 95	No. of eyes Po/C 617> 100617173 (28 • 0 per cent.)9554 (56 • 8 per cent.)9562 (65 • 2 per cent.)	

Discussion

We have shown that, using generally accepted critical levels of tonometry and tonography, there is so much overlap of measurements that these tests are rendered useless as aids to diagnosis of chronic simple glaucoma in individual cases. It is obvious that there is serious danger in using either of these tests alone, or in using the two combined. The number of false negatives means that many patients with clinical glaucoma will be left untreated, and the number of false positives means that many who have normally functioning eyes, will be subjected to unnecessary treatment.

We have applied the numerical diagnostic criteria of Paterson (1965) (a pressure of over 25 mm. Hg on the applanation tonometer and a reduced outflow value—Po/C greater than 100) to our non-glaucomatous eyes and our 'suspicious' eyes. We found, in the non-glaucomatous group, that this would reclassify 33 of them as glaucomatous. In the 'suspicious' group, it would reclassify 25 of them as glaucomatous. Only one of these 58 patients had any sign of field defect. Even as screening tests, these procedures are highly unsatisfactory. There is no critical level in these tests which would not result in the referral of an intolerable number of false positive cases for ophthalmological examination and none that would not allow an unacceptable number of patients with untreated glaucoma to be sent home in the belief that their eyes were healthy.

Fig. 1 shows the distribution of C values in our cases with its large overlap rendering the test insufficiently discriminating. Alongside is an ideal distribution showing a hypothetical test in which discrimination is good (Fig. 2).



FIG. 1 Distribution of C values in glaucomatous and non-glaucomatous eyes

FIG. 2 Hypothetical distribution of C values to allow good discrimination

We believe we have shown that tonometry and tonography unsupported by full clinical ophthalmological examination cannot be used for the diagnosis or the elimination of chronic simple glaucoma. It is not our intention to comment here on the usefulness or otherwise of these tests in the assessment of the progress of the disease or of the results of treatment.

References

GLOSTER, J. (1966) "Tonometry and Tonography". Churchill, London GRANT, W. M. (1950) Arch. Ophthal. (Chicago), 44, 204

PATERSON, G. D. (1966) "The value of family studies in the detection of glaucoma simplex", *in* "Glaucoma: Proceedings of a Symposium, 1965", ed. L. B. Hunt, p. 51. Livingstone, Edinburgh TUOVINEN, E. (1961) Acta ophthal. (Kbh.), **39**, Suppl. 67