Software



The GRID: The General Repository for Interaction Datasets Bobby-Joe Breitkreutz*†, Chris Stark*† and Mike Tyers*

Address: *Samuel Lunenfeld Research Institute, Mount Sinai Hospital, University Avenue, Toronto, M5G 1X5, Canada. †These authors contributed equally to this work.

Correspondence: Mike Tyers. E-mail: tyers@mshri.on.ca

Published: 27 February 2003 Genome **Biology** 2003, **4**:R23

The electronic version of this article is the complete one and can be found online at http://genomebiology.com/2003/4/3/R23

Received: 8 November 2002 Accepted: 10 January 2003

A previous version of this manuscript was made available before peer review at http://genomebiology.com/2002/3/12/preprint/0013 (*Genome Biology* 2002, 3(12):preprint0013.1-0013.5)

© 2003 Breitkreutz et al.; licensee BioMed Central Ltd. This is an Open Access article: verbatim copying and redistribution of this article are permitted in all media for any purpose, provided this notice is preserved along with the article's original URL.

Abstract

We have developed a relational database, called the General Repository for Interaction Datasets (The GRID) to archive and display physical, genetic and functional interactions. The GRID displays data-rich interaction tables for any protein of interest, combines literature-derived and high-throughput interaction datasets, and is readily accessible via the web. Interactions parsed in The GRID can be viewed in graphical form with a versatile visualization tool called Osprey.

Rationale

Physical, genetic and functional interactions between biological molecules are being discovered at an ever-increasing rate through proteomic and functional genomic approaches [1]. As a result, large-scale datasets containing many thousands of interactions have been deposited in publicly available databases. However, none of the extant datasets is systematically linked, and most data are presented only in a rudimentary format. Thus, data analysis is often tedious and incomplete. To alleviate this bottleneck, we developed a generic interaction database called The GRID [2], which can be used to collate and display interactions from any data source.

Software platform

The GRID uses MySQL version 3.23 as its underlying database [3], which is freely available from the MySQL homepage. The web-based user interface is implemented with Java Servlet technology, and the Java SDK version 1.4.0_02 [4]. These tools provide a facile interface for parsing interactions. Graphical representation of user defined interaction networks is achieved with a new visualization tool called Osprey [5], which can be used to construct elaborate interaction networks from any set of interactions in the database.

Data structure

The GRID is built on a master look-up table of all primary and secondary Saccharomyces cerevisiae gene names and corresponding open reading frame (ORF) names. Valid name lists are compiled via the open file transfer protocol (FTP) provided by the Saccharomyces Genome Database (SGD) [6]. Currently, The GRID recognizes 6,355 unique ORFs. Each gene entry in the GRID is presented in a datarich tabular format that includes a description of gene function, Gene Ontology (GO) annotation [7], experimental system(s) on which associated interactions are based, the source of interaction data and publication links. Each row in the table represents a unique interaction, which is further divided into additional subsections corresponding to each experimental system in which the interaction is reported. Defined physical and genetic experimental systems currently include: affinity precipitation, affinity chromatography, twohybrid, purified complex, reconstituted complex, biochemical assay, synthetic lethality, synthetic rescue, dosage lethality, dosage suppression, chemical lethality and chemical rescue. Additional systems may be added as needed.

Datasets

The GRID is periodically updated to contain all published large-scale interaction datasets, as well as available curated

interactions from the primary literature. At present The GRID contains a total of 13,830 unique interactions and 21,839 total interactions, including most interactions deposited in BIND [8] and MIPS [9], as well as large-scale protein interaction datasets generated by Uetz et al. [10], Ito et al. [11,12], Gavin et al. [13] and Ho et al. [14] and a synthetic lethal interaction dataset produced by Tong et al. [15]. An upload interactions option allows new interactions to be added from a tab-delimited text file that contains the interaction pair, the experimental system and the data source. The GRID only accepts new interactions, so redundant interactions are excluded during the upload process. Details for upload format are provided at The GRID website.

Searches

Any valid gene or ORF name can be searched for to yield a comprehensive list of known interactions and associated annotations in tabular format (Figure 1). The search result

table provides direct links for recursive searches, PubMed citations and data-rich graphical visualization with Osprey. In addition to standard keyword searches, an advanced search option allows keywords to be combined with Boolean operators to expand or reduce the number of recovered interactions. Results from advanced searches can be displayed using Osprey or saved as a tab-delimited text file.

Access and software requirements

All relevant information on The GRID can be retrieved from The GRID website [2]. The GRID runs with the most recent versions of popular web browsers on all major platforms. An online version of the Osprey network visualization system is available as an add-on to The GRID that is automatically launched from a link on The GRID search result page. The Osprey add-on requires version 1.4.0 o2 of the Java plug-in [4]. A full-featured application version of Osprev is available for non-profit use at [5] (see accompanying software report).




Figure I Search result page from The GRID. Multiple experimental systems and sources are indicated.

Genome Biology 2003.

Breitkreutz et al. R23.3

Private versions

Individual laboratories at not-for-profit institutions may request a private version of The GRID that can be easily customized to allow storage and manipulation of unpublished datasets, including integration and comparison with all publicly available interactions. The GRID is designed to work with any set of interactions, including those derived from other model organisms, combinations of organism systems and even social or commercial networks for which interaction data are available. For more information about hosting a private version of The GRID, please contact the authors.

Acknowledgements

We thank Lorrie Boucher, Ashton Breitkreutz and Paul Jorgensen for suggestions on GRID features. Development of The GRID was supported by the Canadian Institutes of Health Research. M.T. is a Canada Research Chair in Biochemistry.

References

- Vidal M: A biological atlas of functional maps. Cell 2001, 104:333-339.
- The GRID [http://biodata.mshri.on.ca/grid]
- MySQL [http://www.mysql.com/]
- Sun Microsystems Java Standard Development Kit 1.4.0_02 [http://java.sun.com]
- Osprey [http://biodata.mshri.on.ca/osprey]
- Cherry JM, Ball C, Dolinski K, Dwight S, Harris M, Matese JC, Sherlock G, Binkley G, Jin H, Weng S, Botstein D: Saccharomyces Genome Database June 2002 [ftp://genome-ftp.stanford.edu/pub/yeast/SacchDB/]
- The Gene Ontology Consortium: Gene Ontology: tool for the unification of biology. Nat Genet 2000, 25:25-29.
- Bader GD, Hogue CW: BIND a data specification for storing and describing biomolecular interactions, molecular complexes and pathways. Bioinformatics 2000, 16:465-477.
- **Munich Information Center for Protein Sequences** [http://mips.gsf.de/]
 - Uetz P, Giot L, Cagney G, Mansfield TA, Judson RS, Knight JR, Lockshon D, Narayan V, Srinivasan M, Pochart P, et al.: A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae. Nature 2000, 403:623-627
- 11. Ito T, Chiba T, Ozawa R, Yoshida M, Hattori M, Sakaki Y: A comprehensive two-hybrid analysis to explore the yeast protein interactome. Proc Natl Acad Sci USA 2001, 98:4569-4574.
- Ito T, Tashiro K, Muta S, Ozawa R, Chiba T, Nishizawa M, Yamamoto K, Kuhara S, Sakaki Y: Toward a protein-protein interaction map of the budding yeast: a comprehensive system to examine two-hybrid interactions in all possible combinations between the yeast proteins. Proc Natl Acad Sci USA 2000, 97:1143-1147.
- 13. Gavin AC, Bosche M, Krause R, Grandi P, Marzioch M, Bauer A, Schultz J, Rick JM, Michon AM, Cruciat CM, et al.: Functional organization of the yeast proteome by systematic analysis of protein complexes. Nature 2002, 415:141-147
- 14. Ho Y, Gruhler A, Heilbut A, Bader GD, Moore L, Adams SL, Millar A, Taylor P, Bennett K, Boutilier K, et al.: Systematic identification of protein complexes in Saccharomyces cerevisiae by mass spectrometry. Nature 2002, 415:180-183.
- Tong AH, Evangelista M, Parsons AB, Xu H, Bader GD, Page N, Robinson M, Raghibizadeh S, Hogue CW, Bussey H, et al.: Systematic genetic analysis with ordered arrays of yeast deletion mutants. Science 2001, 294:2364-2368.