Method of Evaluating Effects of Antibiotics on Bacterial Biofilm

BARBARA LA TOURETTE PROSSER,* DORIS TAYLOR, BARBARA A. DIX, AND ROY CLEELAND

Department of Chemotherapy, Hoffmann-La Roche Inc., Nutley, New Jersey 07110

Received 30 March 1987/Accepted 28 July 1987

Antibiotics are generally not effective against organisms in exopolysaccharide biofilms. A simple method of studying the effect of antibiotics on bacteria in established biofilms is reported. Escherichia coli ATCC 25922 cells grown overnight at 37° C on Mueller-Hinton agar were suspended in buffer and dispensed on 0.5-cm² catheter disks. The disks were incubated for 1 h at 37° C, washed, transferred to petri dishes containing 20 ml of broth, and incubated at 37° C for 20 to 22 h, at which time thick biofilms were established. Disks were washed, placed in broth or broth containing antibiotic, and incubated at 37° C for 4 h. The disks were removed, and viable counts were determined. This process was repeated at other selected time intervals (e.g., 8 and 24 h). Viable bacterial counts decreased from 10^3 to 10^4 CFU/cm² in 24 h with 400 μ g of amdinocillin or cefamandole per ml. A combination containing 400 μ g of each antibiotic per ml decreased the viable counts to an undetectable level (<100 CFU/cm²) in 24 h. Other antibiotics and organisms were also examined in this system.

Bacterial populations form a biofilm by adhering to surfaces using pili and exopolysaccharides. The cells become enveloped in a matrix of hydrated exopolysaccharides termed a glycocalyx (1). The glycocalyx matrix modifies the environment of the adherent cells by concentrating nutrients and protecting the cells from surfactants, biocides, and phagocytic cells (2). Antibiotics are generally not very effective against organisms embedded in biofilms (sessile bacteria) in comparison with free-floating organisms (planktonic bacteria) (9, 13). A simple method of studying the effect of antibiotics on established biofilms has therefore been developed.

MATERIALS AND METHODS

Antibiotics. The following antibiotics were used in this study: amdinocillin (Hoffmann-La Roche Inc., Nutley, N.J.), cefamandole (Eli Lilly & Co., Indianapolis, Ind.), ceftriaxone (Roche), cephalexin (Lilly), cephalothin (Lilly), ceftazidime (Glaxo Pharmaceuticals, Ltd., Greenford, United Kingdom), gentamicin (Schering Corp., Bloomfield, N.J.), sulfamethoxazole (Roche), and trimethoprim (Roche).

Bacteria. The following strains of bacteria were used in this study: Escherichia coli ATCC 25922, Klebsiella pneumoniae SDH-14 and EL 2522-27, Enterobacter cloacae 948-1, and Serratia marcescens #1-JM. All strains were obtained from the Chemotherapy Department culture collection at Hoffmann-La Roche Inc.

Methods. E. coli ATCC 25922 was grown overnight on Mueller-Hinton (MH) agar at 37°C. The cells were scraped from the agar surface with an inoculating loop and suspended in Hanks-HEPES (N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic acid) (H-H) buffer, pH 7.4, to an optical density of 0.8 at 540 nm. The cell suspension was dispensed in 80-μl amounts on ethylene oxide-sterilized 0.5-cm² disks of silicon latex catheter material obtained from various manufacturers. The disks were incubated for 1 h at 37°C, washed once with H-H buffer, pH 7.4, transferred to petri dishes containing 20 ml of National Institutes of Health (NIH) broth (11a), and incubated at 37°C for 20 to 22 h. Disks were then washed in H-H buffer, placed in broth alone or broth containing antibiotic, incubated at 37°C for 4 h,

washed in H-H buffer, and placed in fresh broth or broth containing antibiotic. This procedure was repeated at 8 and 24 h. At each time interval (0, 4, 8, and 24 h), disks were removed and the surface film was scraped with a sterile scalpel into 5 ml of phosphate-buffered saline. This procedure was modified in later experiments to include washing, sampling, and replacing with fresh broth or broth containing antibiotic at 0, 6, and 24 h (rather than 0, 4, 8, and 24 h), which yielded similar results. Each disk and the scrapings were placed in a vial, vortexed for 1 min, and gently sonicated for 5 min in an Ultramet III sonic cleaner (Buehler Ltd., Evanston, Ill.). By using a Spiral plater (model D) and a model 500A laser bacterial colony counter (Spiral System Instruments, Inc., Bethesda, Md.) (7), viable counts were determined. Disks were also removed and stained with 0.4% methylene blue for examination by light microscopy. Additional disks were processed for scanning electron micros-




FIG. 1. Effect of amdinocillin and cefamandole alone and in combination on sessile populations of a 24-h *E. coli* ATCC 25922 biofilm.

^{*} Corresponding author.




FIG. 2. In vitro effect of amdinocillin and cefamandole as single agents and in combination against an E. coli ATCC 25922 biofilm on latex catheter material. Incubation, 24 h.




FIG. 3. Effect of amdinocillin and cefamandole alone and in combination on sessile populations of a 48-h E. coli ATCC 25922 biofilm

copy by fixation overnight at 4°C in 2.5% glutaraldehyde in 0.1 M cacodylate buffer plus 0.2 M sucrose (pH 7.4). This was followed by dehydration in a series of aqueous ethanol solutions (30 to 100%) and drying by using an E3100 Jumbo Polaron Critical Point drying apparatus (Polaron Instruments Inc., Hatfield, Pa.). Samples were then coated with gold by using a Polaron Instruments Inc. scanning electron microscope coating unit E5000 and examined by using a JEOL JSM-35 scanning electron microscope (JEOL USA, Inc., Peabody, Mass.) (8).

RESULTS

Growth. After inoculation of the disks with 10⁹ CFU of *E. coli* ATCC 25922 per ml, approximately 10⁶ CFU/cm² adhered to the catheter disk. After 24 h, 10⁷ to 10⁸ CFU/cm² were obtained.

Inoculum. Adhesion to the catheter material occurred equally well with an inoculum from an overnight MH agar or NIH broth culture as well as with a log-phase culture in NIH broth.




FIG. 4. Effect of amdinocillin and cefamandole alone and in combination on sessile populations of a 72-h *E. coli* ATCC 25922 biofilm.

Serial 10-fold dilutions of an overnight agar culture inoculum, ranging from 6×10^9 to 6×10^1 CFU/ml, yielded the same concentration of viable bacteria (approximately 10^7 CFU/cm²) in the biofilm at 24 h.

Media. After the adhesion period of 1 h in H-H buffer, incubation for 24 h at 37°C of the inoculated catheter disks in various broths, such as MH, NIH, trypticase soy broth, 50% artificial urine (10) plus 50% MH, and 50% artificial urine plus 50% trypticase soy broth, resulted in biofilms containing approximately 10⁷ to 10⁸ CFU/cm². However, minimal medium Davis was not as effective (i.e., biofilms contained 10⁵ to 10⁷ CFU/cm²).

Effect of antibiotics. Concentrations of 400 μ g of amdinocillin and cefamandole per ml were chosen for testing on the basis of the urinary levels of these agents still attainable approximately 2 h after standard doses (5, 6). Concentrations of 100 μ g of each drug per ml were used in combination on the basis of the previously observed synergistic effect of amdinocillin and cefamandole (12). The single agents in NIH

TABLE 1. Effect of antibiotics on E. coli ATCC 25922 in a 24-h biofilm after treatment for 48 h

Antibiotic (manufacturer) [concn, μg/ml]	Broth	CFU/cm ² at:		
		0 h	24 h	48 h
Control	МН	2.4×10^{7}	1.0×10^{8}	1.5×10^{8}
Ceftazidime (Glaxo) [100]	MH	6.5×10^{7}	4.1×10^{2}	$< 100^{a}$
Ceftriaxone (Roche) [5]	NIH	2.5×10^{8}	3.5×10^{3}	ND^b
Ceftriaxone (Roche) [100]	MH	6.6×10^{7}	4.7×10^{2}	$< 100^{a}$
Ceftriaxone (Roche) [400]	MH	6.5×10^{7}	4.7×10^{2}	$< 100^{a}$
Ceftriaxone (Roche) [4,000]	NIH	4.3×10^{7}	<100°	ND
Cephalexin (Lilly) [400]	МН	1.6×10^{7}	>106	<100"
Cephalothin (Lilly) [400]	MH	2.3×10^{7}	1.1×10^{4}	<100"
Gentamicin (Schering) [90]	MH	1.9×10^{7}	4.0×10^{2}	<100"
Sulfamethoxazole (Roche) [400] + trimethoprim (Roche) [20]	MH + thy P-ase ^c	9.6×10^7	7.1×10^7	ND

^a Minimum detectable level.

b ND, Not done

^c Thy P-ase, 0.1% thymidine phosphorylase.

TABLE 2. Effect of amdinocillin and cefamandole alone and in combination at 6 and 24 h on sessile populations of various organisms in a 24-h biofilm

Organism	Antibiotic (conen, μg/ml)	CFU/cm ² at:		
		0 h	6 h	24 h
K. pneumoniae SDH-14	Control	3.7×10^{8}	1.4×10^{8}	6.8×10^{8}
	Amdinocillin (400)		1.1×10^{7}	3.2×10^{8}
	Cefamandole (400)		1.0×10^{5}	6.2×10^{4}
	Amdinocillin (100) + cefamandole (100)		1.1×10^{5}	3.3×10^4
K. pneumoniae EL2522-27	Control	8.7×10^{8}	6.0×10^{7}	6.5×10^{8}
	Amdinocillin (400)	31, 11 21	1.6×10^{8}	4.1×10^{8}
	Cefamandole (400)		6.6×10^{5}	5.3×10^4
	Amdinocillin (100) + cefamandole (100)		1.1×10^6	6.0×10^3
E. cloacae 948-1	Control	5.1×10^{8}	7.9×10^{7}	2.0×10^{8}
	Amdinocillin (400)		2.4×10^{6}	1.3×10^{6}
	Cefamandole (400)		3.6×10^{7}	8.4×10^{7}
	Amdinocillin (100) + cefamandole (100)		2.1×10^5	3.7×10^5
S. marcescens #1JM	Control	3.1×10^{7}	2.3×10^{8}	1.6×10^{8}
	Amdinocillin (400)	212 / 20	7.2×10^{7}	3.8×10^{7}
	Cefamandole (400)		2.7×10^{7}	8.5×10^{7}
	Amdinocillin (100) + cefamandole (100)		2.4×10^6	2.6×10^7

broth decreased the sessile bacterial concentration by 10^3 to 10^4 CFU/cm² in 24 h. The combination at 100 + 100 µg/ml in NIH broth decreased the sessile bacterial concentration by 10^5 CFU/cm² (Fig. 1). Raising the concentration of agents in the combination to 400 + 400 µg/ml reduced the count to an undetectable level (<100 CFU/cm²) in 24 h (data not shown). Scanning electron micrographs (Fig. 2) demonstrate the effect of the antibiotics on the bacteria in the biofilm after 24 h.

Effect of biofilm age. Biofilms established for 48 and 72 h were treated with the same concentrations of amdinocillin and cefamandole, and the viable counts of the sessile bacteria were determined (Fig. 3 and 4). Concentrations of the 48-and 72-h sessile bacteria were reduced by both the single agents and the combination to approximately the same endpoint (i.e., 10^4 to 10^5 CFU/cm²) after 24 h of exposure to the antibiotics.

Other antibiotics. We have also examined the effect of other antibiotics in MH broth (unless otherwise stated) on E. coli ATCC 25922 in a 24-h biofilm (Table 1). With the exception of 400 μ g of cephalexin per ml and 400 μ g of sulfamethoxazole per ml plus 20 μ g of trimethoprim per ml, the antibiotics tested reduced the concentration of E. coli in the biofilm by 10^3 to 10^5 CFU/cm² in 24 h and, when determined, further reduced the bacterial concentration to an undetectable level (<100 CFU/cm²) in 48 h.

Ceftriaxone, at 5 μ g/ml, in NIH broth decreased the sessile population by 10^4 to 10^5 CFU/cm² in 24 h. At 100 and 400 μ g/ml in MH broth, it reduced the count to an undetectable level (<100 CFU/cm²) in 48 h. With 4,000 μ g/ml in NIH broth, the organisms were eliminated in 24 h.

Cephalexin, at $400 \mu g/ml$, had no effect on reducing viable counts at 24 h but did eliminate the organisms in 48 h.

Sulfamethoxazole and trimethoprim, at $400 + 20 \mu g/ml$ of MH broth plus 0.1% thymidine phosphorylase, were ineffective in eliminating organisms from the biofilm at 24 h.

MICs. A subculture was made from viable organisms isolated from the sessile population of *E. coli* ATCC 25922 after treatment with ceftriaxone at 400 μg/ml in MH broth for 24 h. By using National Committee for Clinical Laboratory Standards methods (11), broth macrodilution MICs were

determined for both the subcultures and the control. The MICs for both were the same (i.e., $0.125~\mu g/ml$), indicating that there was no difference in sensitivity in the remaining sessile population.

Other organisms. Other gram-negative organisms (K. pneumoniae, Enterobacter cloacae, and S. marcescens) have been shown to establish biofilms on the catheter disks similar to those observed with the E. coli strain. We have also tested a 24-h biofilm of K. pneumoniae SDH-14 and EL 2522-27, Enterobacter cloacae 948-1, and S. marcescens #1JM versus amdinocillin, cefamandole, and a 1:1 combination (Table 2). These organisms were chosen because they exhibited, on the basis of MICs, a wide range of susceptibilities to the individual agents from highly susceptible (K. pneumoniae SDH-14) to highly resistant (S. marcescens #1JM) and showed in two cases (i.e., K. pneumoniae EL 2522-27 and Enterobacter cloacae 948-1) significant synergy with the 1:1 combination (fractional inhibitory concentration, ≤0.25).

The combination of amdinocillin and cefamandole at 100 + 100 μ g/ml decreased the concentration of cells in the biofilm of *K. pneumoniae* SDH-14 by 10^4 CFU/cm² and EL2522-27 by 10^5 CFU/cm² (but still left 10^3 to 10^4 CFU/cm² on the catheter).

Amdinocillin alone, at 400 μ g/ml, was ineffective on either *Klebsiella* strain. Cefamandole, at 400 μ g/ml, reduced the count of both organisms by 10³ to 10⁴ CFU/cm² in 24 h.

With Enterobacter cloacae 948-1, the combination reduced the count by 10³ CFU/cm² and amdinocillin reduced it by 10² CFU/cm², whereas cefamandole was essentially ineffective.

The cell count in a biofilm of S. marcescens #1JM was not reduced by the single agents or the combination.

Reduction of viable counts generally correlated with susceptibility to the single agent or the combination.

DISCUSSION

Infection of prosthetic devices is a serious problem for many patients. Despite the large number of antibacterial agents available, none eradicate organisms from biofilms (9, 16). The usual method of treating this problem is to remove the infected material and replace it with a new device (3, 14).

Eactors such as numbers of organisms (4), their metabolic state (15), and their protection by the exopolysaccaride glycocalyx (13) can affect the ability of an antibiotic to penetrate and kill organisms in a biofilm. The fact that the subculture made from the viable organisms isolated from the remaining sessile population of *E. coli* ATCC 25922 after treatment with 400 µg of ceftriaxone per ml for 24 h had the same MIC of drug as the control indicates that these organisms were not a population of resistant variants.

Earlier workers have used the modified Robbins device to determine the efficacy of antibiotics in penetrating and killing bacteria in a biofilm (13). However, this method is cumbersome, and a significant amount of time and effort is required to perform an assay. With the modified Robbins device, one is unable to control the large numbers of planktonic bacteria which can inactivate the antibiotic.

This study describes a simple, reproducible method for establishing a thick biofilm of gram-negative aerobic bacteria on catheter material. The model system is designed to allow determination of the activity of an antibacterial agent against the sessile bacterial population embedded in the biofilm without the problems of dealing with inactivation of the agent by heavy concentrations of planktonic bacteria.

ACKNOWLEDGMENTS

We acknowledge the contributions of Paul S. Cohen and David C. Laux of the University of Rhode Island and Yolanda Mauriz.

LITERATURE CITED

- Costerton, J. W., R. T. Irvin, and K. J. Cheng. 1981. The bacterial glycocalyx in nature and disease. Annu. Rev. Microbiol. 35:299-324.
- Costerton, J. W., R. T. Irvin, and K. J. Cheng. 1981. The role of bacterial surface structures in pathogenesis. Crit. Rev. Microbiol. 8:303-338.
- Dougherty, S. H., and R. L. Simmons. 1982. Infections in bionic man: the pathology of infections in prosthesis devices, part II. Curr. Probl. Surg. 19:269-318.
- Eng, R. H. K., C. Cherubin, S. M. Smith, and F. Buccini. 1985. Inoculum effect of β-lactam antibiotics on Enterobacteriaceae.

- Antimicrob. Agents Chemother. 28:601-606.
- Gambertoglio, J. G., S. L. Barriere, E. T. Lin, and J. E. Conte, Jr. 1980. Pharmacokinetics of mecillinam in healthy subjects. Antimicrob. Agents Chemother. 18:952-956.
- Griffith, R. S., H. R. Black, G. L. Brier, and J. D. Wolny. 1976. Cefamandole: in vitro and clinical pharmacokinetics. Antimicrob. Agents Chemother. 10:814

 –823.
- Kramer, J. M., M. Kendall, and R. J. Gilbert. 1979. Evaluation
 of the spiral plate and laser colony counting techniques for the
 enumeration of bacteria in foods. Eur. J. Appl. Microbiol.
 Biotechnol. 6:289-299.
- Kramer, M. J., and Y. R. Mauriz. 1979. Correlation by scanning electron microscopy of in vitro and in vivo effects of amoxicillin and ampicillin on the morphology of Escherichia coli, p. 33-40. In O. Johari and R. P. Becker (ed.), Scanning electron microscopy/1979/III. Scanning Electron Microscopy, Inc., Chicago.
- Kunin, C. M., and C. Steele. 1985. Culture of the surfaces of urinary catheters to sample urethral flora and study the effect of antimicrobial therapy. J. Clin. Microbiol. 21:902-908.
- Minuth, J. N., D. M. Musher, and S. B. Thornstein. 1976. Inhibition of the antibacterial activity of gentamycin by urine. J. Infect. Dis. 133:14-21.
- National Committee for Clinical Laboratory Standards. 1985. Methods for dilution-antimicrobial susceptibility tests for bacteria that grow aerobically. Approved standard M7A (vol. 5, no. 22). National Committee for Clinical Laboratory Standards, Villanova, Pa.
- 11a.Neu, H. C. 1977. Mecillinam—an amidino penicillin which acts synergistically with other β-lactam compounds. J. Antimicrob. Chemother. 3(Suppl. B):43-52.
- Neu, H. C. 1983. Penicillin-binding proteins and role of amdinocillin in causing bacterial cell death. Am. J. Med. 75:9-20.
- Nickel, J. C., I. Ruseska, J. B. Wright, and J. W. Costerton. 1985. Tobramycin resistance of *Pseudomonas aeruginosa* cells growing as a biofilm on urinary catheter material. Antimicrob. Agents Chemother. 27:619-624.
- Stamm, W. E. 1975. Guidelines for prevention of catheterassociated urinary tract infections. Ann. Intern. Med. 82: 386-390.
- Tuomanen, E., R. Cozens, W. Tosch, O. Zak, and A. Tomaz. 1986. The rate of killing of *Escherichia coli* by β-lactam antibiotics is strictly proportional to the rate of bacterial growth. J. Gen. Microbiol. 132:1297–1304.
- Warren, J. W., H. L. Muncie, Jr., E. J. Berquist, and J. M. Hoopes. 1981. Sequelae and management of urinary infection in the patient requiring chronic catheterization. J. Urol. 125:1-8.