

Water conservation in irrigation can increase water use

Frank A. Ward^{a,1} and Manuel Pulido-Velazquez^b

^aDepartment of Agricultural Economics and Agricultural Business, New Mexico State University, Las Cruces, NM 88003; and ^bDepartment of Hydraulic and Environmental Engineering–Institute of Water and Environmental Engineering, Universidad Politécnica de Valencia, Cami de Vera s/n 46120 Valencia, Spain

Edited by Partha Sarathi Dasgupta, University of Cambridge, Cambridge, United Kingdom, and approved September 23, 2008 (received for review June 10, 2008)

Climate change, water supply limits, and continued population growth have intensified the search for measures to conserve water in irrigated agriculture, the world's largest water user. Policy measures that encourage adoption of water-conserving irrigation technologies are widely believed to make more water available for cities and the environment. However, little integrated analysis has been conducted to test this hypothesis. This article presents results of an integrated basin-scale analysis linking biophysical, hydrologic, agronomic, economic, policy, and institutional dimensions of the Upper Rio Grande Basin of North America. It analyzes a series of water conservation policies for their effect on water used in irrigation and on water conserved. In contrast to widely-held beliefs, our results show that water conservation subsidies are unlikely to reduce water use under conditions that occur in many river basins. Adoption of more efficient irrigation technologies reduces valuable return flows and limits aquifer recharge. Policies aimed at reducing water applications can actually increase water depletions. Achieving real water savings requires designing institutional, technical, and accounting measures that accurately track and economically reward reduced water depletions. Conservation programs that target reduced water diversions or applications provide no guarantee of saving water.

agriculture | sustainability | institutions | hydrology

Easterling (1) recently observed that a great challenge facing 21st-century political and scientific leaders will be to increase the world's food supply to accommodate a world growing to 10 billion or more people while also facing climate change. Water in the right quality, amount, time, and place is essential for ecosystems and for economies. Much of the world's food production depends on water for irrigation. Natural ecosystems are adapted to stream discharge, precipitation, and evaporation patterns. So, adjustments in the water cycle to climate, weather, and land-use change will have large and complex effects on economic and ecological systems

Many countries have inadequate water supplies to meet their current urban, environmental, and agricultural needs. In the face of increased water scarcity, population and water demands continue to grow (2, 3). The challenge is to grow enough food for 2 billion more people over the next 50 years while supplying growing urban and environmental needs for water (4, 5). Some analyses have estimated that 60% of added food required will come from irrigation (6). Raising food production to support this larger world population requires sustaining improved performance of irrigation (7–12).

As pressure mounts for irrigated agriculture to produce more crop per drop, there is a widespread belief in environmental and water policy circles that if irrigators made more efficient use of water then there would be more water for environmental uses and for cities (12, 13). More than a billion people worldwide lack safe affordable drinking water (8). A considerable number of informed individuals, large development organizations, and much popular belief subscribes to the view that measures to increase irrigation efficiency* will result in additional water for

uses outside agriculture (16, 17). Numerous public policies have been implemented and billions of dollars in public and private investments spent to promote water conservation in irrigated agriculture. However, many of these investments have not made additional water available to new users. Although water conservation intentions carry considerable political weight, there is all too often little serious evidence on conservation outcomes that would be produced by water conservation programs in policy debates, funding opportunities, and the popular press. Moreover, studies that connect water use efficiency with wet[†] water savings are rare. Notable exceptions include the works of Hussain *et al.* (16), Huffaker and Whittlesey (17), Peterson and Ding (18), Huffaker and Whittlesey (19), and Schierling *et al.* (20).

This contribution of this article is to analyze agricultural water conservation subsidies with respect to their effect on water used in irrigation and on conserved water available for other uses. A basin-scale hydroeconomic optimization model is presented linking biophysical, hydrologic, agronomic, economic, policy, and institutional dimensions of the Upper Rio Grande Basin of North America (the Basin), shown in supporting information (SI) Fig. S1. Results of that model are used to examine farm income-maximizing choices regarding crop mix, irrigation technology, water demand, consumptive use, return flows, income, and taxpayer costs of a water-conserving program. The cost effectiveness of a range of conservation subsidy arrangements for reducing water depletions is also identified.

Materials and Methods

Water Conservation. Evapotranspiration (ET) from the watershed's surface is the depletion[‡] or loss of water from a hydrologic basin associated with plant water use. Water diverted from its natural course through a canal, pipe, or other conveyance measure and applied in irrigation in excess of ET is not lost because it returns into the basin from which it was withdrawn via surface runoff or deep percolation. This water can be available to other users at other

Author contributions: F.A.W. and M.P.-V. designed research, performed research, contributed new reagents/analytic tools, analyzed data, and wrote the paper.

The authors declare no conflict of interest.

This article is a PNAS Direct Submission.

Freely available online through the PNAS open access option.

This article contains supporting information online at www.pnas.org/cgi/content/full/0805554105/DCSupplemental.

¹To whom correspondence should be addressed. E-mail: fward@nmsu.edu.

*Many definitions of irrigation efficiency have been proposed (14, 15). For this article, efficiency is the ratio of water depleted by plant evapotranspiration (ET) to water diverted from the stream. ET is the consumed fraction of water diverted. As technologies or management practices are adopted that bring the ratio closer to 1, irrigation efficiency increases. Much of this article focuses on what happens to the nonconsumed fraction.

[†]The term wet water savings refers to real water compared with paper water, i.e. water rights.

[‡]Some writers prefer the term "consumption" to "depletion," because depletion suggests the unsustainable action of drawing down on a stock (22). By contrast, consumption occurs as a part of sustainable income. We use the term depletion because it contrasts with water diverted from the stream or water applied to the crop. Water diverted and water applied can return to a closed hydrologic basin. Depletion cannot.

© 2008 by The National Academy of Sciences of the USA

Table 1. Crop water use, price, yield, and cost per acre, Lower Rio Grande, NM, 2006

Crop	Water applied*		ET*		Deep percolation*		Price		Yield, quantity/acre†		Production cost (0% capital drip irrigation subsidy), \$/acre/year		Production cost (100% capital drip irrigation subsidy), \$/acre/year‡	
	Flood	Drip	Flood	Drip	Flood	Drip	\$/Unit	Yield units	Flood	Drip	Flood	Drip	Flood	Drip
Alfalfa	5.0	2.7	2.2	2.7	2.9	0.0	130.00	Tons	8.0	10.0	884	1,357	884	993
Pima cotton	2.8	1.5	1.2	1.5	1.6	0.0	1.05	Lbs	750.0	937.5	979	1,324	979	960
Upland cotton	2.8	1.5	1.2	1.5	1.6	0.0	0.75	Lbs	1,000.0	1250.0	1027	1,261	1027	897
Spring lettuce	2.5	1.4	1.1	1.4	1.4	0.0	5.84	Cartons	475.0	593.8	3001	4,398	3,001	4,034
Fall lettuce	3.3	1.8	1.4	1.8	1.9	0.0	6.23	Cartons	500.0	625.0	2,638	3,971	2,638	3,606
Fall onions	4.7	2.5	2.0	2.5	2.7	0.0	6.63	Sacks	1,200.0	1500.0	5,762	8,848	5,762	8,484
Midseason onions	4.0	2.9	2.3	2.9	1.7	0.0	6.38	Sacks	675.0	843.8	3,722	5,708	3,722	5,344
Spring onions	4.8	3.4	2.7	3.4	2.0	0.0	6.43	Sacks	825.0	1031.3	4,455	6,871	4,455	6,506
Grain sorghum	2.0	1.1	0.9	1.1	1.1	0.0	3.70	Cwt	40.0	50.0	615	728	615	364
Wheat	2.5	1.4	1.1	1.4	1.4	0.0	3.75	Cwt	92.0	115.0	718	929	718	565
Green chile	4.6	2.5	2.0	2.5	2.6	0.0	285.00	Tons	11.0	13.8	2,275	3,356	2,275	2,992
Red chile	5.0	2.7	2.2	2.7	2.9	0.0	0.72	Lbs	3,500.0	4,375.0	2,004	2,851	2,004	2,486
Pecans	6.0	3.2	2.6	3.2	3.4	0.0	2.28	Lbs	1,158.1	1,447.7	1,731	3,114	1,731	2,750

*Acre-feet per acre per year.

†Each crop is specified to have a linear relationship between water use (ET) and crop yield across irrigation technologies.

‡Includes annualized cost per acre of drip irrigation, operation, and maintenance.

times in other locations.⁵ One user's water inefficiency often serves as the source of another user's water supply.

On-farm adoption of drip irrigation is one measure widely believed to conserve water. Drip irrigation allows for precise application of water into plants' root zones, with little loss to runoff or deep percolation. A linear relationship is typical between ET and crop yield over a wide range of crops and water applications (21). So, irrigation technologies that apply water at optimal times and locations in plant root zones increase crop consumptive use of water and crop yield as irrigation efficiency increases. When yield goes up, ET typically rises.

Water losses through deep percolation or surface runoff will be reduced, possibly to nearly 0, through drip technology, but more ET will be used by the plant in supporting its reduced plant stress and higher yield. More efficient irrigation systems reduce diversions from streams and increase crop both yield and gross revenue (18). Depending on the cost of installing drip irrigation, costs and returns of production, and the price of water, the farmer who uses the technology may experience increased yield and higher income per unit of land. From the farmer's economic view the new water-conserving technology is good. However, basin-level consumptive use of water can increase.

Study Area. The Basin is that part of the area drained by the Rio Grande and its tributaries that flow from its headwaters to ≈70 miles south of the border cities of El Paso, TX and Ciudad Juárez, Mexico (Fig. S1). Surface water from the river meets the primary water needs of Albuquerque, NM, El Paso, and Juárez. In addition, it serves 1 million acres of irrigated land in the U.S. and Mexico. In fall 2004, water storage in Elephant Butte, the largest reservoir in the Basin, was <5% of capacity. After an unprecedented 25-year period of full-water supplies, water allocations during 2003 were reduced to just one-third of full-supply conditions.

Data. Table 1 shows the most important hydrologic, agronomic, and economic data for irrigated agriculture used by our analysis. Depending on the crop, water applied under drip irrigation is approximately half as much as under flood irrigation. However, crop ET is higher under drip irrigation, which reflects higher water depletions that support the typically greater yields experienced by irrigators who use this technology. ET under flood irrigation is typically less than half of water applied; the rest either seeps to deep percolation or returns to the stream as surface return flow. The table also shows that production costs per acre are typically much higher under drip than

under flood irrigation, although that cost elevation is considerably reduced as the public subsidy of drip irrigation increases from 0 to 100%.

Modeling Framework. The hydroeconomic analysis developed for this article is a basin-scale accounting of the Basin's essential hydrologic relationships, institutions, and economic sectors. This integrated model is formulated as a mathematical optimization problem. The objective is the sum of net economic benefits[¶] from basin water diversions, for off-stream uses, and for net benefits of water environments. The objective is to maximize the discounted value of net economic benefits over a 20-year time horizon. Constraints are used to characterize the basin's hydrology and its institutions. Our basin-scale approach extends similar previous work by Vaux and Howitt (24), Booker (25), and Hurd *et al.* (26), all of whom developed integrated basinwide hydrologic models for policy analysis containing an economic objective.

The model is formulated and solved on an annual time step, with reservoir storage and other hydrologic and economic conditions carried forward to each next time period. Fig. S2 shows a schematic of the basic hydrologic-agronomic balance at the field-stream level. Mathematical documentation of earlier versions of the model has been published elsewhere (27, 28). Although the model and its documentation were developed for the Basin, it was designed to be adaptable to other basins, cultures, and economic environments that characterize the economic value of water.

Hydrology. Basin hydrology is based on the principle of water mass balance, defined in both flows and stocks. The most important flows tracked by the model include headwater flows, streamflows at the basin's important stream gauges, water diverted, water applied to crops, water depleted, reservoir releases, groundwater pumping, seepage to aquifers, return flows to streams, reservoir evaporation, and reservoir releases. Important stocks include reservoir and aquifer levels. A hydrologic mass balance for both surface water and groundwater is enforced for all flows and stocks. The model includes major functions that influence any of the flows described above. The mass balance for reservoir stocks is given by starting storage minus reservoir releases plus river inflows to the reservoir minus evaporation. Changes in any period's groundwater stock are represented through effects of seepage, water applied, and water pumped.

Institutions. The U.S.–Mexico Treaty of 1906 is an important international treaty. Under it, the U.S. is obliged to deliver 60,000 acre-feet per year to Mexico at the El Paso–Ciudad Juárez border. Historically, in severe drought

⁵A fraction of water diverted in a basin may return to the basin too late, too far away, or in too low a quality to be of economical use or because the water flows into an irretrievable sink such as the ocean or saline lakes (23).

[¶]Excluded are costs associated with the public subsidy of drip irrigation's capital cost. From a national view, a public subsidy incurs opportunity costs because those resources typically have alternative uses.

Table 2. Water conservation in irrigated agriculture for selected drip irrigation subsidies, Lower Rio Grande, NM, annual average, 2006–2025, hydrologic outcomes

		Hydrologic outcomes, 1,000 acre-feet/year										
		On farm				River						
Subsidy, % capital*	Subsidy, \$/acre/year†	Water applied	ET	Water Pumped	Reservoir release, inflow	Stream diversions	Surface return flow	Aquifer outflow (river gains if >0)	Downstream delivery (outflow)	Aquifer, change in storage	Total water conserved	
0	0	364	167	91	555	273	0	32	314	74	0.0	
10	36	371	171	86	566	285	0	34	315	80	-3.7	
20	73	362	168	87	558	274	0	32	316	75	-0.6	
30	109	328	176	56	555	272	0	29	312	67	-8.5	
40	146	318	181	51	549	268	0	26	307	61	-13.6	
50	182	318	187	52	533	267	0	24	290	56	-19.5	
60	219	319	197	58	534	262	0	19	292	45	-29.6	
70	255	324	203	66	532	258	0	17	291	39	-35.9	
80	291	324	203	64	535	259	0	17	292	39	-36.0	
90	328	324	203	69	513	255	0	15	273	36	-36.0	
100	364	324	204	63	535	261	0	17	292	40	-36.7	

*Total costs include Program Cost of Water Conservation subsidy.

†Total costs exclude Program Cost of Water Conservation subsidy.

pima cotton on 3,216 acres, upland cotton on 8,218 acres, fall lettuce on 4,467 acres, onions on 3,573 acres, wheat on 1,072 acres, green chile on 2,680 acres, red chile on 2,680 acres, and pecans on 25,906 acres. Under that base case, total optimized agricultural income is \$34.1 million per year. Under the optimal base case solution, flood irrigation is used for ≈90% of the service area in actual production with drip irrigation used for just <10%. This corresponds approximately to actual 2006 EBID conditions.

We identified effects of a range of cost-sharing arrangements by varying the proportion of the average annualized irrigation system improvement capital cost paid by the public agency versus the farmer. That part of capital cost paid by the public agency was parametrically increased from 0 to 100% in 10% increments.

Table 2 shows the hydrologic outcomes of 10 scenarios associated with alternative drip irrigation subsidy levels. The unconsumed part of irrigation water diverted from the stream is presumed fully available for other uses, either for downstream surface water use or as aquifer recharge that would be available for use in current or future periods. Drip irrigation produces higher ET than flood irrigation, while also producing higher crop yields. Raising the subsidy on drip irrigation induces more drip acreage and more total acreage into production when the Basin's reservoirs start very low as they were in early 2006. Total water applied (pumped plus diverted) falls from 364,000 acre-feet under the baseline to 324,000 under a 100% capital subsidy. Surface return flows are always 0. Groundwater pumping for irrigated agriculture falls considerably, from 91,000 under baseline to 63,000 under maximum subsidy. Aquifer-to-river gains fall from 32,000 acre-feet under baseline to 17,000 under the highest subsidy. Aquifer storage gains fall from 74,000 acre-feet under no subsidy to 40,000 under maximum subsidy. The net effect overall is greater water depletion (greater ET), which produces a negative conservation of ≈36,700 acre-feet per year under the highest subsidy compared with a defined 0 conservation with no subsidy. We find that a progressively increasing public subsidy of drip irrigation considerably reduces water applied to farmlands. However, it increases overall water use. These findings support the conclusions of Schierling *et al.* (20) as well similar findings published by Huffaker (35), Huffaker and Whittlesey (19), and Ahmad *et al.* (36). They also concur with the recent conclusions of Molden (37).

An important finding is that as the subsidy increases, water depletion never falls below base-level depletion. As the subsidy increases, the ratio of depletion to water diverted from the stream increases. The ratio of depletion to water diverted rises to 80% under a 100% subsidy from a base case of 61%, while water pumped is reduced from 91,000 acre-feet to 63,000 acre-feet.

Table 3 shows land use and economic outcomes produced by the same drip irrigation subsidy scenarios. Results show that as subsidy levels increase, net farm income increases from \$34.1 million under the base case to \$45.5 million under the highest subsidy. At the 100% subsidy, level drip irrigation is used for 46,000 of 87,000 acres in production, or 53%. Overall, results suggest that a water conservation subsidy policy is unlikely to reduce water depletions under any of the scenarios. In fact, water depletions, yields, and acreage are all predicted to increase if total water use is not constrained to base levels by the various water authorities. If total irrigated acreage is also allowed to increase, the potential increase in water depletions is even higher. We conclude that in river basins where downstream users and future generations depend on the unconsumed portion of diversions in the form of returns to the stream and raised aquifer storage, subsidies for conservation technology investments are unlikely to bring about a new supply of water but will likely lead to increased depletions.

Results of Table 3 show that subsidies do encourage a shift to more water-efficient technologies. By paying for a part of the capital cost, the program reduces farmers' irrigation costs. Because of reductions in water applied to crops, increased program subsidies also lead to savings in other variable costs, including energy and groundwater pumping. As the subsidy rises and as its implementation promotes a change in technology, results show continued reductions in water applied to crops. At the same time, net farm income increases because of the subsidy itself and because of the subsidy's impact on altered technology and increased crop yields.

Table 3 presents 5 indicators of total economic benefits in addition to farm income and program cost: These indicators include (i) net benefits of water use including costs of irrigation subsidies in total costs (national view); (ii) net benefits of water use excluding the irrigation subsidy cost (basin view); (iii) net benefits produced by the water environment; (iv) total net benefits of water use plus benefits of the water environment

public water conservation program administrators is to create a new use of water or expand the current water use to a larger number of acres or to higher water-consuming crops. The U.S. National Resources Conservation Service Environmental Quality Incentives Program (41) revolves around the premise that if irrigators install a more efficient irrigation system and irrigate 2 parcels instead of 1 with the same water right, increased efficiency in water use results. Water rights administrators can guard against this error. Where water rights are administered based on water depletions, water right administrators will not permit investors in irrigation efficiency to presume that water is saved. Indeed, where hydrologic realities of a river basin are implemented into law, the right to acreage farmed and to water applied will be reduced after measures are taken to increase irrigation efficiency.

A major question for efficient public policy is whether or not the increase in net farm income compensates the forgone

benefits of reduced return flows and seepage (12). This is a question facing water science, water policy, and water administration. Where reduced return flows and lost aquifer seepage block another's water use, conservation poses a serious question for water rights administration because those effects are often hard to measure and often occur with considerable delay. Answering this question requires sorting out conflicting impacts of water application versus water depletion and an understanding of the transmission of those effects at the basin scale.

ACKNOWLEDGMENTS. We thank David Molden, Robert Young, Chris Perry, Mobin-ud-Din Ahmad, Ted Sammis, Ray Huffaker, Phil King, Steve Vandiver, Munir Hanjra, and Grant Cardon for valuable comments on earlier drafts. We also thank two reviewers for their insightful comments. A talk given by Richard Allen at a 2007 New Mexico State University Water Lecture Series provided additional important insights. This work was supported by the Rio Grande Basin Initiative and by the New Mexico Agricultural Experiment Station.

- Easterling (2007) Climate change and the adequacy of food and timber in the 21st century. *Proc Natl Acad Sci USA* 104:19679.
- Postel SL, Daily GC, Ehrlich PR (1996) Human appropriation of renewable fresh water. *Science* 271:785–788.
- Bouwer H (2002) Integrated water management for the 21st century: Problems and solutions. *J Irrig Drain Eng* 128:193–202.
- Gordon LJ, et al. (2005) Human modification of global water vapor flows from the land surface. *Proc Natl Acad Sci USA* 102:7612–7617.
- Gupta SK, Deshpande RD (2004) Water for India in 2050: First-order assessment of available options. *Curr Sci* 86:1216–1224.
- Plusquellec H (2002) Is the daunting challenge of irrigation achievable? *Irrig Drain* 51:185–198.
- Oster JD, Wichelns D (2003) Economic and agronomic strategies to achieve sustainable irrigation. *Irrig Sci* 22:107–120.
- Gleick PH (2002) Global freshwater resources: Soft water paths. *Nature* 418:373.
- English MJ, Solomon KH, Hoffman GJ (2002) A paradigm shift in irrigation management. *J Irrig Drain Eng* 128:267–277.
- Tilman D (1999) Global environmental impacts of agricultural expansion: The need for sustainable and efficient practices. *Proc Natl Acad Sci USA* 96:5995–6000.
- Schultz B, De Wrachien D (2002) Irrigation and drainage systems research and development in the 21st century. *Irrig Drain* 51:311–327.
- Rockstrom J, Lannerstad M, Falkenmark M (2007) Increasing water productivity through deficit irrigation: Evidence from the Indus plains of Pakistan. *Proc Natl Acad Sci USA* 104:6253–6260.
- Jury WA, Vaux HJ (2006) The role of science in solving the world's emerging water problems. *Proc Natl Acad Sci USA* 102:15715–15720.
- Jensen ME (2007) Beyond irrigation efficiency. *Irrig Sci* 25:233–245.
- Bohannon J (August 21, 2006) Not a drop to drink. *Science Now Daily News*, p 821.
- Hussain I, Turrall H, Molden D, Ahmad MD (2007) Measuring and enhancing the value of agricultural water in irrigated river basins. *Irrig Sci* 25:263–282.
- Huffaker R, Whittlesey N (2000) The allocative efficiency and conservation potential of water laws encouraging investments in on-farm irrigation technology. *Agric Econ* 24:47–60.
- Peterson JM, Ding Y (2005) Economic adjustments to groundwater depletion in the high plains: Do water-saving irrigation systems save water? *Am J Agric Econ* 87:147–159.
- Huffaker R, Whittlesey N (2003) A theoretical analysis of economic incentive policies encouraging agricultural water conservation. *Water Resource Dev* 19:37–55.
- Scheierling SM, Young RA, Cardon GE (2006) Public subsidies for water-conserving irrigation investments: Hydrologic, agronomic, and economic assessment. *Water Resource Res* 42, 10.1029/2004WR003809.
- Doorenbos J, Kassam A (1979) *Yield Response to Water* (Food and Agricultural Organization, Rome).
- Perry C (2007) Efficient irrigation, inefficient communication, flawed recommendation. *Irrig Drain* 56:367–378.
- Bastiaanssen WGM, Bandara KMP (2001) Evaporative depletion assessments for irrigated watersheds in Sri Lanka. *Irrig Sci* 21:1–15.
- Vaux HJ, Howitt RE (1984) Managing water scarcity: An evaluation of interregional transfers. *Water Resource Res* 20:785–792.
- Booker JF (1995). Hydrologic and economic impacts of drought under alternative policy responses. *Water Resource Bull* 31:889–906.
- Hurd BH, Callaway JM, Smith JB, Kirshen P (2002) (2004) Climate change and US water resources: From modeled watershed impacts to national estimates. *J Am Water Resource Assoc* 40:129–148.
- Ward FA, Booker JF, Michelsen AM (2006) Integrated economic, hydrologic, and institutional analysis of policy responses to mitigate drought impacts in the Rio Grande Basin. *J Water Resource Plan Manage* 132:488–502.
- Ward FA, Pulido-Velázquez M (2008) Incentive pricing and cost recovery at the basin scale. *J Environ Manage*, in press.
- Ward FA, Pulido-Velázquez M (2008) Efficiency, equity, and sustainability in a water quantity–quality optimization model in the Rio Grande Basin. *Ecol Econ* 66:23–37.
- Ward FA, Booker JF (2003) Economic costs and benefits of instream flow protection for endangered species in an international basin. *J Am Water Resource Assoc* 39:427–440.
- Booker JF, Young RA (1994) Modeling intrastate and interstate markets for Colorado River water resources. *J Environ Econ Manage* 26:66–87.
- Draper AJ, Jenkins MW, Kirby KW, Lund JR, Howitt RE (2003) Economic engineering optimization for California water management. *J Water Resource Plan Manage* 129:155–164.
- Pulido-Velázquez M, Jenkins MW, Lund JR (2004) Economic values for conjunctive use and water banking in southern California. *Water Resource Res* 40:W03401.
- Booker JF, Michelsen AM, Ward FA (2005) Economic impact of alternative policy responses to prolonged and severe drought in the Rio Grande Basin. *Water Resource Res* 41:W02026.
- Huffaker R (February 19, 2007) When conserving water actually doesn't. *Sci Mag News*.
- Ahmad MD, Giordano M, Turrall H, Masih I, Masood Z (2007) At what scale does water saving really save water? Lessons from the use of resource conservation technologies in Pakistan. *J Soil Water Conserv* 62:29A–35A.
- Molden D (2007) *Water For Food, Water For Life: A Comprehensive Assessment of Water Management in Agriculture* (Earthscan, London).
- Lubchenco J (1998) Entering the century of the environment: A new social contract for science. *Science* 279:491–496.
- Fereres E, Soriano MA (2007) Deficit irrigation for reducing agricultural water use. *J Exp Bot* 58:147–159.
- Sarwar A, Perry C (2002) Increasing water productivity through deficit irrigation: Evidence from the Indus plains of Pakistan. *Irrig Drain* 51:87–92.
- Natural Resources Conservation Service (2008) *Environmental Quality Incentives Program* (Available at: www.nrcs.usda.gov/programs/farmland/2002/products.html).