

NIH Public Access

Author Manuscript

Sci Teach. Author manuscript; available in PMC 2010 April 1

Published in final edited form as: *Sci Teach.* 2009 April 1; 76(4): 40–45.

The Big Sky Inside:

Measuring rural indoor air quality and its impact on the community

Earle Adams [research professor],

University of Montana in Missoula.

Tony J. Ward [Research Assistant Professor],

Center for Environmental Health Sciences at The University of Montana in Missoula, Montana.

Diana Vanek [outreach coordinator], Center for Environmental Health Sciences at The University of Montana in Missoula.

Nancy Marra [education coordinator], Center for Environmental Health Sciences at The University of Montana in Missoula.

Carolyn Hester [project manager],

Air Toxics program for the Center for Environmental Health Sciences at The University of Montana in Missoula.

Randy Knuth [project evaluator], Knuth Research in Spokane, Washington.

Todd Spangler [chemistry teacher], Whitefish High School in Whitefish, Montana.

David Jones [chemistry teacher],

Big Sky High School in Missoula, Montana.

Melissa Henthorn [chemistry teacher], Hellgate High School in Missoula, Montana.

Brock Hammill [chemistry teacher], Corvallis High School in Corvallis, Montana.

Paul Smith [science teacher],

Lapwai High School in Lapwai, Idaho.

Rob Salisbury [biology teacher], Kamiah High School in Kamiah, Idaho.

Gene Reckin [science teacher], and Libby High School in Libby, Montana.

Johna Boulafentis [environmental outreach specialist]

Nez Perce Tribe in Lapwai, Idaho.

Earle Adams: earle.adams@umontana.edu; Tony J. Ward: tony.ward@umontana.edu; Diana Vanek: diana.vanek@umontana.edu; Nancy Marra: nancy.marra@umontana.edu; Carolyn Hester: carolyn.hester@umontana.edu; Randy Knuth: Randy@KnuthResearch.com; Todd Spangler: spanglert@wfps.k12.mt.us; David Jones: djones@mcps.k12.mt.us; Melissa Henthorn: mhenthorn@mcps.k12.mt.us; Brock Hammill: brockh@corvallis.k12.mt.us; Paul Smith: psmith@lapwai.us; Rob Salisbury: rsalisbury@kamiah.org; Gene Reckin: Recking@libby.k12.mt.us; Johna Boulafentis: johnab@nezperce.org

Science taught through authentic and relevant scientific investigation provides a valuable and long-lasting learning experience for students (Donovan and Bransford 2005; Wilkinson 2003; Zaikowski and Lichtman 2007). When students pose their own research questions and collect the data needed to answer them, they discover firsthand how to directly apply concepts

covered in the classroom. Many science educators seek models to engage students in relevant scientific research that use local resources and link students to their communities (Sedlacek et al. 2005; Stone 2007; Zaikowski and Lichtman 2007; Tompkins 2005; Walters et al. 1998).

To address this need for authentic, relevant science investigation, the University of Montana (UM)–Missoula has implemented a problem-based program in which students perform scientific research focused on indoor air pollution. The Air Toxics Under the Big Sky program (Jones et al. 2007; Adams et al. 2008; Ward et al. 2008) provides a community-based framework for understanding the complex relationship between poor air quality and respiratory health outcomes by teaching students chemical, physical, and health concepts in the classroom setting. In addition to designing controlled experiments, students are guided through the process for conducting independent research projects to explore a real-world issue in the context of their communities.

Program overview

Developed in 2003, the Air Toxics Under the Big Sky program is a collaborative endeavor among high school science teachers and scientists at UM's Center for Environmental Health Sciences (CEHS) and Department of Chemistry. The program began when a local chemistry teacher sought UM researchers' assistance to address a student's curiosity about air toxics.

Through the collaboration, high school science students are guided through independent research projects that involve rural indoor air. As word of the program has spread, so has interest in participation. One key criterion for accepting teachers into the program is whether air pollution levels in their communities persistently exceed the national ambient air quality standards set by the Environmental Protection Agency (EPA) (see "About particulate matter"). To date, over 400 students across seven counties, two states, and two American Indian reservations have completed the curriculum and conducted indoor air quality research that has resulted in an overall heightened awareness of indoor air quality's impact on our health.

DustTraks

Each school participating in the program is issued a DustTrak, a portable, laser photometer with real-time mass concentration read-out and data-logging capability. These units are battery operated and can record data over a 24-hour period at a rate of 1 reading/min. Student researchers collect indoor particulate matter (PM_{2.5}) measurements, download the data to a computer, and can immediately analyze and interpret their data by viewing average, maximum, and minimum concentrations. Students use these DustTraks to compile and analyze the data used in their independent research projects. The results help them address the "problem" of indoor air quality in this problem-based project.

Although DustTraks cost a little over \$5,000, we have not found the purchase price to be a stumbling block, as both UM researchers and participating teachers have been successful in securing funding from private foundations (see "Acknowledgments"). It should also be noted that the DustTrak requires no additional expenses, such as shipping samples off for lab processing. If cost does at some point become a consideration, program participants can use databases of $PM_{2.5}$ levels recorded by others in the program. In addition, teachers have shared the equipment with science classrooms at other schools, which enhances the collaborative, integrative nature of the research program.

Teacher workshops

The program takes a systematic approach to professional development as a way to expose teachers to inquiry-based learning and to familiarize them with curriculum, equipment, and auxiliary materials. Program teachers are invited to attend two summer workshops at UM. In

these workshops, CEHS researchers provide information regarding indoor air quality and its relation to respiratory health and model the integration of the program into the regular chemistry curriculum. Teachers also receive hands-on experience with smallscale chemistry and geographic positioning system labs. Both workshops include assessment sessions in which teachers discuss various assessment tools—both formative and summative—that best match program objectives.

Following the summer workshop, the academic year begins with a program description being sent home from the teacher to students' homes. This is followed by comprehensive training provided by UM researchers within the schools on how to operate the DustTrak. Students are provided with step-by-step protocols not only on how to collect samples but also on where to collect samples, how to clean the instrument, and how to zero/calibrate the instrument. All of the quality assurance/quality control steps are included in the protocols to ensure that students collect high-quality data following UM-approved methodologies.

In the community

Families continue to be involved in the program throughout the year as their children bring home the DustTrak, review the protocol, monitor indoor air quality, complete activity sheets, answer questions, and lead discussions. Since the ultimate goal of the Air Toxics Under the Big Sky program is to improve respiratory health, students are encouraged to share their findings with members of their communities. This is accomplished at the end of the academic year, when students present their results at the annual UM symposium. At this event, students from multiple schools present their research before their peers, teachers, university scientists, industrial representatives, and members of county, state, and federal government. Crews from the local television stations are on hand to film the event for later airing and broader community access.

Although the program's purposeful inclusion of the community has proved to be a successful way to address our overarching mission, it has also been our experience that individual schools have devised innovative and effective ways to further augment the public take-home message for their communities. Further examples are provided in the "Case studies" section.

Student safety

Safety standards for this project are set through the school and UM Institutional Review Board processes to clarify the aims of the research project and minimize any risk to participants. The DustTrak does not emit a laser light during operation. The light-scattering laser photometer is enclosed inside the DustTrak, so there is no risk of exposure to the laser.

See "Safety notes" for more on student safety and teacher responsibility.

Case studies

The following case studies provide examples of independent student research projects. The results of these projects were shared with the class, school, and community through the UM symposium.

Case study 1: Home heating systems compared

One student research group sampled three different heat sources in the home—pellet, propane, and woodstoves—to determine which produced higher levels of $PM_{2.5}$. Their experimental controls included sampling at varying distances from the heating source and controlling for time and temperature. Their findings supported their hypothesis that, of the three, the propane stove produced the least amount of $PM_{2.5}$. This proved to be an effective learning experience

for the students regarding indoor air quality, as they began to understand how their data were influenced by other factors they had not considered before designing their research projects (i.e., small sample size, age of the tested homes).

The class devised ways to let area residents learn about indoor air quality through multiple newspaper features and an evening open house at which students presented their research to their families and other residents of this rural community. A side benefit to the students' efforts was that a prominent environmental health scientist from Mount Sinai Hospital in New York learned of their studies and made a special visit to their class, where he discussed recent research concerning asbestos-related diseases.

Case study 2: School heating, venting, and air conditioning practices improved

Another group of student researchers decided to investigate their school's wood and metal shop to determine if it contained high $PM_{2.5}$ concentrations and if levels varied throughout the day. Air samplers were mounted at various locations and heights around the shop to measure $PM_{2.5}$ concentrations in different areas. The units indicated where concentrations were highest, when those levels dropped during less active hours of the day, as well as when filters for the room's filtration system were cleaned or replaced. The school principal acted on this information to institute a more rigorous maintenance schedule for changing the school shop's air filters.

Case study 3: Air filtration in homes

Multiple groups of students enrolled in two different schools studied the efficiency of a commercial air filter in households and whether it decreased $PM_{2.5}$ concentration levels in the home over a 24-hour period. Their collected data suggested that a commercial air filter decreased $PM_{2.5}$ concentrations by up to 50% in the household. From their studies, they also concluded that including more sampling days, varying the location of the air filter, and testing homes with different heating sources would produce more robust data for longer-term analysis.

Peers, parents, teachers, community members, and school officials learned of this research when students presented their results as part of the senior project program at each school and at the Annual Northwest Regional High School Science Symposium in Utah.

Case study 4: Air quality comparisons in school

Another student research group studied the amount of $PM_{2.5}$ in the air inside various school classrooms by monitoring the $PM_{2.5}$ concentrations over a 24-hour period in the chemistry lab, a general science classroom, two math rooms, and two history rooms. They found that concentrations in all the rooms did not exceed EPA outdoor standards and that the ventilation in the school was adequate.

Case study 5: Asthma and wood smoke on the Nez Perce reservation

Students from two high schools on the Nez Perce American Indian Reservation conducted sampling for volatile organic compounds within their homes throughout the school year. As a result, two articles summarizing their involvement with the Air Toxics Under the Big Sky program were published in the tribal newspaper that is distributed throughout the community of 1,800 citizens. One student group presented their results to a tribal panel and others presented at an open poster session for the community in their school. A key student research leader with the project gave a presentation to 200 elementary students on air quality in their homes.

These case studies serve as clear examples of how students can investigate local air quality issues and generate scientifically sound data that educate and impact the community.

Student response

When students present their data at the end-of-the-year symposium, they describe how they problem solved to overcome any challenges encountered as their research progressed. Many discovered their hypotheses were disproved due to the presence of multiple variables or unexpected outcomes, which led them to collect more data by repeating the experiment or modifying their hypothesis. These are the same thought processes scientists must use in a research environment: designing, implementing, and interpreting their experimental results.

Depending on class size, students usually work collaboratively in teams of anywhere from two to six people, which requires good interpersonal skills in scheduling and organizing tasks and effectively communicating the results through posters or oral presentations. Student comments have shown that they appreciate the opportunity to conduct relevant research for themselves and to go through the process of problem solving, correcting mistakes, processing their results, and drawing a conclusion (see "Student comments").

Program evaluation

The effectiveness of the Air Toxics Under the Big Sky program was tested through a careful comparison study. The treatment group of 130 students participating in the program was statistically matched to a comparison group of 148 students that did not participate. Students in both groups were from five high schools in northwestern Montana and all completed the same end-of-program content assessment.

The treatment students scored significantly higher (65% correct) on the assessment than the comparison students (43% correct). They were also much more knowledgeable about air pollution and respiratory health and were better able to deal with research issues such as outlier data and the importance of keeping field notes.

Additionally, treatment students provided feedback about their experience in the program at the conclusion of the symposium. Eighty-eight percent indicated that their time during the symposium was either good or excellent. Forty-six percent of participating students expressed an "extreme interest" in science, and of these almost half reported that the experience made them even more interested in science. Similarly, about 40% percent of students indicated that they were "extremely interested" in a science career and of these, almost two-thirds said that the program made them more interested in becoming a scientist some day.

Evaluation results provide strong evidence that the program increases and sustains interest in science and science careers and results in knowledge gains. In particular, students acquire valuable content knowledge to which they otherwise would not typically have access. The program's strong research emphasis also meets Montana state standards with required components, such as generating a hypothesis, data gathering and analysis, graphical and mathematical processes, scientific investigation, and the review and defending of results (see "Addressing the Standards").

Teachers who are interested in an indoor air quality may contact the Center of Environmental Health Sciences (CEHS) at the University of Montana on how to initiate such a program in their class.

Conclusion

The Air Toxics Under the Big Sky program is an effective way to educate students on the importance of good air quality and the health impacts of exposure to poor air quality. One of the strongest outcomes of this program is that students are encouraged to design controlled

Sci Teach. Author manuscript; available in PMC 2010 April 1.

SIDEBAR 1

About particulate matter

Due to their topographic characteristics, communities throughout Montana and Idaho often experience elevated concentrations of particulate matter ($PM_{2.5}$) during the winter and early spring as a result of temperature changes and residential woodstove use. $PM_{2.5}$ refers to airborne particles that are ≤ 2.5 microns in aerodynamic diameter and therefore most likely to pass into the lungs and potentially cause respiratory problems. Additionally, a new trend of elevated $PM_{2.5}$ levels in summer months has been observed over the last decade due to the growing frequency of catastrophic forest fires.

Although $PM_{2.5}$ measurements are routinely made in the outdoor environment, little information exists on the concentrations of indoor $PM_{2.5}$ in this region of the country during these seasonal periods. The information that does exist shows that elevated concentrations of $PM_{2.5}$ can lead to adverse health effects (Dockery et al., 1993; Heath, Pope, and Thun 1995; Pope, Dockery, and Schwartz 1995; Pope et al. 1995; Schwartz, Dockery, and Neas 1996; Laden et al. 2000; Pope 2000). However, these studies have mostly been conducted in urban settings. The Air Toxics Under the Big Sky program is unique in that indoor air data is evaluated in rural communities with the hope of creating changes that will improve respiratory health.

SIDEBAR 2

Safety notes

Any science activities requiring work out of the school instructional site (science classroom) —such as the home or another classroom—assigned by the teacher carries a "duty of care" legal responsibility. The teacher should provide written communication about the activity and possible safety issues or concerns, along with proper operation protocols for the supervising adult (i.e., parent, another teacher, etc.). If students are hurt while carrying out an activity that proves to be unsafe, the teacher may be liable should there be legal implications. For example, if a student is burned while working near a woodstove in carrying out the science activity, this is not only a safety issue but also a legal one.

SIDEBAR 3

Student comments

The following student comments are from end-of-the-year evaluations:

- "The most important thing I learned is that there are many possibilities for projects, but you need to think the experiment all the way through to be successful."
- "The most important thing I learned as a result of giving my presentation is that communicating results is a key skill in science."
- "I learned how important—and fun—science is and that projects like these have a huge impact within the science field and possibly impact the world."
- "The thing that had the greatest impact on me is that all the people who are interested and work in the fields of chemistry and biology seem to love it."

Sci Teach. Author manuscript; available in PMC 2010 April 1.

"I learned that it is okay if your hypothesis is wrong; it actually provides valuable information and the opportunity for further investigation."

SIDEBAR 4

Addressing the Standards

Montana's science standards are highly consistent with the *National Science Education Standards* (NRC 1996) and *Benchmarks for Science Literacy* (AAAS 1993), with most containing the phrase "through the inquiry process." For example, one standard reads: "Students, through the inquiry process, demonstrate the ability to design, conduct, evaluate, and communicate results and reasonable conclusions of scientific investigations." This focus on inquiry-based learning requires activities specifically designed to meet that requirement. As one participating teacher reflected, "A major goal in my chemistry class is for students to learn the scientific process. I take many steps to achieve this goal, but this Air Toxics Under the Big Sky program takes kids from start to finish in an open-ended manner in a research project of their own design. Consequently, they learn the scientific process by doing it."

SIDEBAR 5

Student research assessment milestones

First quarter: Students turn in the question, hypothesis, and list of variables for their indoor air quality research project. The instructor reviews and provides any necessary guidance.

Question examples: Does the heating system of the house affect its air quality? How does the age of the house relate to $PM_{2.5}$ levels? What classroom in the school contains the most $PM_{2.5}$? Does the type of flooring material affect the amount of $PM_{2.5}$ found in the building? Does it make a difference in air quality when using an EPA-certified woodstove versus a noncertified model?

Second quarter: Students turn in a written report discussing the data collected to date. The data is reviewed by fellow students who provide suggestions to enrich the research.

Third quarter: Students complete their data collection and provide the teacher with a written report.

Fourth quarter: Students present their findings via PowerPoint presentations or posters to community members at the school or at the annual symposium. The symposium judges' scores are averaged into students' chemistry grades.

Visit www.nsta.org/highschool/connections.aspx for UM judges' scoring rubrics.

Acknowledgments

The authors thank the high school teachers and students from Libby High School (Gene Reckin), Corvallis High School (Brock Hammill), Missoula–Big Sky High School (Dave Jones), Hellgate High School (Melissa Henthorn), Whitefish High School (Todd Spangler), and Idaho schools Lapwai High School (Paul Smith) and Kamiah High School (Rob Salisbury).

Funding for this project was provided by Grant Number R25 RR020432 from the National Center for Research Resources (NCRR), a component of the National Institutes of Health (NIH). Additional funding for technology acquisition was provided by the F. Morris and Helen Silver Foundation, Toyota USA Foundation, Toyota Tapestry, Toshiba American Foundation, 3M, and Plum Creek. The contents of this manuscript are solely the responsibility of the authors and do not necessarily represent the official views of NCRR or NIH.

References

- Adams E, Ward T, Vanek D, Marra N, Noonan C, Smith G, Jones D, Henthorn M, Striebel J. Air Toxics Under The Big Sky: A real-world investigation to engage high school science students. Journal of Chemical Education 2008;85(22):221–224.
- Dockery DW, Pope CA III, Xu X, Spengler JD, Ware JH, Martha EF, Ferris BG Jr, Speizer FE. An association between air pollution and mortality in six U.S. cities. New England Journal of Medicine 1993;329:1753–1759. [PubMed: 8179653]
- Donovan, MS.; Bransford, JD., editors. How students learn: Science in the classroom. Washington, DC: National Academies Press; 2005.
- Heath CW Jr, Pope CA III, Thun MJ. Particulate air pollution as a predictor of mortality in a prospective study of U.S. adults. American Journal of Respiratory and Critical Care Medicine 1995;151(3):669–674. [PubMed: 7881654]
- Jones D, Ward T, Vanek D, Marra N, Noonan C, Smith G, Adams A. Air Toxics Under The Big Sky: A high school science teaching tool. Science Education and Civic Engagement: An International Journal 2007;1(2):51–55.
- Laden F, Neas LM, Dockery DW, Schwartz J. Association of fine particulate matter from different sources with daily mortality in six U.S. cities. Environmental Health Perspectives 2000;108(10):941–946. [PubMed: 11049813]
- Pope CA III. Epidemiology of fine particulate air pollution and human health: Biologic mechanisms and who's at risk? Environmental Health Perspectives 2000;108(4):713–723. [PubMed: 10931790]
- Pope CA III, Dockery DW, Schwartz J. Review of epidemiological evidence of health effects of particulate air pollution. Inhalation Toxicology 1995;7:1–18.
- Pope CA III, Thun MJ, Namboodiri MM, Dockery DW, Evans JS, Speizer FE, Heath CW Jr. Particulate air pollution as a predictor of mortality in a prospective study of U.S. adults. American Journal of Respiratory and Critical Care Medicine 1995;151:669–674. [PubMed: 7881654]
- Schwartz J, Dockery DW, Neas LM. Is daily mortality associated specifically with fine particles? Journal of the Air and Waste Management Association 1996;46:927–939. [PubMed: 8875828]
- Sedlacek N, Young JAJA, Acharya C, Botta D, Burbacher TM. Linking the Classroom to the Community. The Science Teacher 2005;72(4):44–45.
- Stone J. Accomplishing multiple goals through community connections. The Science Teacher 2007;74 (4):28–32.
- Tompkins LJ. A case for community-based education. The Science Teacher 2005;72(4):34–36.
- Walters EA, Micciulla T, Parada A, Pellegrino N. Environmental activism, researching trash alternatives for New York City. The Science Teacher 1998;65(5):48–49.
- Ward TJ, Vanek D, Marra N, Holian A, Adams E, Jones D, Knuth R. The big sky model: A regional collaboration for participatory research on environmental health in the rural West. Journal of Higher Education Outreach & Engagement 2008;12(3):103–115.
- Wilkinson SL. Creative boost: High school and college teachers empower students to do consequential science projects. Chemical and Engineering News 2003;81(38):34–35.
- Zaikowski L, Lichtman P. Environmental research put into action. The Science Teacher 2007;74(4):47–51.