

ERRATUM

In: Huhman ME, Potter LD, Nolin MJ, Piesse A, Judkins DR, Banspach SW, Wong FL. The influence of the VERB Campaign on children’s physical activity in 2002 to 2006. *Am J Public Health*. 2010;100:638–645. doi: 10.2105/AJPH.2008.142968.

A reference was improperly edited. On page 645, reference 34 should read:

34. Judkins DR, Morganstein D, Zador P, Piesse A, Barrett B, Mukhopadhyay P. Variable selection and raking in propensity scoring. *Stat Med*. 2007;26(5):1022–1033.

doi:10.2105/AJPH.2008.142968e

ERRATUM

In: Krieger N, Chen JT, Waterman PD. Decline in US breast cancer rates after the Women’s Health Initiative: socioeconomic and racial/ethnic differences. *Am J Public Health*. 2010;100(S1):S132–S139. doi: 10.2105/AJPH.2009.181628.

Case and denominator counts were improperly reported in a table. On page S133, Table 1 should read:

TABLE 1—Characteristics of Women With Primary Invasive Breast Cancer: US Surveillance, Epidemiology and End Result (SEER) 13 Registries Database, 1992–2005

	No. of Cases (%)	Person-Years
Total	347 694	271 162 346
Race/ethnicity		
White, non-Hispanic	261 476 (75.2)	158 748 479
Black, non-Hispanic	30 093 (8.7)	30 217 715
American Indian/Alaskan Native, non-Hispanic	1 854 (0.5)	3 189 037
Asian/Pacific Islander, non-Hispanic	25 844 (7.4)	28 792 286
Hispanic	26 908 (7.7)	50 214 829
Age, y		
< 50	81 680 (23.5)	197 797 542
50–69	151 561 (43.6)	47 610 252
≥ 70	114 453 (32.9)	25 754 552
County median household income quintile, ^a \$		
9 330–34 819	14 081 (4.1)	11 971 039
34 820–39 999	22 235 (6.4)	15 339 425
40 000–43 819	106 469 (30.6)	91 560 916
43 820–51 579	73 976 (21.3)	58 146 615
51 580–82 930	130 877 (37.6)	94 144 351
Estrogen receptor (ER) status		
ER unknown	64 377 (18.5)	
ER positive	217 717 (62.6)	
ER negative	64 217 (18.5)	
ER borderline	1 383 (0.4)	

Note. The 13 SEER registries in this database comprise 5 US states (Connecticut, Hawaii, Iowa, New Mexico, Utah); 6 cities and their corresponding counties (Atlanta, GA; Detroit, MI; Los Angeles, CA; San Francisco–Oakland, CA; San Jose–Monterey, CA; Seattle–Puget Sound, WA); and 2 additional areas or populations (rural Georgia; Alaska Native Tumor Registry).

^aQuintiles 1 and 2 were low-income households; quintiles 3–5 were high-income households.

The results and conclusions are not affected by this correction.

doi:10.2105/AJPH.2009.181628e