

The sequence of the two extra exons in rat preA4

Jie Kang and Benno Müller-Hill

Institut für Genetik der Universität zu Köln, Weyertal 121, 5000 Köln 41, FRG

Submitted January 27, 1989

EMBL accession no. X14066

The three human preA4-cDNAs coding for the precursor of Alzheimer's disease amyloid A4 protein are due to alternative splicing (1,2,3,4). Here we present the sequence of rat cDNA encoding the two extra exons - the "protease-inhibitor" exon and the "small" exon. The arrowheads denote the exon-intron boundaries. The human amino acid residues which differ from the rat sequence are indicated below the rat sequence.

865	880	900	920
<pre> ▼ GAGGTGTGCTCTGAACAAGCTGAGACCGGGCCATGCCGTCAATGATCTCCCGTGGTAC E V C S E Q A E T G P C R A M I S R W Y </pre>			
940	960	980	
<pre> TTTGATGTCACTGAAGGAAAGTGCGCCCCATTCTTTACGGCGGATGTGGCGGAAACAGG F D V T E G K C A P F F Y G G G C G G N R </pre>			
1000	1020	1040	
<pre> AACAACTTTGACACTGAAGAGTACTGCATGGCGTGTGTGGCAGCGTGTATCCCAAAGT N N F D T E E Y C M A V C G S V S S Q S </pre>			
1060	1080	1090	
<pre> TTACTCAAGACTACCAGTGAACCTTTCCCAAGATCCGGTTAAACTT L L K T T S E P L P Q D P V K L </pre>			

REFERENCES

- Kang,J., Lemaire,H.G., Unterbeck,A., Salbaum,J.M., Masters,C.L., Grzeschik,K.H., Multhaup,G., Beyreuther,K. and Müller-Hill,B. (1987) *Nature* **325**, 733-736
- Tanzi,R.E., McClatchey,A.I., Lamperti,E.D., Villa-Komaroff,L., Gusella,J.F. and Neve,R.L. (1988) *Nature* **331**, 528-530
- Kitaguchi,N., Takahashi,Y., Tokushima,Y., Shiojiri,S. and Ito,H. (1988) *Nature* **331**, 530-532
- Ponte,P., Gonzalez-DeWhitt,P., Schilling,J., Miller,J., Hsu,D., Greenberg,B., Davis,K., Wallace,W., Lieberburg,I., Fuller,F. and Cordell,B. (1988) *Nature* **331**, 525-527