



Published in final edited form as:

J Control Release. 2010 August 17; 146(1): 160–. doi:10.1016/j.jconrel.2010.05.007.

Corrigendum to “Luminal flow patterns dictate arterial drug deposition in stent-based delivery”

Corrigendum to “Luminal flow patterns dictate arterial drug deposition in stent-based delivery”

[*Journal of Controlled Release*. 133(2009) 24-30]

Luminal flow patterns dictate arterial drug deposition in stent-based delivery☆

Vijaya B. Kolachalama a,*, Abraham R. Tzafirri a, Davis Y. Arifin b, Elazer R. Edelman a,c

a Biomedical Engineering Center, Harvard-MIT Division of Health Sciences and Technology, Massachusetts Institute of Technology, Cambridge, MA, United States

b Molecular Engineering of Biological and Chemical Systems, MIT-Singapore Alliance, Singapore

c Cardiovascular Division, Brigham and Women's Hospital, Harvard Medical School, Boston, MA, United States

The authors regret that in the above published article there was an error in the units in the text on page 2 under equation 5, the text should read as follows: was assumed to follow the Darcy's law where $K=1.43 \times 10^{-14} \text{ cm}^2$

The authors would like to apologise for any inconvenience this may have caused the readers of the journal.

☆ The first two authors contributed equally to this article.

DOI : doi:10.1016/j.jconrel.2008.09.075

*Corresponding author. Tel.: +1 617 324 0171; fax: +1 617 253 2514.

E-mail address: vbk@mit.edu (V.B. Kolachalama).