

Erratum

Vascular access use and outcomes: an international perspective from the dialysis outcomes and practice patterns study

Jean Ethier¹, David C. Mendelssohn², Stacey J. Elder³, Takeshi Hasegawa^{4,5}, Tadao Akizawa⁵, Takashi Akiba⁶, Bernard J. Canaud⁷ and Ronald L. Pisoni³

¹Department of Nephrology, Centre Hospitalier de l'Université de Montréal, Montréal, Québec, Canada, ²Department of Nephrology, University of Toronto/Humber River Regional Hospital, Weston, Ontario, Canada, ³Arbor Research Collaborative for Health, Ann Arbor, MI, USA, ⁴Department of Epidemiology and Healthcare Research, Graduate School of Medicine, Kyoto University, Kyoto, Japan, ⁵Division of Nephrology, Showa University Fujigaoka Hospital, Yokohama, Japan, ⁶Department of Blood Purification and Internal Medicine, Kidney Center, Tokyo, Japan and ⁷Lapeyronie University Hospital, Montpellier, France

Nephrol Dial Transplant 2008; doi:10.1093/ndt/gfn261

The title of this paper should read;

Vascular access use and outcomes: an international perspective from the Dialysis Outcomes and Practice Patterns Study.

There was also a text layout error in Figure 2. The correct figure is displayed below. The publisher would like to apologize for this error.




Fig. 2. Vascular access use by country among incident (incident patients entering DOPPS within 7 days of first-ever chronic dialysis; DOPPS II) haemodialysis patients.