



Published in final edited form as:

J Public Health Dent. 2011 ; 71(0 1): S2–S6.

Oral Health Behavioral and Social Intervention Research Concepts and Methods

Steve Martino, Ph.D.

Yale University School of Medicine, Department of Psychiatry

Introduction

Oral health affects many aspects of a person's functioning and overall health and well-being, including speaking, eating, and maintaining one's appearance, self-esteem, physical comfort, activity level, and quality of life (1). Behavioral and social factors significantly impact oral health. Nutrition, feeding, and oral hygiene practices, pain management, treatment adherence, dental anxiety, oral health knowledge and literacy, parenting, corporate advertising, and access to healthcare and dental insurance, as well as other socioeconomic factors, are some of the many behavioral and social oral health-related issues. Primary, secondary and tertiary prevention behavioral and social interventions are needed to target these issues, reduce the incidence of oral health problems, and improve the rates at which people recover from them.

Behavioral interventions are those that educate or instruct individuals about good oral health and disease management practices or how to handle psychological and social challenges that impact their oral health behavior. Examples include: a) prenatal education and assessment of expectant parents to decrease primary caregivers' mutans streptococci levels and risk of transmission to infants (2); b) motivational interviewing with mothers to prevent early childhood caries (3–5) or with adolescents to reduce dental avoidance behavior (6); c) the 5A's (ask, advice, assess, assist, arrange) in routine dental care to increase tobacco quit rates (7); and d) dental office-based weight control interventions for children and adolescents to reduce dental caries and prevent obesity-related systemic diseases (e.g., diabetes) that negatively impact oral health (8).

Social interventions are those that target groups of people, organizations, or communities to improve oral care. Examples include: a) school-based interventions to promote preadolescents' gingival health (9); b) social marketing campaigns to increase awareness of and screening for oral cancer in African Americans (10,11); c) providing dental homes for pregnant women on Medicaid to improve their access and utilization of dental care (12); and d) training dentists to detect methamphetamine users with dental comorbidities and refer these patients to substance abuse treatment programs (13). Developing and testing behavioral and social interventions to promote oral health and effectively treat diseases and disorders represent important parts of the NIDCR strategic plan (14).

Purpose of the special issue

Exploring and piloting innovative behavioral and social interventions, testing their efficacy in clinical trials, and establishing their effectiveness when used within community and

public health settings are complex processes that require well considered and executed research plans. Investigators from fields steeped in behavioral and social intervention research traditions, such as mental health, addiction, and public health, have developed conceptual models, theories, methodologies, and statistical and cost analysis approaches that could aid those who intend to conduct this kind of research in the oral health field. This special issue gathers together state-of-the-science guidance from leading experts in behavioral and social intervention research as a means to advance the inclusion of best research practices in the oral health field. Investigators interested in studying oral health behavioral and social interventions can capitalize on these existing research concepts and methods rather than recreating the proverbial research wheel. This special issue aims to provide these investigators with some of the critical concepts and tools they will need to conduct intervention research of the highest standards and ultimately to improve oral health outcomes.

Topics included in this volume

Topics for this special issue emerged from a NIDCR-sponsored meeting on behavioral and social intervention research held in July 2009 and attended by behavioral and social science investigators within and outside the oral health field (see <http://www.nidcr.nih.gov/Research/DER/BSSRB/BehavioralInterventionResearch.htm> for more detail). The articles contained in this volume address core areas discussed at the meeting that the collective group of investigators felt needed more attention in psychosocial oral health research and, if applied, could improve its quality and scientific contribution. The articles are written by respective experts in each area. In addition, the special issue includes expert commentaries that expand upon the notions raised by the authors of each article.

The first article by Richard Crosby and Seth Noar (15) encourages investigators to plan for a long-term program of research when developing behavioral or social interventions to improve oral health. The article highlights the PRECEDE-PROCEED socio-ecological approach as an example of one such planning model used for health promotion. The model describes how to move an intervention from its earliest stages of planning and development (steps 1 through 5) to empirical testing and evaluation in community settings (steps 6 through 9). This is, of course, what we'd like to see in oral health; innovative ideas about improving health are translated into behavioral and social interventions, these interventions are established as efficacious, and then are successfully implemented in a variety of community and clinic settings. The commentary by Ralph DiClemente emphasizes how PRECEDE-PROCEED provides a "blueprint" for systematically drawing investigators attention to the multiple individual, social, and environmental factors that influence oral health behavior (16). Russell Glasgow notes the importance of integrating the activities used to identify factors at each step and to have information gained and the related actions reinforce one another, as well as to involve all stakeholders in the entire planning process (17). Lisa Onken briefly describes the Stage Model as an alternative planning approach for guiding the development of innovative, efficacious, and sustainable oral health behavioral and social interventions (18).

The second article by Kay Bartholomew and Patricia Dolan Mullen (19) describes five ways in which health behavior theory is essential to behavioral and social intervention research. The authors suggest that theory identifies the behaviors that are relevant to a particular health problem, describes the causal relationships between these behaviors, identifies the ways behavior change should be made, clarifies how successful behavior change should be assessed, and highlights what methods and data should be reported from the intervention trial. The authors use a framework called Intervention Mapping to ensure that interventions draw from all available relevant studies to maximize the public health impact of

interventions being developed. Commentators suggest ways to further enrich this framework. Henrietta Logan emphasizes how a broad theoretical understanding of oral health problems is needed to comprehensively elucidate the many pathways through which behavior change occurs, instead of taking a too narrow focus that excludes “invisible” populations and increases health disparities (20). Donald Chi reminds us that while theory is crucial in guiding intervention development and empirical evidence of effectiveness, practitioners and their experiences using interventions can develop theory that can be used to conceive of new interventions or refine existing ones (21). A bidirectional process might best build the behavioral theoretical foundation of the oral health field and provide, as commented by Sarah Kobrin, more coherence in understanding how to intervene within the interplay of behavioral and social factors to create positive change (22).

The third article by David MacKinnon and Linda Luecken (23) gives a step-by-step tutorial for conducting mediation analyses in behavioral and social intervention research. Mediation analyses can be viewed as the statistical representation of an investigator’s health behavior theory. In other words, health behavior theory should specify the hypothesized important behaviors, how they are related to one another, and what sort of outcome is expected from a particular intervention. Mediation analyses are not meaningful without theory, and theory cannot be tested without mediation analyses. In addition to theory-testing for the sake of knowledge-building, the purpose of mediation analyses is to understand the active ingredients or mechanisms of action within behavioral and social interventions and to fully explore the nuanced ways in which interventions produce outcomes. In the commentaries, James Sheppard expands upon these points using a hypothetical example of an intervention designed to increase flossing (24). Alexander Rothman notes how understanding mediators may be especially important when efficacious interventions begin to move from controlled settings to diverse community ones in which the interventions’ effectiveness may vary depending on the implementation situation and targeted population (25). Mark Litt underscores the need for investigators to measure potential mediators in the first place and how promoting mediation analyses in behavioral and social intervention investigations would be a minor revolution in the oral health field (26).

The fourth article by Belinda Borrelli (27) describes methods for ensuring that a behavioral intervention is delivered as intended, i.e., with fidelity. As the article states, theory is also crucial in establishing fidelity procedures. Theory specifies the essential elements of the behavioral or social intervention and also the potential mediators and moderators of the intervention. These essential elements become the aspects of fidelity that are most important to monitor, and allow for confidence that the essential elements were delivered as intended. Susan Czajkowski remarks that Dr. Borrelli’s model of fidelity a) brings more focus to the often neglected areas of the extent to which participants receive and make use of the essential intervention elements, and b) how future funding initiatives should require investigators to explicate their methods for monitoring and maintaining fidelity (28). Barbara Campbell and James Neff both note that when interventions move from efficacy (controlled conditions) to effectiveness (real-life conditions) testing, establishing procedures to maintain the fidelity of interventions becomes challenging. Nonetheless, they argue the diverse samples of providers and participants offer unique opportunities to study practice-level variables that influence fidelity and the relationship of these multiple factors to intervention outcomes (29,30).

Another essential element of psychosocial intervention research is ensuring that the intervention is acceptable to the target population and to the target interventionists. The fifth article by Guadalupe Ayala and John Elder (31) describes qualitative methods for ensuring the acceptability of behavioral and social interventions, including conducting interviews and focus groups. The article also describes the importance of developing appropriate and

acceptable measures for the target population, highlighting methods for ensuring that the reading level and clarity of measures is appropriate for intended participants. The article introduces the idea that there may be tension between interventions suggested by theory and interventions considered acceptable to the target population and interventionists. Mediation analyses that identify the active ingredients of behavioral and social interventions may help to resolve this tension, distinguishing the aspects of interventions that are essential from aspects of interventions that can be tailored for the target participants. Helen Meissner and Daniel McNeil expand the discussion by advocating for mixed methods in which qualitative methods are used together with quantitative ones. This approach could provide insights about oral health and disease that go beyond what any one approach might offer and increase the chance that the public will accept and use the interventions (32,33). Amid Ismail cautions that investigators also include acceptability analyses of the final intervention rather than only during the intervention's development and to be careful not to conduct acceptability research in a manner biased to simply tell researchers what they want to hear (34).

Once an acceptable behavioral or social intervention is developed, and after demonstrated efficacy in a compelling clinical trial, a logical next step for researchers is implementing the intervention in new settings. The sixth article by Dwayne Simpson (35) describes a model for implementing evidence-based interventions, taking into account preparation needed at the organization level, training required for interventionists, factors that facilitate adoption and implementation of the intervention, and how to create long-term practice improvements. Implementation research from other health fields, and especially addiction treatment, highlights important aspects of implementation. In their commentaries, Jane Weintraub and Catherine Demko recommend expanding Simpson's model to include a broader public health perspective (e.g., conditions in the larger system) and more consideration of consumer needs, community input, and strategies for maintaining new dental practices using change management processes (36,37). David Chambers further highlights the challenges of studying intervention sustainability by noting the lack of consensus about appropriate definitions of sustainability (e.g., level of intervention fidelity), timeframes for determining if sustainability has occurred, and methods to capture improvements made to the evidence-based practices over time (38). More research on dissemination and implementation, including sustainability, is needed in the oral health field.

The final article by Joan O'Connell and Susan Griffin (39) provides a primer on how to conduct cost analyses in behavioral and social intervention research. Not surprisingly, the costs of interventions, and assumptions about reasonable cost-benefit ratios, are an important consideration in implementing and sustaining interventions. Richard Manski comments how the perspective taken (individual patients with and without insurance, community or society), metric used (dollar value, quality-adjusted life year, averted caries, tooth years gained), and opportunity costs all affect the determination and meaning of cost analyses (40). Tackling the complex landscape of costs requires a specific expertise, often associated with health economics, and not frequently included in the curricula of behavioral and social intervention researchers. Merging these areas of expertise may be an important step toward developing efficacious and cost-effective behavioral and social interventions to improve oral health. Sarah Duffy advocates that the oral health field is in the unique position to capitalize on the advances made in economic evaluations within other disciplines and to use more standardized methods across studies. This approach would allow for more efficient comparison of findings and well reasoned decisions about which behavioral and social interventions best meet the oral health needs of society (41).

The special issue concludes with a discussion of how each of the topics addressed in the issue inform the NIDCR psychosocial intervention research program (42). A conceptual

framework is presented that integrates the six topics in this special issue: following an intervention planning model, appropriate use of health behavior theory, conducting mechanisms of action analyses, monitoring fidelity, ensuring acceptability, working toward intervention sustainability, and building economic analyses into intervention studies. The conceptual framework also acknowledges that the relative emphasis on each of these research activities will vary by the stage of intervention development research being conducted, and using the NIDA Stage Model of behavioral intervention development as a guide.

Concluding comments

Oral health and disease involves the interplay of complex processes, including many behavioral and social factors. It is incumbent upon the oral health field to understand these factors and develop high quality, empirically supported interventions that address them to improve the oral health of the nation. This special issue is meant to serve as a primary resource for the oral health research community, as well for researchers in other health fields, to foster more movement in this direction. The articles within this issue provide many conceptual and methodological tools needed to develop, test, and deliver potent psychosocial oral health interventions to diverse communities and special populations. Moreover, by engaging in this type of research and collaborating with behavioral and social science experts from other disciplines, oral health investigators will raise the quality and relevance of oral health research and be poised to uniquely contribute to the knowledge base about behavior and social change.

Acknowledgments

Support for preparing this article was provided by grants from National Institute on Drug Abuse (P50-DA09241 and U10 DA015831). Its contents are solely the responsibility of the author and do not necessarily represent the official views of NIDA. The author acknowledges the invaluable support of Melissa Riddle, Ph.D. and David Clark, DrPH. of the National Institute of Dental and Craniofacial Research Behavioral Sciences and Social Research Branch in producing this special issue.

References

1. Drum MA, Chen DW, Duffy RE. Filling the gap: equity and access to oral health services for minorities and the underserved. *Fam Med*. 1998; 30:206–209. [PubMed: 9532443]
2. American Academy of Pediatric Dentistry. Policy on early childhood caries (ECC): classifications, consequences, and preventative strategies. from www.aapd.org/media/Policies_Guidelines/P_ECCClassifications/pdf.
3. Harrison R, Benton T, Everson-Stewart S, Weinstein P. Effect of motivational interviewing on rates of early childhood caries: a randomized trial. *Pediatr Den*. 2007; 29:16–22.
4. Weinstein P, Harrison R, Benton T. Motivating parents to prevent caries in their young children: one-year findings. *J Am Den Assoc*. 2004; 135:731–738.
5. Weinstein P, Harrison R, Benton T. Motivating mothers to prevent caries: confirming the beneficial effect of counseling. *J Am Den Assoc*. 2006; 137:789–793.
6. Skaret E, Weinstein P, Kvale G, Raadal M. An intervention program to reduce dental avoidance behaviour among adolescents: a pilot study. *Eur J Paediatr Dent*. 2003; 4:191–196. [PubMed: 14725502]
7. Gordon JS, Andrews JA, Crews KM, Payne TJ, Severson HH. The 5A's vs 3A's plus proactive quitline referral in private practice dental offices: preliminary results. *Tobacco Control*. 2007; 16:285–288. [PubMed: 17652247]
8. Tavares M, Chomitz V. A healthy weight intervention for children in a dental setting. *J Am Dent Assoc*. 2009; 140:313–316. [PubMed: 19255175]

9. Saled-Moellemi Z, Virtanen JI, Vehkalahti MM, Tehranchi A, Murtomaa H. School-based intervention to promote preadolescents' gingival health : a community trial. *Community Den Oral Epid.* 2009; 37:518–526.
10. Jedele JM, Ismail AI. Evaluation of a multifaceted social marketing campaign to increase awareness of and screening for oral cancer in African Americans. *Community Den Oral Epid.* 2010; 38:371–382.
11. Watson JM, Tomar SL, Dodd VL, Henrietta L, Choi Y. Effectiveness of a social marketing media campaign to reduce oral cancer racial disparities. *J Nat Med Assoc.* 2008; 101:774–782.
12. Milgrom P, Ludwig S, Shirtcliff M, Smolen MA, Sutherland M, Gates PA, Weinstein P. Providing a dental home for pregnant women : a community program to address dental care access. *J Public Health Dent.* 2008; 68:170–173. [PubMed: 18843805]
13. Shetty V, Mooney LJ, Zigler CM, Belin TR, Murphy D, Rawson R. The relationship between methamphetamine use and increased dental disease. *J Am Den Assoc.* 2010; 141:307–318.
14. National Institute of Dental and Craniofacial Research. Strategic plan 2009–2013. U.S. Bethesda, MD: Department of Health and Human Services National Institute of Health; 2009. NIH Publication No. 09-7362
15. Crosby R, Noar S. What is a planning model? An introduction to PRECEDE-PROCEED. *J Pub Health Den.* 2011
16. DiClemente R. Planning models are critical for facilitating the development, implementation, and evaluation of dental health promotion interventions. *J Pub Health Den.* 2011
17. Glasgow RE. Planning models and theories: Integrating components for addressing complex challenges. *J Pub Health Den.* 2011
18. Onken L. PRECEDE-PROCEED and the Stage Model: Kissing cousins? *J Pub Health Den.* 2011
19. Bartholomew K, Dolan PM. Five roles for using theory and evidence in the design and testing of behavior change. *J Pub Health Den.* 2011
20. Logan HL. A new paradigm for behavior change. *J Pub Health Den.* 2011
21. Chi D. Injecting theory into dental behavior intervention research: Commentary on Bartholomew and Mullen. *J Pub Health Den.* 2011
22. Kobrin S. The charge to advance theory and improve health outcomes. *J Pub Health Den.* 2011
23. MacKinnon D, Luecken L. Statistical analysis for identifying mediating variables in public health dentistry interventions. *J Pub Health Den.* 2011
24. Sheppard JA. Commentary: Using mediation to identify mechanisms of change. *J Pub Health Den.* 2011
25. Rothman AJ. Be prepared: Capitalizing on opportunities to advance theory and practice. *J Pub Health Den.* 2011
26. Litt MD. Mediation in the development of ECC: Comment on “Statistical Analysis for Identifying Mediating Variables in Public Health Dentistry Interventions” by David P. MacKinnon and Linda J. Luecken. *J Pub Health Den.* 2011
27. Borrelli B. The assessment, monitoring, and enhancement of treatment fidelity in public health trials. *J Pub Health Den.* 2011
28. Czajkowski SM. Commentary on Belinda Borrelli's “The Assessment, Monitoring and Enhancement of Treatment Fidelity in Public Health Clinical Trials”. *J Pub Health Den.* 2011
29. Campbell BK. Fidelity in public health clinical trials: Considering provider-participant relationship factors in community treatment settings. *J Pub Health Den.* 2011
30. Neff JA. Comment on: “The Assessment, Monitoring and Enhancement of Treatment Fidelity in Public Health Clinical Trials”. *J Pub Health Den.* 2011
31. Ayala GX, Elder JP. Qualitative methods to ensure acceptability of behavioral and social interventions to the target population. *J Pub Health Den.* 2011
32. Meissner HI. NIH perspective on special issue manuscript by Ayala and Elder : Qualitative methods to ensure acceptability of behavioral and social interventions to the target population. *J Pub Health Den.* 2011
33. McNeil DW. Even the most sophisticated oral health interventions and technologies are of no help unless people accept and use them: A comment on Ayala & Elder (2011). *J Pub Health Den.* 2011

34. Ismail A. Perspectives of a community-based researcher on qualitative methods in behavioral and social interventions. *J Pub Health Den.* 2011
35. Simpson D. Implementing sustainable oral health behavioral and social interventions. *J Pub Health Den.* 2011
36. Weintraub JA. Sustainable oral health interventions. *J Pub Health Den.* 2011
37. Demko C. Lasting change: sustaining improvements in oral health care. *J Pub Health Den.* 2011
38. Chambers DA. Advancing sustainability research: Challenging existing paradigms. *J Pub Health Den.* 2011
39. O'Connell J, Griffin S. Overview of methods in economic analyses of behavioral interventions to promote oral health. *J Pub Health Den.* 2011
40. Manski RJ. Economic context of employing behavioral interventions to improve oral health. *J Pub Health Den.* 2011
41. Duffy SQ. Enhancing the usefulness of results from economic evaluations of behavioral health interventions: A commentary on "Overview of Methods in Economic Analyses of Behavioral Interventions to Promote Oral Health". *J Pub Health Den.* 2011
42. Riddle M, Clark D. Behavioral and social intervention research at the National Institute of Dental and Craniofacial Research (NIDCR). *J Pub Health Den.* 2011