



CrossMark
click for updates

Correction

Cite this article: Rohr JR, Raffel TR, Halstead NT, McMahon TA, Johnson SA, Boughton RK, Martin LB. 2014 Early-life exposure to a herbicide has enduring effects on pathogen-induced mortality. *Proc. R. Soc. B* **281**: 20140629.
<http://dx.doi.org/10.1098/rspb.2014.0629>

Early-life exposure to a herbicide has enduring effects on pathogen-induced mortality

Jason R. Rohr¹, Thomas R. Raffel^{1,2}, Neal T. Halstead¹, Taegan A. McMahon¹, Steve A. Johnson³, Raoul K. Boughton⁴ and Lynn B. Martin¹

¹Department of Integrative Biology, University of South Florida, Tampa, FL 33620, USA

²Department of Biological Sciences, Oakland University, Rochester, MI 48309-4401, USA

³Department of Wildlife Ecology and Conservation, University of Florida, Gainesville, FL 32611, USA

⁴Disease Ecology Program, Archbold Biological Station, Venus, FL, USA

Proc. R. Soc. B **280**, 20131502. (7 December 2013; Published online 23 October 2013) (doi:10.1098/rspb.2013.1502).

In the second paragraph of the 'Material and methods' section, the concentration of atrazine is incorrectly listed as $65.9 \pm 3.48 \text{ mg l}^{-1}$, mean \pm s.e. The concentration should be listed as $65.9 \pm 3.48 \text{ } \mu\text{g l}^{-1}$, mean \pm s.e.