

CORRECTION

Correction: The effect of glutamine therapy on outcomes in critically ill patients: a meta-analysis of randomized controlled trials

Qi-Hong Chen¹, Yi Yang¹, Hong-Li He¹, Jian-Feng Xie¹, Shi-Xia Cai¹, Ai-Ran Liu¹, Hua-Ling Wang² and Hai-Bo Qiu^{1*}

See related research by Chen et al., <http://ccforum.com/content/18/1/R8>

After publication of our article in a recent issue of *Critical Care* [1], inconsistencies were identified in Figure 6. Four trials - by Fuentes-Orozco and colleagues [2,3], Hall and colleagues [4], and Goeters and colleagues [5] - were allocated to

the wrong subgroup in our meta-analysis. They should have been included in the first subgroup (glutamine <0.3 g/kg per day); this does not change the significance of the results ($P = 0.01$). The correct Figure 6 is given here in full as Figure 1.




Figure 1 A subgroup meta-analysis of the effects of different dosages of glutamine on mortality in critically ill patients (fixed effects models). CI, confidence interval; M-H, Mantel-Haenszel.

* Correspondence: haiboq2000@gmail.com

¹Department of Critical Care Medicine, Zhong-Da Hospital, School of Medicine, Southeast University, 87 Dingjiaqiao Road, Nanjing 210009, P.R. China
 Full list of author information is available at the end of the article

Competing interests

The authors declare that they have no competing interests.

Author details

¹Department of Critical Care Medicine, Zhong-Da Hospital, School of Medicine, Southeast University, 87 Dingjiaqiao Road, Nanjing 210009, P.R. China.

²Department of Critical Care Medicine, Su-Bei Hospital of Jiangsu Province & Clinical Medical School, Yangzhou University, Yangzhou, Jiangsu, P.R. China.

Published: 17 June 2014

References

1. Chen QH, Yang Y, He HL, Xie JF, Cai SX, Liu AR, Wang HL, Qiu HB: **The effect of glutamine therapy on outcomes in critically ill patients: a meta-analysis of randomized controlled trials.** *Crit Care* 2014, **18**:R8.
2. Fuentes-Orozco C, Anaya-Prado R, González-Ojeda A, Arenas-Márquez H, Cabrera-Pivaral C, Cervantes-Guevara G, Barrera-Zepeda LM: **L-alanyl-L-glutamine-supplemented parenteral nutrition improves infectious morbidity in secondary peritonitis.** *Clin Nutr* 2004, **23**:13–21.
3. Fuentes-Orozco C, Cervantes-Guevara G, Muciño-Hernández I, López-Ortega A, Ambríz-González G, Gutiérrez-de-la-Rosa JL, Gómez-Herrera E, Hermosillo-Sandoval JM, González-Ojeda A: **L-alanyl-L-glutamine-supplemented parenteral nutrition decreases infectious morbidity rate in patients with severe acute pancreatitis.** *JPEN J Parenter Enteral Nutr* 2008, **32**:403–411.
4. Hall JC, Dobb G, Hall J, de Sousa R, Brennan L, McCauley R: **A prospective randomized trial of enteral glutamine in critical illness.** *Intensive Care Med* 2003, **29**:1710–1716.
5. Goeters C, Wenn A, Mertes N, Wempe C, Van Aken H, Stehle P, Bone HG: **Parenteral L-alanyl-L-glutamine improves 6-month outcome in critically ill patients.** *Crit Care Med* 2002, **30**:2032–2037.

doi:10.1186/cc13926

Cite this article as: Chen *et al.*: Correction: The effect of glutamine therapy on outcomes in critically ill patients: a meta-analysis of randomized controlled trials. *Critical Care* 2014 **18**:436.