



Published in final edited form as:

*Addict Behav.* 2014 October ; 39(10): 1459–1463. doi:10.1016/j.addbeh.2014.05.004.

## Emotion Differentiation and Alcohol-Related Problems: The Mediating Role of Urgency

Noah N. Emery, Jeffrey S. Simons, C. Joseph Clarke, and Raluca M. Gaher

The University of South Dakota, 414 East Clark Street, Vermillion, South Dakota 57069, United States

Noah N. Emery: Noah.Emery@usd.edu; Jeffrey S. Simons: Jeffrey.Simons@usd.edu; C. Joseph Clarke: Charles.Clarke@usd.edu; Raluca M. Gaher: Raluca.Gaher@usd.edu

### Abstract

Deficits in emotional and behavioral regulation figure prominently in etiological models of alcohol-related problems (Baker, Piper, McCarthy, Majeskie, & Fiore, 2004; Wiers et al., 2007). This study tests a model linking poor differentiation of emotion to alcohol-related problems via urgency. The sample consisted of 102 undergraduates between the ages 18 to 24 who reported moderate to heavy alcohol consumption. As hypothesized, negative urgency mediated the relationship between negative emotion differentiation and alcohol-related problems. However, contrary to hypothesis, positive urgency was not associated with either positive emotion differentiation or alcohol-related problems and the indirect effect of positive emotion differentiation via positive urgency was not significant. Instead, positive emotion differentiation exhibited a significant direct effect on alcohol-related problems. This study provides an initial examination of connections between specificity in labeling emotions, behavioral disinhibition, and problematic alcohol use. These findings suggest poor differentiation of negative emotion may foster impulsive behavior when negatively aroused. Whereas, impulsive behavior when positively aroused may reflect heightened sensitivity to positive reinforcement, which may not be related to reflective processes underlying emotion differentiation.

### Keywords

Alcohol; Emotion; Emotion Differentiation; Urgency; Alcohol-Related Problems

---

© 2014 Elsevier Ltd. All rights reserved.

Correspondence to: Noah N. Emery, Noah.Emery@usd.edu.

**Contributors:** Dr. Simons designed the study and collected the data. Mr. Emery prepared the first draft of the manuscript. Dr. Simons and Mr. Emery conducted the data analyses and prepared results. All authors contributed to and approved the final manuscript.

**Conflict of Interest:** The authors have no conflicts of interest.

**Publisher's Disclaimer:** This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## 1. Introduction

Collegiate alcohol misuse is linked to the development of alcohol use disorders, as over 150,000 college students develop alcohol-related problems each year (Hingson, Heeren, Winter, & Wechsler, 2005), with nearly 1 in 4 (24%) males and 1 in 8 (13%) females meeting diagnostic criteria for either alcohol abuse or dependence (Slutske, 2005). Affective functioning plays a prominent role in several etiological models of substance use (e.g., Kassel et al., 2010; McCarthy, Curtin, Piper, & Baker, 2010; Simons, Wills, & Neal, in press). These models suggest that individuals with poor affect regulation show a diminished capacity to handle intense emotion states and often rely upon maladaptive coping strategies, such as substance or alcohol use, to manage their emotions (Lavallo, 2007; Spence & Courbasson, 2012). Thus, identifying factors that explain adaptive and maladaptive affect regulation is important to fully understand the etiology of problematic alcohol consumption.

One promising factor related to emotion regulation is emotion differentiation. Emotion differentiation is the ability to make fine grained distinctions between similarly valenced emotion states (Feldman Barrett, 2004). Individuals differ greatly in their ability to differentiate their affective experiences. Some tend to describe their emotional experiences in more global terms, such as feeling “good” or feeling “bad” and find it difficult to make more subtle distinctions, while others make these nuanced differentiations easily. These differences have been shown to impact the ability to regulate emotions and consequential behaviors (Feldman Barrett, Gross, Conner Christensen, & Benvenuto, 2001; Tugade, Fredrickson, & Feldman Barrett, 2004). In support of this, emotional differentiation has been shown to moderate associations between negative emotion and alcohol consumption (Kashdan, Ferrisizidis, Collins, & Muraven, 2010), anger and aggressive actions (Pond et al., 2012), as well as the association between rumination and non-suicidal self-injurious behaviors (Zaki, Coifman, Rafaeli, Berenson, & Downey, 2013). This research suggests that the inability to differentiate emotion may foster maladaptive behavior when emotionally aroused. This pattern of maladaptive response to emotion resembles an established construct termed urgency (Cyders & Smith, 2008).

Hence, it is possible that the inability to differentiate emotions may be related to urgency, defined as rash action in response to intense emotion. Along these lines, research on alexithymia, a construct related to deficits in identifying and describing emotions, shows that these deficits are positively associated with urgency, with urgency often fully mediating the relationship between alexithymia and problematic outcomes, including alcohol consequences (Gaher, Hofman, Simons, & Hunsaker, 2013a; Shishido, Gaher, & Simons, 2013). Moreover, alexithymia has been shown to mediate the relationship between childhood maltreatment (Gaher, Arens, & Shishido, 2013b) as well as trauma history (Gaher et al., 2013a) and urgency, suggesting that deficits in emotional understanding may underlie urgent responding. Furthermore, positive and negative urgency have each been shown to be related to alcohol-related problems in young adults (Cyders et al., 2010; Karyadi & King, 2011). Taken together, it is plausible that positive and negative urgency may mediate the relationship between the differentiation of positive and negative emotions and alcohol-related problems.

The current study tested whether urgency mediates the relationship between emotion differentiation and alcohol-related problems. Differentiation of emotions was calculated from repeated measures of emotion in the natural environment rather than retrospective self-report. Emotion differentiation was expected to be inversely associated with urgency and alcohol problems. Negative urgency was hypothesized to mediate the association between negative emotion differentiation and alcohol-related problems. Positive urgency was hypothesized to mediate the association between positive emotion differentiation and alcohol-related problems.

## 2. Method

### 2.1 Participants

Participants were 102 undergraduate students (52% female) between the ages 18-24 ( $M = 20.34$ ,  $SD = 1.50$ ) who reported moderate to heavy alcohol consumption (i.e., 12 drinks per week for women and 16 drinks per week for men; Sanchez-Craig, Wilkinson, & Davila, 1995). Ninety-four percent of the participants were white, 3% multiracial, 1% Native American, and 2% other or do not wish to respond. Ninety-six percent were non-Hispanic. Participants were recruited through e-mail and student newspaper advertisements. Two other articles have been published from portions of this dataset as part of a larger study investigating factors associated heavy drinking (Simons, Dvorak, Batien, & Wray, 2010; Simons, Maisto, & Wray, 2010).

### 2.2 Procedure

Participants completed a screening survey online that included the baseline measures and then were recruited into the experience sampling study. Participants were trained to use a Palm Tungsten E2 PDA running PMAT (Weiss, Beal, Lucy, & MacDermid, 2004), modified by Joel Swendsen and CNRS, France. The program generated prompts for participants to complete brief assessments at 8 random times within 2-hour blocks from 10:00 a.m. and 2:00 a.m. The random prompts inquired about emotion in the last 30 minutes. Participants carried the PDAs for 28 days. The response rate to the random prompts was good with participants completing 68% of the random prompts. The current study focuses on the baseline assessment and between-person differences. However, the emotion differentiation measure was calculated from the experience sampling data described below and used in this analysis as a trait level variable. Further detail on procedure is in Simons et al., 2010.

### 2.3 Measures

**2.3.1 Experience sampling measures—***Affect* in the previous 30 minutes was assessed by items from subscales of the PANAS-X (Watson & Clark, 1994) and Larsen and Diener's affect circumplex model (Larsen & Diener, 1992). Positive affect was assessed by 5-items from the joviality subscale: happy, joyful, excited, energetic, and enthusiastic. Negative affect was assessed by 9-items representing three dimensions: sadness (3 items: sad, blue, downhearted), anxiety (3 items: nervous, jittery, anxious), and hostility (3 items: angry, hostile, irritable). Items were rated on 11-point scales ranging from 1= not at all to 11= extremely. Previous studies support the internal consistency and criterion validity of these

and comparable affect scales assessed by experience sampling (Armeli et al., 2003; Csikszentmihalyi & Larson, 1992; Simons, Gaher, Oliver, Bush, & Palmer, 2005).

**Positive and negative emotion differentiation:** We created between-person variables from the experience sampling data by calculating the intraclass correlation (ICC with absolute agreement) of the positive and negative emotion terms for each participant across daytime in situ assessments (Kashdan et al., 2010; Pond et al., 2012). This calculates the percent of the total variation in emotion ratings due to variation across assessment time points vs. variability between emotion terms within time points. The inverse was utilized, so that higher scores equal greater differentiation between emotions. The criterion validity of this approach is supported by recent research indicating significant associations between this measure and the difficulty identifying feelings subscale of the Toronto Alexithymia Scale – 20 (Erbas, Ceulemans, Lee Pe, Koval, & Kuppens, 2014).

### 2.3.2 Baseline measures

**2.3.2.1 Alcohol-related problems:** The Brief Young Adult Alcohol Consequences Questionnaire (B-YAACQ; Kahler, Strong, & Read, 2005) consists of 24 alcohol-related problems, such as “I have taken foolish risks when I have been drinking.” Participants indicate if they experienced each problem in the past 6 months (1 = yes, 0 = no). The scale was developed by Rasch modeling and is an efficient measure of alcohol problem severity.

**2.3.2.2 Positive and negative urgency:** Positive urgency was measured using the 14-item Positive Urgency Measure (Cyders & Smith, 2007), that assesses the tendency to act rashly in response to positive mood states. Negative urgency was assessed using the 12-item negative urgency subscale of the UPPS Impulsive Behavior Scale (Whiteside & Lynam, 2001), which assesses the tendency toward rash action when distressed.

## 3. Results

### 3.1 Descriptive statistics

Descriptive statistics and the correlation matrix are presented in Table 1. Negative emotion differentiation exhibited significant negative associations with both negative urgency and alcohol-related problems. Positive emotion differentiation showed a moderate negative association with alcohol-related problems but was not associated with positive urgency. Both positive urgency and negative urgency were associated with alcohol-related problems as expected. Gender was not significantly correlated with the other measures and hence omitted from the analyses.

### 3.2 Path analysis

The path model was tested in Stata 12 (StataCorp, 2011) with full information maximum likelihood estimation, which allowed the inclusion of cases with missing data. Missing data are assumed to be missing at random, but not completely random (Enders & Bandalos, 2001). The initial model included an indirect pathway from positive emotion differentiation to alcohol-related problems via positive urgency and an indirect pathway from negative emotion differentiation to alcohol-related problems through negative urgency. The positive

and negative urgency disturbance terms were allowed to covary. The initial model was not a good fit to the data  $\chi^2(4, N = 102) = 9.09, p = 0.059, CFI = 0.90, RMSEA = 0.112$  (Hu & Bentler, 1999). Upon examining modification indices, a direct path from positive emotion differentiation to alcohol-related problems was added and the model re-estimated. This model fit the data well  $\chi^2(3, N = 102) = 2.82, p = 0.420, CFI = 1.00, RMSEA = 0.000$  (See Figure 1). We also tested a direct path from negative emotion differentiation to alcohol-related problems ( $\beta = -0.14, p = .156$ ). This did not improve the model fit  $\chi^2(1, N = 102) = 1.982, p = 0.159$ , and thus was excluded from the final model.

The hypothesized indirect effects were calculated using bias-corrected bootstrapped confidence intervals (MacKinnon, Lockwood, & Williams, 2004). The results indicated a significant indirect effect from negative emotion differentiation to alcohol-related problems via negative urgency ( $ab = -0.13, 95\% CI [-0.29, -0.026]$ ), as hypothesized. However, contrary to hypothesis the indirect effect of positive emotion differentiation via positive urgency was not significant ( $ab = -0.004, 95\% CI [-0.065, 0.025]$ ) and positive urgency was not associated with either positive emotion differentiation nor alcohol problems. Instead, positive emotion differentiation exhibited a significant direct effect on alcohol-related problems ( $\beta = -0.22, p < .01$ ).

#### 4. Discussion

The hypotheses were partially supported. Negative emotion differentiation was associated with both negative urgency and alcohol problems. There was a significant indirect effect of negative emotion differentiation to alcohol-related problems via negative urgency. These results suggest that the inability to make fine-grained distinctions regarding the experience of negative emotions contributes to behavioral disinhibition when in a state of high emotional arousal. The inverse relationship between negative emotion differentiation and alcohol-related problems was fully mediated by negative urgency. This suggests poor negative emotion differentiation may be associated with alcohol-related problems, primarily due to its effects on disinhibited behavior when negatively aroused. This provides a conceptual replication of previous findings indicating that negative urgency mediates the association between alexithymia and alcohol-related problems (Shishido et al., 2013) and is consistent with research showing that affect dysregulation increases risk of alcohol-related problems (Kaiser, Milich, Lynam, & Charnigo, 2012; Wray, Simons, Dvorak, & Gaher, 2012).

Contrary to hypothesis, the indirect effect of positive emotion differentiation on alcohol-related problems via positive urgency was not significant. Instead, positive emotion differentiation had a direct inverse association with alcohol problems. The mechanism underlying this effect is unclear. However, superior emotion identification has been shown to aid psychological flexibility and adaptive self-regulation (Feldman Barrett et al., 2001; Kang & Shaver, 2004; Kashdan et al., 2010), thus positive emotion differentiation may influence alcohol-related problems through other constructs indicative of adaptive functioning. Indeed, positive emotion differentiation was not associated with either positive or negative urgency.

In contrast, negative emotion differentiation was specifically associated with negative urgency. This pattern is somewhat surprising given previous research indicating significant associations between alexithymia and positive urgency (Shishido et al., 2013) and the observed correlations between positive and negative differentiation as well as between positive and negative urgency. Though speculative, negative urgency may reflect, in part, intolerance for negative arousal and habitual maladaptive responses when negatively aroused (Gaher et al., 2013a). Differentiation of negative emotion may foster adaptive coping and understanding of feeling states, making them less threatening. In contrast, impulsive behavior when positively aroused may reflect relatively automatic behavioral activation effects (Quilty & Oakman, 2004), which may not be related to reflective processes underlying emotion differentiation. Alternatively, this could possibly be an artifact of the relatively limited dimensionality of positive emotions assessed in this study. Future research is needed to better tease apart these relationships.

Interpretation of our findings should be understood in light of limitations. First, the cross-sectional correlational design limits confidence in the hypothesized mediation model. Previous research indicates alexithymia mediates connections between both child maltreatment and traumatic stress and urgency (Gaher et al., 2013a; Gaher et al., 2013b). This supports the hypothesized model whereby emotional differentiation leads to urgency rather than vice versa. However, further research is needed to examine whether impulsive behavior when negatively aroused may also interfere with reflective processes underlying the labeling of feeling states. Second, the small sample restricted the inclusion of additional variables in the model, such as alcohol consumption or gender. Finally, generalizability to samples with other drinking and demographic characteristics is unknown. Nonetheless, the study provides an interesting examination of connections between specificity in labeling emotions, behavioral disinhibition, and problematic alcohol use.

## Acknowledgments

**Role of Funding Sources:** Preparation of this manuscript was supported, in part, by the National Institute on Alcohol Abuse and Alcoholism of the National Institutes of Health, under Award Number R01AA020519. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

## References

- Armeli S, Tennen H, Todd M, Carney MA, Mohr C, Affleck G, Hromi A. A Daily Process Examination of the Stress-Response Dampening Effects of Alcohol Consumption. *Psychology of Addictive Behaviors*. 2003; 17(4):266–276.10.1037/0893-164X.17.4.266 [PubMed: 14640822]
- Baker TB, Piper ME, McCarthy DE, Majeskie MR, Fiore MC. Addiction Motivation Reformulated: An Affective Processing Model of Negative Reinforcement. *Psychological Review*. 2004; 111(1): 33–51.10.1037/0033-295X.111.1.33 [PubMed: 14756584]
- Csikszentmihalyi, M.; Larson, R. Validity and reliability of the Experience Sampling Method. In: deVries, MW., editor. *The experience of psychopathology: Investigating mental disorders in their natural settings*. New York, NY US: Cambridge University Press; 1992. p. 43-57.
- Cyders MA, Smith GT. Mood-based rash action and its components: Positive and negative urgency. *Personality & Individual Differences*. 2007; 43(4):839–850.10.1016/j.paid.2007.02.008
- Cyders MA, Smith GT. Emotion-based dispositions to rash action: Positive and negative urgency. *Psychological Bulletin*. 2008; 134(6):807–828.10.1037/a0013341 [PubMed: 18954158]


- Cyders MA, Zapolski TCB, Combs JL, Settles RF, Fillmore MT, Smith GT. Experimental effect of positive urgency on negative outcomes from risk taking and on increased alcohol consumption. *Psychology of Addictive Behaviors*. 2010; 24(3):367–375.10.1037/a0019494 [PubMed: 20853921]
- Enders CK, Bandalos DL. The relative performance of full information maximum likelihood estimation for missing data in structural equation models. *Structural Equation Modeling*. 2001; 8(3): 430–457.10.1207/S15328007SEM0803\_5
- Erbas Y, Ceulemans E, Lee Pe M, Koval P, Kuppens P. Negative emotion differentiation: Its personality and well-being correlates and a comparison of different assessment methods. *Cognition & Emotion*. 2014
- Feldman Barrett L. Feelings or words? Understanding the content in self-report ratings of experienced emotion. *Journal of Personality and Social Psychology*. 2004; 87(2):266–281. [PubMed: 15301632]
- Feldman Barrett L, Gross J, Conner Christensen T, Benvenuto M. Knowing what you're feeling and knowing what to do about it: Mapping the relation between emotion differentiation and emotion regulation. *Cognition & Emotion*. 2001; 15(6):713–724.10.1080/02699930143000239
- Gaher R, Hofman N, Simons J, Hunsaker R. Emotion Regulation Deficits as Mediators Between Trauma Exposure and Borderline Symptoms. *Cognitive Therapy & Research*. 2013a; 37(3):466–475.10.1007/s10608-012-9515-y
- Gaher RM, Arens AM, Shishido H. Alexithymia as a Mediator Between Childhood Maltreatment and Impulsivity. *Stress and Health*. 2013b10.1002/smi.2552
- Hingson R, Heeren T, Winter M, Wechsler H. Magnitude of Alcohol-related Mortality and Morbidity Among U.S. College Students Ages 18-24: Changes from 1998 to 2001. *Annual Review of Public Health*. 2005; 26(1):259–279.10.1146/annurev.publhealth.26.021304.144652
- Hu LT, Bentler PM. Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives. *Structural Equation Modeling: A Multidisciplinary Journal*. 1999; 6(1):1–55.10.1080/10705519909540118
- Kahler CW, Strong DR, Read JP. Toward Efficient and Comprehensive Measurement of the Alcohol Problems Continuum in College Students: The Brief Young Adult Alcohol Consequences Questionnaire. *Alcoholism: Clinical and Experimental Research*. 2005; 29(7):1180–1189.10.1097/01.ALC.0000171940.95813.A5
- Kaiser AJ, Milich R, Lynam DR, Charnigo RJ. Negative Urgency, Distress Tolerance, and substance abuse among college students. *Addictive Behaviors*. 2012; 37(10):1075–1083.10.1016/j.addbeh.2012.04.017 [PubMed: 22698894]
- Kang SM, Shaver PR. Individual Differences in Emotional Complexity: Their Psychological Implications. *Journal of Personality*. 2004; 72(4):687–726.10.1111/j.0022-3506.2004.00277.x [PubMed: 15210014]
- Karyadi KA, King KM. Urgency and negative emotions: Evidence for moderation on negative alcohol consequences. *Personality and Individual Differences*. 2011; 51(5):635–640.10.1016/j.paid.2011.05.030
- Kashdan TB, Ferrissidis P, Collins RL, Muraven M. Emotion Differentiation as Resilience Against Excessive Alcohol Use: An Ecological Momentary Assessment in Underage Social Drinkers. *Psychological Science*. 2010; 21(9):1341–1347.10.1177/0956797610379863 [PubMed: 20696854]
- Kassel, JD.; Hussong, AM.; Wardle, MC.; Veilleux, JC.; Heinz, A.; Greenstein, JE.; Evatt, DP. Affective influences in drug use etiology. In: Scheier, L., editor. *Handbook of drug use etiology: Theory, methods, and empirical findings*. Washington, DC US: American Psychological Association; 2010. p. 183-205.
- Larsen, R.J.; Diener, E. Promises and problems with the circumplex model of emotion. In: Clark, MS., editor. *Emotion*. Thousand Oaks, CA US: Sage Publications, Inc; 1992. p. 25-59.
- Lavallo, WR. Individual Differences in Response to Stress and Risk for Addiction. In: Al'Absi, M., editor. *Stress and Addiction: Biological and Psychological Mechanisms*. San Diego, CA US: Elsevier Academic Press; 2007. p. 227-248.
- MacKinnon DP, Lockwood CM, Williams J. Confidence Limits for the Indirect Effect: Distribution of the Product and Resampling Methods. *Multivariate Behavioral Research*. 2004; 39(1):99–128.10.1207/s15327906mbr3901\_4 [PubMed: 20157642]

- McCarthy, DE.; Curtin, JJ.; Piper, ME.; Baker, TB. Negative reinforcement: Possible clinical implications of an integrative model. In: Kassel, JD., editor. Substance abuse and emotion. Washington, DC US: American Psychological Association; 2010. p. 15-42.
- Pond RS Jr, Kashdan TB, DeWall CN, Savostyanova A, Lambert NM, Fincham FD. Emotion differentiation moderates aggressive tendencies in angry people: A daily diary analysis. *Emotion*. 2012; 12(2):326–337.10.1037/a0025762 [PubMed: 22023359]
- Quilty LC, Oakman JM. The assessment of behavioural activation—the relationship between impulsivity and behavioural activation. *Personality and Individual Differences*. 2004; 37(2):429–442. doi: <http://dx.doi.org/10.1016/j.paid.2003.09.014>.
- Sanchez-Craig M, Wilkinson DA, Davila R. Empirically based guidelines for moderate drinking: 1-year results from three studies with problem drinkers. *American Journal Of Public Health*. 1995; 85(6):823–828. [PubMed: 7762717]
- Shishido H, Gaher RM, Simons JS. I don't know how I feel, therefore I act: alexithymia, urgency, and alcohol problems. *Addictive Behaviors*. 2013; 38(4):2014–2017.10.1016/j.addbeh.2012.12.014 [PubMed: 23384454]
- Simons JS, Dvorak RD, Batien BD, Wray TB. Event-level associations between affect, alcohol intoxication, and acute dependence symptoms: Effects of urgency, self-control, and drinking experience. *Addictive Behaviors*. 2010; 35(12):1045–1053.10.1016/j.addbeh.2010.07.001 [PubMed: 20685044]
- Simons JS, Gaher RM, Oliver MNI, Bush JA, Palmer MA. An Experience Sampling Study of Associations between Affect and Alcohol Use and Problems among College Students. *Journal of Studies on Alcohol*. 2005:459–469. [PubMed: 16240553]
- Simons JS, Maisto SA, Wray TB. Sexual risk taking among young adult dual alcohol and marijuana users. *Addictive Behaviors*. 2010; 35(5):533–536.10.1016/j.addbeh.2009.12.026 [PubMed: 20071102]
- Simons JS, Wills TA, Neal DJ. The many faces of affect: A multilevel model of alcohol use frequency/quantity and dependence symptoms among young adults. *Journal of Abnormal Psychology*. in press.
- Slutske WS. Alcohol use disorders among US college students and their non-college-attending peers. *Arch Gen Psychiatry*. 2005; 62(3):321–327.10.1001/archpsyc.62.3.321 [PubMed: 15753245]
- Spence S, Courbasson C. The role of emotional dysregulation in concurrent eating disorders and substance use disorders. *Eating Behaviors*. 2012; 13(4):382–385.10.1016/j.eatbeh.2012.05.006 [PubMed: 23121793]
- StataCorp. Stata Statistical Software: Release 12. College Station, TX: StataCorp LP; 2011.
- Tugade MM, Fredrickson BL, Feldman Barrett L. Psychological resilience and positive emotional granularity: Examining the benefits of positive emotions on coping and health. *Journal of personality*. 2004; 72(6):1161–1190. [PubMed: 15509280]
- Watson, D.; Clark, L. The PANAS-X: Manual for the Positive and Negative Affect Schedule - Expanded Form. 1994.
- Weiss, H.; Beal, DJ.; Lucy, SL.; MacDermid, SM. Constructing EMA studies with PMAT: the Purdue Momentary Assessment Tool user's manual. 2004. [fromwww.mfri.purdue.edu/pages/PMAT/pmatusermanual.pdf](http://www.mfri.purdue.edu/pages/PMAT/pmatusermanual.pdf)
- Whiteside SP, Lynam DR. The Five Factor Model and impulsivity: Using a structural model of personality to understand impulsivity. *Personality and Individual Differences*. 2001; 30(4):669–689.10.1016/S0191-8869(00)00064-7
- Wiers RW, Bartholow BD, van den Wildenberg E, Thush C, Engels RCME, Sher KJ, et al. Stacy AW. Automatic and controlled processes and the development of addictive behaviors in adolescents: a review and a model. *Pharmacology, Biochemistry, And Behavior*. 2007; 86(2):263–283.
- Wray TB, Simons JS, Dvorak RD, Gaher RM. Trait-based affective processes in alcohol-involved “risk behaviors”. *Addictive Behaviors*. 2012; 37(11):1230–1239.10.1016/j.addbeh.2012.06.004 [PubMed: 22770825]
- Zaki LF, Coifman KG, Rafaeli E, Berenson KR, Downey G. Emotion Differentiation as a Protective Factor Against Nonsuicidal Self-Injury in Borderline Personality Disorder. *Behavior Therapy*. 2013; 44(3):529–540.10.1016/j.beth.2013.04.008 [PubMed: 23768678]



### Highlights

- Tested associations between emotion differentiation, urgency, & alcohol problems.
- Negative urgency mediated negative emotion differentiation & alcohol problems.
- Positive emotion differentiation exhibited a direct effect on alcohol problems.
- Deficits in differentiating negative emotion may increase behavioral dysregulation.



**Figure 1.** Structural model ( $N=102$ ). All values are standardized coefficients.  $*p < .05$ ,  $**p < .01$ ,  $***p < .001$ .

Table 1

Descriptive statistics and correlation matrix ( $N = 102$ )

Variables	M	(SD)	1	2	3	4	5	6
1. Gender	-							
2. Negative Urgency	2.26	0.62	-.09	.88				
3. Positive Urgency	1.72	0.62	-.02	.46**	.94			
4. Negative Emotion Differentiation	0.74	0.16	.13	-.26*	-.09	-		
5. Positive Emotion Differentiation	0.41	0.16	.13	-.05	-.01	.34**	-	
6. Alcohol-Related Problems	10.46	6.29	.04	.40**	.29**	-.27*	-.24*	.91

Note: Gender (men=1, women=0). Alcohol-Related problems = B-YAACQ total scores.

\*  $p < .05$ ,

\*\*  $p < .001$ .

Cronbach's alphas are on the diagonal.