

CORRECTION

Correction: The Relative Biological Effectiveness for Carbon and Oxygen Ion Beams Using the Raster-Scanning Technique in Hepatocellular Carcinoma Cell Lines

The *PLOS ONE* Staff

The affiliation for the second author is incorrect. Katarina Ilicic is not affiliated with #1 but with #3 Department of Radiation Oncology, Klinikum rechts der Isar, Technische Universität München, Isma-ninger Str. 22, 81675, Munich, Germany.

Reference

1. Habermehl D, Ilicic K, Dehne S, Rieken S, Orschiedt L, et al. (2014) The Relative Biological Effectiveness for Carbon and Oxygen Ion Beams Using the Raster-Scanning Technique in Hepatocellular Carcinoma Cell Lines. *PLoS ONE* 9(12): e113591. doi: [10.1371/journal.pone.0113591](https://doi.org/10.1371/journal.pone.0113591) PMID: [25460352](https://pubmed.ncbi.nlm.nih.gov/25460352/)



OPEN ACCESS

Citation: The *PLOS ONE* Staff (2015) Correction: The Relative Biological Effectiveness for Carbon and Oxygen Ion Beams Using the Raster-Scanning Technique in Hepatocellular Carcinoma Cell Lines. *PLoS ONE* 10(2): e0117960. doi:10.1371/journal.pone.0117960

Published: February 3, 2015

Copyright: © 2015 The *PLOS ONE* Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.