

CORRECTION

# Correction: Simultaneous Automated Screening and Confirmatory Testing for Vasculitis-Specific ANCA

The PLOS ONE Staff

The second affiliation for the 9th author is not indicated. Maria Orietta Borghi is also affiliated with: IRCCS Istituto Auxologico Italiano, Milan, Italy.

## Reference

1. Sowa M, Grossmann K, Knütter I, Hiemann R, Röber N, Anderer U, et al. (2014) Simultaneous Automated Screening and Confirmatory Testing for Vasculitis-Specific ANCA. PLoS ONE 9(9): e107743. doi: [10.1371/journal.pone.0107743](https://doi.org/10.1371/journal.pone.0107743) PMID: [25225805](https://pubmed.ncbi.nlm.nih.gov/25225805/)



## OPEN ACCESS

**Citation:** The PLOS ONE Staff (2015) Correction: Simultaneous Automated Screening and Confirmatory Testing for Vasculitis-Specific ANCA. PLoS ONE 10(3): e0120626. doi:10.1371/journal.pone.0120626

**Published:** March 12, 2015

**Copyright:** © 2015 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.