

CORRECTION

Correction: Simultaneous Automated Screening and Confirmatory Testing for Vasculitis-Specific ANCA

Mandy Sowa, Kai Grossmann, Ilka Knütter, Rico Hiemann, Nadja Röber, Ursula Anderer, Elena Csernok, Dimitrios P. Bogdanos, Maria Orietta Borghi, Pier Luigi Meroni, Peter Schierack, Dirk Reinhold, Karsten Conrad, Dirk Roggenbuck

The second affiliation for the tenth author is not indicated. Pier Luigi Meroni is also affiliated with: IRCCS Istituto Auxologico Italiano, Milan, Italy.

Reference

1. Sowa M, Grossmann K, Knütter I, Hiemann R, Röber N, Anderer U, et al. (2014) Simultaneous Automated Screening and Confirmatory Testing for Vasculitis-Specific ANCA. PLoS ONE 9(9): e107743. doi:[10.1371/journal.pone.0107743](https://doi.org/10.1371/journal.pone.0107743) PMID: [25225805](https://pubmed.ncbi.nlm.nih.gov/25225805/)



OPEN ACCESS

Citation: Sowa M, Grossmann K, Knütter I, Hiemann R, Röber N, Anderer U, et al. (2015) Correction: Simultaneous Automated Screening and Confirmatory Testing for Vasculitis-Specific ANCA. PLoS ONE 10(5): e0127933. doi:[10.1371/journal.pone.0127933](https://doi.org/10.1371/journal.pone.0127933)

Published: May 13, 2015

Copyright: © 2015 Sowa et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.