

HHS Public Access

Author manuscript

Lancet Infect Dis. Author manuscript; available in PMC 2015 June 19.

Published in final edited form as:

Lancet Infect Dis. 2014 November; 14(11): 1035–1037. doi:10.1016/S1473-3099(14)70953-3.

Digital surveillance for enhanced detection and response to outbreaks


Aranka Anema^{*}, Sheryl Kluberg, Kumanan Wilson, Robert S Hogg, Kamran Khan, Simon I Hay, Andrew J Tatem, and John S Brownstein

Department of Pediatrics, Harvard Medical School, Harvard University, Boston, MA, USA (AA, SK, JSB); Children's Hospital Informatics Program at the Harvard–Massachusetts Institute of Technology, Division of Health Sciences and Technology, Boston, MA, USA (AA, SK, JSB); Division of International Nutrition, Department of Food, Nutrition and Health, Faculty of Land and Food Systems University of British Columbia, Vancouver, BC, Canada (AA); Ottawa Hospital Research Institute, University of Ottawa, Ottawa, ON, Canada (KW); Faculty of Health Sciences, Simon Fraser University, Burnaby, BC, Canada (RSH); British Columbia Centre for Excellence in HIV/AIDS, St Paul's Hospital, Vancouver, BC, Canada (RSH); Li Ka Shing Knowledge Institute, St Michael's Hospital, Toronto, ON, Canada (KK); Spatial Ecology and Epidemiology Group, Department of Zoology, University of Oxford, Oxford, UK (SIH); Fogarty International Center, National Institutes of Health, Bethesda, MD, USA (SIH, AJT); Department of Geography and Environment, University of Southampton, Highfield, Southampton, UK (AJT); and Flowminder Foundation, Stockholm, Sweden (AJT)

In 2014, the Director-General of WHO declared two public health emergencies of international concern: poliomyelitis and Ebola virus disease. These declarations have refocused attention on the use of the *International Health Regulations* (2005) to identify public health emergencies and to the challenges that state parties face in their assessment. The *International Health Regulations* (2005) is the principal document that governs international surveillance and response to global public health risks and emergencies. The document aims to strengthen state parties' abilities to monitor, detect, assess, and report public health hazards in a way that does not adversely affect crossborder travel and trade. The regulations contain a decision-making matrix that guides state parties' assessment and notification of potential public health emergencies of international concern. The ultimate declaration of a potential public health emergency is made by the Director-General on the basis of information provided by state parties; WHO's decisionmaking algorithm; the advice of an emergency committee; scientific evidence; and an assessment of risk to human health, of international spread, and of interference with international traffic (article 12.4), and this might include the use of digital surveillance (article 5.4).

^{*}aranka.anema@childrens.harvard.edu.

Anema et al. Page 2



Denis Balibouse/Reuters/Corbis.

Many issues contribute to states parties not being able to do the necessary surveillance for the 2005 regulations. Low-resource counties are often already overburdened by endemic diseases such as diarrhoea, pneumonia, and HIV/AIDS. Countries affected by conflict, such as Afghanistan and Iraq, have had a deterioration in public health surveillance systems and have a scarcity of qualified physicians, epidemiologists, and laboratory workers. Amost state parties exclusively rely on data generated by ministries of health, without much surveillance capacity from other ministries.

In recent years, many public health events notifiable under the *International Health Regulations* (2005) have been identified through informal sources.^{6,7} This improvement is attributed, in part, to technological developments in surveillance capacity, including the emergence of web-based systems.⁸ Web-based early warning systems, such as HealthMap, BioCaster, Global Public Health Intelligence Network (GPHIN), MedISys, and ProMEDmail, collect disease-specific data from informal sources such as local news and social media. Web-based queries and participatory systems also produce cost-effective data for syndromic surveillance.^{9,10} Combined, these systems enhance both the timeliness and sensitivity of early disease detection.¹¹

Retrospective review of polio and Ebola outbreaks reported through digital surveillance channels show this enhancement of reporting time. When reports of polio emerged in Cameroon on Oct 1, 2013, ProMED and GPHIN picked up the story from the Global Polio Eradication Initiative and published reports on Oct 24. The official WHO report was not

Anema et al. Page 3

published until Nov 21; 51 days after the outbreak began. Similarly, reports about polio were first made in Equatorial Guinea on Jan 19, 2014. ProMED published information on March 21, followed by a GPHIN alert on March 27. The official WHO report was published on April 17; 88 days after reports first occurred. WHO declared the polio epidemic a public health emergency of international concern on May 5, 2014. For all seven WHO-reported polio outbreaks in 2013 and 2014, digital reports preceded official reports by an average of 14·6 days (range 0–40 days).

The first public notification of the Ebola outbreak was retrieved on March 14, 2014, by HealthMap from a French news website with headlines reporting of a strange fever in Macenta, Guinea. The report described the deaths of eight people, and symptoms of anal and nasal bleeding that resembled Lassa fever. On March 22, WHO and the Sierra Leone Ministry of Health released a statement that Ebola might have spread into Sierra Leone; official case information was released on March 23. WHO declared the Ebola outbreak a public health emergency of international concern on Aug 8, 2014.

As shown with polio and Ebola outbreak detection, digital surveillance could improve early detection and response to public health emergencies of international concern, and should be viewed as an essential complement to the available formal surveillance structure. Encouragement of countries to use digital surveillance should be a global public health priority.

Acknowledgments

JSB reports funding from Epidemico outside the submitted work. All other authors declare no competing interests. This work was supported by the National Library of Medicine, National Institutes of Health (R01LM010812), Bill & Melinda Gates Foundation (OPP1093011), and the Canadian Institutes of Health Research. AA and KK acknowledge support from the Canadian Institutes of Health Research. SIH is funded by a Senior Research Fellowship from the Wellcome Trust (095066), which also supports AM, and a grant from the Bill & Melinda Gates Foundation (OPP1093011). AJT is supported by funding from National Institutes of Health and National Institute of Allergy and Infectious Diseases (U19AI089674) and the Bill & Melinda Gates Foundation (OPP106427 and OPP1032350).

References

- 1. WHO. Fifty-eighth World Health Assembly Resolution WHA58.3: Revision of the International Health Regulations. 2005. http://www.who.int/ipcs/publications/wha/ihr_resolution.pdf (accessed Sept 30, 2014).
- WHO. WHO's Interim Guidance for the Use of Annex 2 of the IHR (2005): Decision instrument for the assessment and notification of events that may constitute a public health emergency of international concern. 2008. http://www.who.int/ihr/Annex_2_Guidance_en.pdf (accessed Sept 30, 2014).
- 3. Chrétien JP, Yingst SL, Thompson D. Building public health capacity in Afghanistan to implement the International Health Regulations: a role for security forces. Biosecur Bioterror. 2010; 8:277–85. [PubMed: 20825338]
- 4. Webster P. Reconstruction efforts in Iraq failing health care. Lancet. 2009; 373:617–20. [PubMed: 19238694]
- 5. Anema A, Druyts E, Hollmeyer HG, Hardiman MC, Wilson K. Evaluation of the functioning of the International Health Regulations (2005) annex 2. Global Health. 2012; 8:1. [PubMed: 22233652]
- Olowokure B, Pooransingh S, Tempowski J, Palmer S, Meredith T. Global surveillance for chemical incidents of international public health concern. Bull World Health Organ. 2005; 83:928–34.
 [PubMed: 16462985]

Anema et al. Page 4

7. Barboza P, Vaillant L, Mawudeku A, et al. Early alerting reporting project of the global health security initiative. evaluation of epidemic intelligence systems integrated in the early alerting and reporting project for the detection of A/H5N1 influenza events. PLoS One. 2013; 8:1–9.

- 8. Brownstein JS, Freifeld CC, Madoff LC. Digital disease detection—harnessing the Web for public health surveillance. N Engl J Med. 2009; 360:2153–55. [PubMed: 19423867]
- 9. Hulth A, Gustaf R, Annika L. Web queries as a source for syndromic surveillance. PLoS One. 2009; 4:e4378. [PubMed: 19197389]
- 10. Freifeld CC, Chunara R, Mekaru SR, et al. Participatory epidemiology: use of mobile phones for community-based health reporting. PLoS Med. 2010; 7:e1000376. [PubMed: 21151888]
- 11. Barboza P, Vaillant L, Le Strat Y, et al. Factors influencing performance of internet-based biosurveillance systems used in epidemic intelligence for early detection of infectious diseases outbreaks. PLoS One. 2014; 9:e90536. [PubMed: 24599062]