Effects of intermittent theta burst stimulation on spasticity after stroke

Dae Hyun Kima, Ji Cheol Shinb, Seungsoo Jungc, Tae-Min Jungb and Deog Young Kimb

Spasticity is a common cause of long-term disability in poststroke hemiplegic patients. We investigated whether intermittent theta burst stimulation (iTBS) could reduce upper-limb spasticity after a stroke. Fifteen hemiplegic stroke patients were recruited for a double-blind shamcontrolled cross-over design study. A single session of iTBS or sham stimulation was delivered on the motor hotspot of the affected flexor carpi radialis muscle in a random and counterbalanced order with a 1-week interval. Modified Ashworth scale (MAS), modified Tardieu scale (MTS), H-wave/M-wave amplitude ratio, peak torque (PT), peak torque angle (PTA), work of affected wrist flexor, and rectified integrated electromyographic activity of the flexor carpi radialis muscle were measured before, immediately after, 30 min after, and 1 week after iTBS or sham stimulation. Repeated-measures analysis of variance showed a significant interaction between time and intervention for the MAS, MTS, PT, PTA, and rectified integrated electromyographic activity (P < 0.05), indicating that these parameters were significantly improved by iTBS

compared with sham stimulation. However, the H-wave/M-wave amplitude ratio and work were not affected. MAS and MTS significantly improved for at least 30 min after iTBS, but the other parameters only improved immediately after iTBS (P < 0.05). In conclusion, iTBS on the affected hemisphere may help to reduce poststroke spasticity transiently. NeuroReport 26:561-566 Copyright © 2015 Wolters Kluwer Health, Inc. All rights reserved.

NeuroReport 2015, 26:561-566

Keywords: hemiplegia, intermittent theta burst stimulation, muscle spasticity, stroke, transcranial magnetic stimulation

^aDepartment of Physical Medicine and Rehabilitation, Veterans Health Service Medical Center, ^bDepartment and Research Institute of Rehabilitation Medicine and ^cDepartment of Physiology, Yonsei University College of Medicine, Seoul, South Korea

Correspondence to Deog Young Kim, MD, PhD, Department and Research Institute of Rehabilitation Medicine, Yonsei University College of Medicine, Seoul,

Tel: +82 2 2228 3714; fax: +82 2 3463 7585; e-mail: kimdy@yuhs.ac

Received 16 April 2015 accepted 1 May 2015

Introduction

Spasticity is a common disorder, with a prevalence of about 35% in stroke patients [1], and it increases functional impairment and significantly impacts activities and quality of daily life [2]. Although many therapies are available, none is universally effective.

Spasticity can be defined as a velocity-dependent increase in muscle tone, and its pathophysiology is commonly believed to involve lesions of upper motor neurons, which modulate the activity of the spinal circuit [2]. Thus, reduced inhibitory upper motor neuron activity may lead to overactivation of α and γ motor neurons and a large group of interneurons at the spinal level [1]. Therefore, techniques that modulate the excitability of upper motor neurons (e.g. transcranial magnetic stimulation) may be a treatment option for spasticity.

Repetitive transcranial magnetic stimulation (rTMS) can noninvasively alter the cortical excitability at the site of stimulation [3]. Some previous studies showed that conventional rTMS can reduce the spasticity, as measured by a modified Ashworth scale (MAS) [4-6] and the F-wave/M-

wave amplitude ratio [7,8]. However, these studies were limited to clinical and/or electrophysiological measurements. Moreover, theta burst stimulation (TBS), a novel rTMS stimulation protocol that requires less stimulation time than conventional rTMS, has not been attempted.

Thus, our aim was to determine whether intermittent TBS (iTBS) may significantly reduce upper-limb spasticity after a stroke on the basis of clinical, electrophysiological, and biomechanical assessments.

Methods

Participants

Fifteen stroke patients (10 women, five men) who fulfilled the following criteria were recruited: (a) a first ever unilateral stroke, as confirmed by MRI or computed tomography; (b) supratentorial stroke; (c) at least 18 years of age; (d) wrist flexor spasticity with a MAS score of 2 or less; (e) suspended antispastic medications and/or physiotherapy at least 1 month ago; and (f) cognitive function sufficient to allow cooperation. Exclusion criteria were as follows: (a) seizure history or ictal wave form on the electroencephalogram; (b) contraindications for rTMS [9] (e.g. intracranial implants, cardiac pacemakers, or pregnancy, implanted medication pumps); or (c) coexisting neurological and orthopedic disease. The age of the

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial-No Derivatives License 4.0 (CCBY-NC-ND), where it is permissible to download and share the work provided it is properly cited. The work cannot be changed in any way or used commercially.

Table 1 General characteristics of the participants

Patient	Sex	Age	Duration of condition (months)	Type of stroke	Affected side	MAS of wrist flexor	MEP	Sequence
1	Male	72	11.0	Hemorrhage	Left	2	Unaffected side	iTBS-sham
2	Female	89	10.2	Ischemic	Right	2	Unaffected side	iTBS-sham
3	Female	67	10.8	Ischemic	Left	1	Unaffected side	Sham-iTBS
4	Female	65	2.1	Hemorrhage	Right	1	Unaffected side	iTBS-sham
5	Male	65	1.5	Ischemic	Right	1	Affected side	Sham-iTBS
6	Female	54	0.6	Ischemic	Left	1	Unaffected side	Sham-iTBS
7	Female	43	2.6	Ischemic	Left	1+	Affected side	iTBS-sham
8	Male	49	36.3	Hemorrhage	Right	1	Affected side	iTBS-sham
9	Male	49	1.4	Ischemic	Right	1	Unaffected side	Sham-iTBS
10	Female	65	0.5	Ischemic	Left	1	Affected side	Sham-iTBS
11	Female	40	3.4	Ischemic	Left	1+	Unaffected side	Sham-iTBS
12	Female	92	1.5	Ischemic	Right	1	Affected side	Sham-iTBS
13	Female	71	1.4	Ischemic	Right	1+	Unaffected side	iTBS-sham
14	Male	48	44.9	Ischemic	Left	2	Unaffected side	Sham-iTBS
15	Female	41	2.7	Ischemic	Right	1	Affected side	iTBS-sham

iTBS, intermittent theta burst stimulation; MAS, modified Ashworth scale; MEP, motor-evoked potential.

patients was 60.7 ± 8.7 years (range = 40–92 years) and the duration since the stroke was 8.7 ± 13.6 months. The patients' characteristics are summarized in Table 1. The group size was comparable with that of other studies of rTMS and spasticity [2,8]. The study was approved by our Institutional Research Ethics Committee for Human Subjects. Informed consent was obtained from all patients before the study.

Experimental design

This study used a double-blind, sham-controlled, crossover design. Each patient underwent two different stimulations of the affected hemisphere: iTBS and sham. The order of these stimulations was randomized and counterbalanced for all patients. The iTBS and sham stimulation sessions were separated by a 1-week interval to minimize carryover effects.

To familiarize patients with the outcome measurements, the same procedures were performed more than five times to obtain stable data on the day before the stimulation session; data of last trials were obtained (T-1). The outcome measurements were evaluated by an experienced physiatrist before (T0), immediately after (T1), 30 min after (T2), and 1 week after stimulation (T3). We could not find a significant difference in any of the outcome measurements between on the day before the stimulation (T-1) and before stimulation on the experimental day (T0). The outcome measurements were completed within 10 min after the stimulation session. The physician who performed the stimulation was instructed not to disclose the stimulation order to the patients and another physician who assessed the parameters.

Intermittent theta burst stimulation

iTBS was administered using a Magstim Rapid magnetic stimulator (Magstim Company, Whitland, UK) connected to a figure-of-eight coil (diameter = 70 mm). It was delivered over the motor hotspot of the affected flexor carpi radialis muscle (FCR). The stimulation intensity was 80% of the active motor threshold [10]. The iTBS

protocol consisted of 10 bursts, each of which was composed of three stimuli at 50 Hz, repeated at a theta frequency of 5 Hz every 10 s for a total of 600 stimuli (200 s) [10]. If no motor-evoked potential (MEP) was detectable from the FCR of the affected limb, the stimulation location was established as the equivalent point of the scalp in the affected hemisphere relative to the unaffected motor hot spot of the FCR. In these cases, the stimulation intensity was set to 50% of the maximum stimulator output [2]. For the sham stimulation, iTBS was delivered (80% of the active motor threshold) with the coil held close over the motor area corresponding to the affected limb as determined for iTBS, but tilted $\sim 90^{\circ}$ so that no current was induced in the brain [2]. The stimulation intensity was 48.1 ± 2.7 of the maximum stimulator output. The MEP from the FCR in the affected limb were detected in six patients (Table 1).

Outcome measurements

The wrist flexor spasticity was assessed systematically by clinical, electrophysiological, and biomechanical measurements. Clinical assessments were performed using MAS and the modified Tardieu scale (MTS). MAS was scored using a six-point (0, 1, 1.5, 2, 3, 4) scale [4] and MTS involving scoring of R1 and R2 was also assessed [11]. Electrophysiological measurements were obtained using a Synergy system EMG unit (VIASYS HealthCare Inc., Old Woking, UK) with a bandpass filter at 20 Hz to 2 kHz, sweep speed at 5 ms/division, and sensitivity at 200-500 µV. Compound muscle action potentials, Hoffmann (H) reflex, and electromyographic (EMG) activity were recorded using Ag-AgCl surface electrodes on affected FCR. Compound muscle action potentials and H reflex were evoked 10 times by electrical stimulation of the median nerve through a bipolar electrode placed in the antecubital fossa (1 ms duration, 20–40 mA intensity when set at the minimal M wave) [12]. The H-wave/M-wave amplitude ratio (H/M ratio) was calculated and averaged across 10 occurrences. Biomechanical measurements including the rectified

integrated EMG activity were performed using an isokinetic dynamometer (Lumex Inc., Ronkonkoma, New York, USA) and an MP100 system (BIOPAC Inc., Goleta, California, USA). To assess these measurements, 10 continuous passive wrist movements from 45° flexion to 35° extension were completed at a velocity of 30°/s. Peak torque (PT) was measured on the basis of the resistance force applied to the lever during the passive motion of the wrist. PT (Nm), peak torque angle (PTA) (°), work (J), and EMG activity (mV) of FCR were measured simultaneously. The raw data for the EMG activity were integrated after being rectified using the Acknowledgement 4.2 program (BIOPAC Inc.).

Statistical analysis

Data analysis was completed using SPSS, version 19.0 (SPSS Inc., Chicago, Illinois, USA). Repeated-measures analysis of variance (RM-ANOVA) was used to evaluate the effects of time (T0-T3) and intervention (iTBS and sham) on spasticity because each patient underwent two stimulation conditions (iTBS and sham stimulation) and evaluations were performed at four time points (from T0 to T3). The Wilks' λ correction was used to correct for violations of sphericity. When significant differences were found, post-hoc testing was performed and corrected for multiple comparisons (Bonferroni). For comparisons with baseline, an independent t-test was used for the baseline data of iTBS and sham stimulation. A paired t-test was used for all parameters between T-1 and T0to confirm familiarization. The level for statistical significance was set at P value less than 0.05. All data are expressed as the mean \pm SE (Table 2).

Results

Clinical measurements

MAS and MTS at baseline did not differ significantly between iTBS and sham stimulation. RM-ANOVA showed a significant interaction between time (T0-T3) and intervention (iTBS/sham) with respect to MAS (F=11.752, P<0.001) and R1 of MTS (F=13.365, P=1.752)P < 0.001), indicating the significant improvements on MAS and R1 of MTS after iTBS in comparison with the sham stimulation. However, R2 of MTS did not show any improvement. On comparison with T0, post-hoc comparisons showed that MAS was improved significantly immediately after (T1) and 30 min after iTBS (T2), but was not improved at 1 week after stimulation (T3), and R1 of MTS was also improved significantly immediately after (T1) and 30 min after both iTBS and sham stimulation (T2) (P < 0.001 with Bonferroni correction), but was not improved at 1 week after stimulation (T3) (Table 2 and Fig. 1).

Electrophysiological measurements

The H/M ratio at baseline did not differ significantly between iTBS and sham stimulation. RM-ANOVA did not indicate a significant interaction between time (T0-T3) and intervention (iTBS/sham) on the H/M ratio (F = 0.405, P = 0.751) (Table 2 and Fig. 2).

Biomechanical measurements

No significant difference in PT, PTA, work, and rectified integrated EMG activity at baseline could be found between iTBS and sham stimulation. RM-ANOVA showed a significant interaction between time (T0–T3) and intervention (iTBS/sham) with respect to PT (F=3.798, P=0.022), PTA (F=3.137, P=0.042), and rectified integrated EMG activity (F = 8.078, P = 0.001), indicating that these parameters were significantly improved after iTBS compared with sham stimulation. However, work was not improved. On comparison with T1, post-hoc comparisons showed that PT, PTA, and rectified integrated EMG activity were improved immediately after iTBS (T1) (P < 0.001 with Bonferroni correction), but were not improved at 30 min after (T2) or 1 week after (T3) stimulation (Table 2 and Fig. 3).

Table 2 Changes in clinical, electrophysiological, and biomechanical measures of spasticity after stimulation

	Intermittent theta burst stimulation				Sham stimulation			
Variables	TO	T1	T2	Т3	TO	T1	T2	T3
Clinical measure								
MAS*	1.30 ± 0.11	$0.47 \pm 0.13^{\dagger}$	$0.66 \pm 0.14^{\dagger}$	1.23 ± 0.14	1.23 ± 0.10	1.17 ± 0.13	1.10 ± 0.10	1.23 ± 0.10
MTS								
R1 (deg.)*	52.00 ± 2.33	$66.00 \pm 1.31^{\dagger}$	$60.00 \pm 2.34^{\dagger}$	52.66 ± 3.04	53.00 ± 2.38	$56.00 \pm 2.25^{\dagger}$	$60.00 \pm 1.89^{\dagger}$	54.00 ± 2.02
R2 (deg.)	70.00 ± 0.00	70.00 ± 0.00	70.00 ± 0.00	70.00 ± 0.00	70.00 ± 0.00	70.00 ± 0.00	70.00 ± 0.00	70.00 ± 0.00
Electrophysiological measure								
H/M amplitude ratio	0.55 ± 0.14	0.54 ± 0.24	0.56 ± 0.18	0.63 ± 0.21	0.42 ± 0.10	0.44 ± 0.11	0.41 ± 0.10	0.44 ± 0.11
Biomechanical measure								
Peak torque (Nm)*	2.91 ± 0.48	$2.63 \pm 0.48^{\dagger}$	2.82 ± 0.47	2.87 ± 0.47	2.89 ± 0.47	2.78 ± 0.47	2.78 ± 0.48	2.81 ± 0.50
Work (J)	1.97 ± 0.46	1.89 ± 0.48	1.97 ± 0.46	1.59 ± 0.34	1.63 ± 0.33	1.66 ± 0.35	1.75 ± 0.37	2.07 ± 0.44
Peak torque angle (deg.)*	4.27 ± 2.21	$9.13 \pm 1.87^{\dagger}$	7.40 ± 1.96	$\textbf{3.67} \pm \textbf{2.22}$	5.13 ± 2.05	6.80 ± 1.72	6.33 ± 2.17	4.93 ± 2.06
EMG (mV/s $\times 10^{-4}$)*	2.40 ± 0.34	$1.44 \pm 0.16^{\dagger}$	2.07 ± 0.31	2.00 ± 0.38	1.86 ± 0.33	1.99 ± 0.36	2.02 ± 0.43	2.01 ± 0.38

Values are represented as mean ± SE.


EMG, rectified integrated electromyographic activity; H/M, H-wave/M-wave; MAS, modified Ashworth scale; MTS, modified Tardieu scale.

T0, before stimulation; T1, immediately after stimulation; T2, 30 min after stimulation; T3, 1 week after stimulation.

^{*}P < 0.05 significant time x intervention factor interaction.


[†]P<0.05 versus the baseline (T0) within intervention

Fig. 1



Effects of a single intermittent theta burst stimulation on the modified Ashworth scale (a) and the modified Tardieu scale (b).*P<0.05 versus the baseline (T0) within intervention. MAS, modified Ashworth scale; MTS, modified Tardieu scale.





Effects of a single intermittent theta burst stimulation on the H/M amplitude ratio. H/M, H-wave/M-wave.


Discussion

This study showed that a single session of iTBS over the affected motor cortex caused a transient reduction in spasticity after a stroke. These results are consistent with previous studies reporting a significant reduction of upper-limb spasticity after conventional rTMS in patients after a stroke [4,7,8]. However, all previous studies were open-labeled studies such that the researchers and participants all knew which stimulation was being administered, or the outcome measurements in these studies were limited to clinical or electrophysiological measures. Many measurements of spasticity were introduced by researchers. These measurements could be classified into clinical, electrophysiological, and biomechanical measures. Among these, biomechanical measurements may offer better quantification of spasticity

compared with clinical and electrophysiological measurements [12,13] because clinical measures are highly dependent on the examiner's judgment [14] and because electrophysiological measures have high variability and low reliability [15]. This is the first randomized sham-controlled study to quantitatively assess the effect of rTMS on spasticity using biomechanical measurements.

A significant improvement was found in clinical and biomechanical assessments after iTBS. However, we failed to observe a reduction of spasticity as assessed by electrophysiological measurement. The lack of electrophysiological changes may be attributed to several factors. First, the H reflex has high variability and low reliability for measuring spasticity [12,15]. Second, the stimulation intensity during active iTBS (80% active motor threshold of FCR or 50% of maximal stimulation output) was lower than the intensity to induce electrophysiological changes in the studies with conventional rTMS, which showed positive effects on spasticity. Huang et al. [10] also reported similar findings with TBS that continuous TBS had no effect on H reflexes evoked in FCR, whereas MEPs were suppressed in normal individuals. Third, the interneurons at the spinal level, which are not directly involved in the H reflex, may play a much larger role in spasticity reduction after iTBS [3]. Fourth, the symptoms related to the spasticity were similar irrespective of underlying diseases, but different mechanisms in spasticity may occur depending on the specific underlying disease of the central nervous system [3]. A reduction in the H/M ratio has been reported following iTBS stimulation of the motor cortex in multiple sclerosis patients [2], but no changes in the H/M ratio were reported in patients with spinal-cord injury [3].

We also found that the reduction in spasticity lasted less than 30 min after a single session of iTBS. These results



Effects of a single intermittent theta burst stimulation on peak torque (a), peak torque angle (b), work (c), and EMG activity (d). EMG, rectified integrated electromyographic activity. *P < 0.05 versus the baseline (T0) within intervention.

were in line with the studies measuring the upper-limb motor performance after iTBS in patients after a stroke [16,17]. Talelli et al. [16] reported that a single session of iTBS reduced the reaction time by up to 30 min, but changes in MEP size had a duration of ~0 min. Huang et al. [18] also observed the transient changes in MEP size for 20 min after iTBS [18]. These results support the use of iTBS in future longer-term trials for the modulation of spasticity after a stroke.

The mechanism underlying the anti-spastic effect of iTBS remains to be determined. iTBS is well-known to modulate cortical excitability [10], and the increased neural activity of the corticospinal tract after iTBS may project to local inhibitory interneurons of the spinal cord. The corticospinal tract has widespread terminations in the spinal gray matter, thereby controlling motor neurons through monosynaptic but also polysynaptic connections involving local interneurons and sensory afferents [19]. iTBS may also result in changes in the levels of endogenous neurotransmitters such as y-aminobutyric acid, glutamate, and dopamine, which are all involved in

synaptic plasticity [19]. Although the mechanisms underlying the effect of iTBS are not yet completely understood, it is increasingly accepted that they could be analogous to long-term potentiation plastic changes recorded in neurons of animal models. Further studies are needed to explore this issue.

Conclusion

iTBS may be useful to reduce spasticity transiently in post-stroke patients. The potential clinical relevance is unclear, but TBS with a shorter stimulation time relative to conventional rTMS may offer a clinical advantage in the treatment of spasticity. Finally, further studies are necessary to explore the underlying mechanisms of iTBS, to induce longer carry-over effects, and to establish the benefits in clinical settings.

Acknowledgements

The authors would like to thank Kyunghwa Han, PhD (Biostatistician), for her help with the statistical analysis. Author contributions: Deog Young Kim designed the experimental plan and prepared the manuscript; Dae Hyun Kim collected and analyzed the data; Tae-Min Jung helped to conduct the experiment and Ji Cheol Shin and Seungsoo Jung supervised this work.

Conflicts of interest

There are no conflicts of interest.

References

- Mori F, Koch G, Foti C, Bernardi G, Centonze D. The use of repetitive transcranial magnetic stimulation (rTMS) for the treatment of spasticity. Prog Brain Res 2009; 175:429-439.
- 2 Mori F, Codeca C, Kusayanagi H, Monteleone F, Boffa L, Rimano A, et al. Effects of intermittent theta burst stimulation on spasticity in patients with multiple sclerosis. Eur J Neurol 2010: 17:295-300.
- Kumru H, Murillo N, Samso JV, Valls-Sole J, Edwards D, Pelayo R, et al. Reduction of spasticity with repetitive transcranial magnetic stimulation in patients with spinal cord injury. Neurorehabil Neural Repair 2010;
- Kakuda W, Abo M, Kobayashi K, Momosaki R, Yokoi A, Fukuda A, et al. Antispastic effect of low-frequency rTMS applied with occupational therapy in post-stroke patients with upper limb hemiparesis. Brain Inj 2011; **25**:496-502.
- Barros Galvao SC, Borba Costa dos Santos R, Borba dos Santos P, Cabral ME, Monte-Silva K. Efficacy of coupling repetitive transcranial magnetic stimulation and physical therapy to reduce upper-limb spasticity in patients with stroke: a randomized controlled trial. Arch Phys Med Rehabil 2014: 95:222-229.
- Kakuda W, Abo M, Kobayashi K, Momosaki R, Yokoi A, Fukuda A, et al. Low-frequency repetitive transcranial magnetic stimulation and intensive occupational therapy for poststroke patients with upper limb hemiparesis: preliminary study of a 15-day protocol. Int J Rehabil Res 2010; 33:339-345.
- Kondo T, Kakuda W, Yamada N, Shimizu M, Abo M. Effects of repetitive transcranial magnetic stimulation and intensive occupational therapy on motor neuron excitability in poststroke hemiparetic patients: a

- neurophysiological investigation using F-wave parameters. Int J Neurosci 2015: 125:25-31.
- Wupuer S, Yamamoto T, Katayama Y, Motohiko H, Sekiguchi S, Matsumura Y, et al. F-wave suppression induced by suprathreshold highfrequency repetitive transcranial magnetic stimulation in poststroke patients with increased spasticity. Neuromodulation 2013; 16:206-211. Discussion
- Wassermann EM. Risk and safety of repetitive transcranial magnetic stimulation: report and suggested guidelines from the International Workshop on the Safety of Repetitive Transcranial Magnetic Stimulation. June 5-7, 1996. Electroencephalogr Clin Neurophysiol 1998; 108:1-16.
- Huang YZ, Edwards MJ, Rounis E, Bhatia KP, Rothwell JC. Theta burst stimulation of the human motor cortex, Neuron 2005; 45:201-206.
- Haugh AB, Pandyan AD, Johnson GR. A systematic review of the Tardieu scale for the measurement of spasticity. Disabil Rehabil 2006; 28:899-907.
- Pisano F, Miscio G, del Conte C, Pianca D, Candeloro E, Colombo R. Quantitative measures of spasticity in post-stroke patients. Clin Neurophysiol 2000; 111:1015-1022.
- Pierce SR, Lauer RT, Shewokis PA, Rubertone JA, Orlin MN. Test-retest reliability of isokinetic dynamometry for the assessment of spasticity of the knee flexors and knee extensors in children with cerebral palsy. Arch Phys Med Rehabil 2006; 87:697-702.
- Kim DY, Park CI, Chon JS, Ohn SH, Park TH, Bang IK. Biomechanical assessment with electromyography of post-stroke ankle plantar flexor spasticity. Yonsei Med J 2005: 46:546-554.
- Voerman GE, Gregoric M, Hermens HJ. Neurophysiological methods for the assessment of spasticity; the Hoffmann reflex, the tendon reflex, and the stretch reflex. Disabil Rehabil 2005; 27:33-68.
- Talelli P, Greenwood RJ, Rothwell JC. Exploring theta burst stimulation as an intervention to improve motor recovery in chronic stroke. Clin Neurophysiol 2007: 118:333-342.
- 17 Ackerley SJ, Stinear CM, Barber PA, Byblow WD. Priming sensorimotor cortex to enhance task-specific training after subcortical stroke. Clin Neurophysiol 2014; 125:1451-1458.
- Huang YZ, Rothwell JC, Edwards MJ, Chen RS. Effect of physiological activity on an NMDA-dependent form of cortical plasticity in human. Cereb Cortex 2008; 18:563-570.
- Mori F, Ljoka C, Magni E, Codeca C, Kusayanagi H, Monteleone F, et al. Transcranial magnetic stimulation primes the effects of exercise therapy in multiple sclerosis. J Neurol 2011; 258:1281-1287.