- Aihara M, Ida I, Yuuki N, et al. HPA axis dysfunction in unmedicated major depressive disorder and its normalization by pharmacotherapy correlates with alteration of neural activity in prefrontal cortex and limbic/paralimbic regions. *Psychiatry Res* 2007;155:245-56.
- 37. Brody AL, Saxena S, Stoessel P, et al. Regional brain metabolic changes in patients with major depression treated with either paroxetine or interpersonal therapy: preliminary findings. *Arch Gen Psychiatry* 2001;58:631-40.
- Drevets WC, Videen TO, Price JL, et al. A functional anatomical study of unipolar depression. J Neurosci 1992;12:3628-41.
- Germain A, Nofzinger EA, Meltzer CC, et al. Diurnal variation in regional brain glucose metabolism in depression. *Biol Psychiatry* 2007;62:438-45.
- Kimbrell TA, Ketter TA, George MS, et al. Regional cerebral glucose utilization in patients with a range of severities of unipolar depression. *Biol Psychiatry* 2002;51:237-52.
- Monkul ES, Silva LA, Narayana S, et al. Abnormal resting state corticolimbic blood flow in depressed unmedicated patients with major depression: a (15)O-H(2)O PET study. Hum Brain Mapp 2012;33:272-9.
- Guo WB, Sun XL, Liu L, et al. Disrupted regional homogeneity in treatment-resistant depression: a resting-state fMRI study. Prog Neuropsychopharmacol Biol Psychiatry 2011;35:1297-302.
- Guo WB, Liu F, Chen JD, et al. Abnormal neural activity of brain regions in treatment-resistant and treatment-sensitive major depressive disorder: a resting-state fMRI study. J Psychiatr Res 2012;46: 1366-73
- Liang MJ, Zhou Q, Yang KR, et al. Identify changes of brain regional homogeneity in bipolar disorder and unipolar depression using resting-state FMRI. PLoS ONE 2013;8:e79999.
- Wang L, Li K, Zhang Q, et al. Short-term effects of escitalopram on regional brain function in first-episode drug-naive patients with major depressive disorder assessed by resting-state functional magnetic resonance imaging. *Psychol Med* 2014;44:1417-26.
- Yao Z, Wang L, Lu Q, et al. Regional homogeneity in depression and its relationship with separate depressive symptom clusters: a resting-state fMRI study. J Affect Disord 2009;115:430-8.
- Herrero MT, Barcia C, Navarro JM. Functional anatomy of thalamus and basal ganglia. *Childs Nerv Syst* 2002;18:386-404.
- Bush G, Luu P, Posner MI. Cognitive and emotional influences in anterior cingulate cortex. Trends Cogn Sci 2000;4:215-22.
- Rushworth MF, Behrens TE, Rudebeck PH, et al. Contrasting roles for cingulate and orbitofrontal cortex in decisions and social behaviour. Trends Cogn Sci 2007;11:168-76.

- 50. Young KA, Holcomb LA, Yazdani U, et al. Elevated neuron number in the limbic thalamus in major depression. *Am J Psychiatry* 2004;161:1270-7.
- 51. Craig AD. How do you feel–now? The anterior insula and human awareness. *Nat Rev Neurosci* 2009;10:59-70.
- Menon V, Uddin LQ. Saliency, switching, attention and control: a network model of insula function. *Brain Struct Funct* 2010;214:655-67.
- 53. Diener C, Kuehner C, Brusniak W, et al. A meta-analysis of neurofunctional imaging studies of emotion and cognition in major depression. *Neuroimage* 2012;61:677-85.
- 54. Lee HY, Tae WS, Yoon HK, et al. Demonstration of decreased gray matter concentration in the midbrain encompassing the dorsal raphe nucleus and the limbic subcortical regions in major depressive disorder: an optimized voxel-based morphometry study. J Affect Disord 2011;133:128-36.
- 55. Shields SA. Speaking from the heart: gender and the social meaning of emotion. Cambridge University Press; 2002.
- Stevens JS, Hamann S. Sex differences in brain activation to emotional stimuli: a meta-analysis of neuroimaging studies. *Neuro*psychologia 2012;50:1578-93.
- 57. Lithari C, Frantzidis CA, Papadelis C, et al. Are females more responsive to emotional stimuli? A neurophysiological study across arousal and valence dimensions. *Brain Topogr* 2010;23:27-40.
- 58. Maes M, Meltzer H. The serotonin hypothesis of major depression. *Psychopharmacology (Berl)* 1995;10:933-4.
- Frey BN, Skelin I, Sakai Y, et al. Gender differences in alpha-[(11)C] MTrp brain trapping, an index of serotonin synthesis, in medicationfree individuals with major depressive disorder: a positron emission tomography study. *Psychiatry Res* 2010;183:157-66.
- Beason-Held LL, Kraut MA, Resnick SMI. Longitudinal changes in aging brain function. Neurobiol Aging 2008;29:483-96.
- Resnick SM, Goldszal AF, Davatzikos C, et al. One-year age changes in MRI brain volumes in older adults. *Cereb Cortex* 2000;10:464-72.
- Good CD, Johnsrude IS, Ashburner J, et al. A voxel-based morphometric study of ageing in 465 normal adult human brains. *Neuroimage* 2001;14:21-36.
- Salimi-Khorshidi G, Smith SM, Keltner JR, et al. Meta-analysis of neuroimaging data: a comparison of image-based and coordinatebased pooling of studies. *Neuroimage* 2009;45:810-23.
- 64. Fountoulakis KN, Gonda X, Andreoulakis E, et al. No differences between drug naive and drug experienced unipolar depressed patients in terms of neurobiological testing: a cross sectional study. *J Psychiatr Res* 2013;47:1984-90.

Retraction: Altered affective, executive and sensorimotor resting state networks in patients with pediatric mania

The article "Altered affective, executive and sensorimotor resting state networks in patients with pediatric mania" (DOI: 10.1503/jpn.120073; authors: Wu M, Lu LH, Passarotti AM, Wegbreit E, Fitzgerald J, Pavuluri MN) published in the July 2013 issue of the *Journal of Psychiatry and Neuroscience* has been retracted at the request of the University of Chicago at Illinois, as communicated to our editorial offices by one of the article's authors, Mani Pavuluri. This request follows a formal institutional investigation by the University of Chicago at Illinois that found that allegations of research misconduct against Dr. Pavuluri were supported by a preponderance of evidence. The investigation panel concluded that Dr. Pavuluri intentionally made false statements in the Results section of the article whereby the medication status of research participants whose data were included in the analyses was misrepresented, thus compromising the results and conclusions of the article. The article's co-authors were not implicated in the research misconduct.

Patricia Boksa and Ridha Joober Co-editors in chief, *JPN*