

CORRECTION

# Correction: A Standardized Method for the Construction of Tracer Specific PET and SPECT Rat Brain Templates: Validation and Implementation of a Toolbox

David Vallez Garcia, Cindy Casteels, Adam J. Schwarz, Rudi A. J. O. Dierckx, Michel Koole, Janine Doorduyn

There are errors in the Abstract of the manuscript. Several “&” symbols appear throughout. The correct symbol should be “<”.

There is an error in the “Registration Error” subsection, which is within the “Materials and Methods” section. The third to last sentence of that subsection should read: Each resultant image volume was smoothed with a Gaussian kernel of 0.8mm and then registered again to the selected template with affine registration using least squares function.

## Reference

1. Vallez Garcia D, Casteels C, Schwarz AJ, Dierckx RAJO, Koole M, Doorduyn J (2015) A Standardized Method for the Construction of Tracer Specific PET and SPECT Rat Brain Templates: Validation and Implementation of a Toolbox. PLoS ONE 10(3): e0122363. doi:[10.1371/journal.pone.0122363](https://doi.org/10.1371/journal.pone.0122363) PMID: [25823005](https://pubmed.ncbi.nlm.nih.gov/25823005/)



## OPEN ACCESS

**Citation:** Garcia DV, Casteels C, Schwarz AJ, Dierckx RAJO, Koole M, Doorduyn J (2015) Correction: A Standardized Method for the Construction of Tracer Specific PET and SPECT Rat Brain Templates: Validation and Implementation of a Toolbox. PLoS ONE 10(11): e0143900. doi:[10.1371/journal.pone.0143900](https://doi.org/10.1371/journal.pone.0143900)

**Published:** November 24, 2015

**Copyright:** © 2015 Garcia et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.